

**PIPING SYSTEM PTE LTD**

[PIPINGSYSTEMPTELTD@163.COM](mailto:PIPINGSYSTEMPTELTD@163.COM)

+86-17600050068

**PIPING SYSTEM PTE LTD**

[PIPINGSYSTEMPTELTD@163.COM](mailto:PIPINGSYSTEMPTELTD@163.COM)

+86-17600050068

## **CONDUIT FITTING**

EMT&RIGID FITTING

FLEX CONDUIT AND LT FITTING

CONDUIT BODY AND FS/FD BOX

HAZARDOUS LOCATION PRODUCT

SUPPORT PRODUCT



# PIPING SYSTEM PTE LTD



## EMT & RIGID FITTING


PIPINGSYSTEMPTELTD@163.COM

+86-17600050068

# PIPING SYSTEM PTE LTD

## EMT Set Screw Connector


Material:Die Cast Zinc



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| SC15Z  | 1/2"       | 1.125         | 0.375 | 0.750 |
| SC20Z  | 3/4"       | 1.375         | 0.438 | 0.938 |
| SC25Z  | 1"         | 1.563         | 0.500 | 1.188 |
| SC32Z  | 1 1/4"     | 2.000         | 0.625 | 1.563 |
| SC40Z  | 1 1/2"     | 2.125         | 0.688 | 1.750 |
| SC50Z  | 2"         | 2.438         | 0.750 | 2.250 |
| SC65Z  | 2 1/2"     | 3.063         | 3.313 | 3.000 |
| SC80Z  | 3"         | 3.313         | 3.875 | 3.563 |
| SC100Z | 4"         | 3.750         | 4.875 | 4.563 |

## EMT Set Screw Connector

Material:Steel  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |   |
|--------|------------|---------------|-------|---|
|        |            | A             | B     | C |
| SC15S  | 1/2"       | 0.880         | 1.500 | — |
| SC20S  | 3/4"       | 1.130         | 1.560 | — |
| SC25S  | 1"         | 1.380         | 1.810 | — |
| SC32S  | 1 1/4"     | 1.750         | 2.250 | — |
| SC40S  | 1 1/2"     | 2.000         | 2.310 | — |
| SC50S  | 2"         | 2.438         | 2.375 | — |
| SC65S  | 2 1/2"     | 3.125         | 3.190 | — |
| SC80S  | 3"         | 3.750         | 3.810 | — |
| SC90S  | 3 1/2"     | 4.250         | 4.310 | — |
| SC100S | 4"         | 4.750         | 4.880 | — |

## EMT Set Screw Coupling


Material:Die Cast Zinc



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| SK15Z  | 1/2"       | 1.500         | 0.938 | 0.750 |
| SK20Z  | 3/4"       | 1.750         | 1.188 | 0.938 |
| SK25Z  | 1"         | 2.125         | 1.438 | 1.188 |
| SK32Z  | 1 1/4"     | 2.500         | 7.063 | 1.563 |
| SK40Z  | 1 1/2"     | 2.875         | 2.000 | 1.750 |
| SK50Z  | 2"         | 3.438         | 2.500 | 2.250 |
| SK65Z  | 2 1/2"     | 4.000         | 3.313 | 2.938 |
| SK80Z  | 3"         | 4.438         | 3.875 | 3.563 |
| SK100Z | 4"         | 5.250         | 4.875 | 4.563 |

## EMT Set Screw Coupling


Material:Steel  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |   |
|--------|------------|---------------|-------|---|
|        |            | A             | B     | C |
| SK15S  | 1/2"       | 0.875         | 1.625 | — |
| SK20S  | 3/4"       | 1.130         | 1.875 | — |
| SK25S  | 1"         | 1.190         | 2.313 | — |
| SK32S  | 1 1/4"     | 1.750         | 2.750 | — |
| SK40S  | 1 1/2"     | 2.000         | 3.000 | — |
| SK50S  | 2"         | 2.440         | 3.250 | — |
| SK65S  | 2 1/2"     | 3.130         | 4.000 | — |
| SK80S  | 3"         | 3.750         | 4.250 | — |
| SK90S  | 3 1/2"     | 4.250         | 4.500 | — |
| SK100S | 4"         | 4.750         | 4.750 | — |

## EMT Compression Connector


Material:Die Cast Zinc



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| CC15Z  | 1/2"       | 1.188         | 1.000 | 0.375 |
| CC20Z  | 3/4"       | 1.313         | 1.000 | 0.375 |
| CC25Z  | 1"         | 1.500         | 1.500 | 0.563 |
| CC32Z  | 1 1/4"     | 1.688         | 1.813 | 0.625 |
| CC40Z  | 1 1/2"     | 1.875         | 2.125 | 0.625 |
| CC50Z  | 2"         | 2.125         | 2.563 | 0.750 |
| CC65Z  | 2 1/2"     | 2.625         | 3.250 | 1.000 |
| CC80Z  | 3"         | 2.688         | 3.938 | 1.063 |
| CC90Z  | 3 1/2"     | 2.813         | 4.500 | 1.063 |
| CC100Z | 4"         | 2.813         | 5.000 | 1.063 |

## EMT Compression Connector


Material:Steel  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| CC15S  | 1/2"       | 0.625         | 0.500 | 1.125 |
| CC20S  | 3/4"       | 0.688         | 0.500 | 1.375 |
| CC25S  | 1"         | 0.688         | 0.563 | 1.688 |
| CC32S  | 1 1/4"     | 0.938         | 0.688 | 2.063 |
| CC40S  | 1 1/2"     | 1.063         | 0.688 | 2.250 |
| CC50S  | 2"         | 1.125         | 0.750 | 2.750 |
| CC65S  | 2 1/2"     | 1.688         | 0.813 | 3.625 |
| CC80S  | 3"         | 1.688         | 0.938 | 4.250 |
| CC90S  | 3 1/2"     | 1.813         | 1.000 | 4.688 |
| CC100S | 4"         | 1.813         | 1.000 | 5.188 |

## EMT Compression Coupling


Material:Die Cast Zinc



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| CK15Z  | 1/2"       | 1.188         | 1.000 | 0.750 |
| CK20Z  | 3/4"       | 1.313         | 1.000 | 0.938 |
| CK25Z  | 1"         | 1.500         | 1.500 | 1.188 |
| CK32Z  | 1 1/4"     | 1.688         | 1.813 | 1.500 |
| CK40Z  | 1 1/2"     | 1.875         | 2.125 | 1.750 |
| CK50Z  | 2"         | 2.125         | 2.563 | 2.250 |
| CK65Z  | 2 1/2"     | 3.250         | 3.250 | 2.875 |
| CK80Z  | 3"         | 3.375         | 3.938 | 3.500 |
| CK90Z  | 3 1/2"     | 3.500         | 4.500 | 4.000 |
| CK100Z | 4"         | 3.625         | 5.000 | 4.500 |

## EMT Compression Coupling


Material:Steel  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |   |  |
|--------|------------|---------------|-------|---|--|
|        |            | A             | B     | C |  |
| CK15S  | 1/2"       | 1.625         | 1.125 | — |  |
| CK20S  | 3/4"       | 1.750         | 1.375 | — |  |
| CK25S  | 1"         | 1.875         | 1.688 | — |  |
| CK32S  | 1 1/4"     | 2.250         | 2.063 | — |  |
| CK40S  | 1 1/2"     | 2.250         | 2.250 | — |  |
| CK50S  | 2"         | 2.375         | 2.750 | — |  |
| CK65S  | 2 1/2"     | 3.875         | 3.625 | — |  |
| CK80S  | 3"         | 4.000         | 4.250 | — |  |
| CK90S  | 3 1/2"     | 4.063         | 4.688 | — |  |
| CK100S | 4"         | 4.938         | 5.188 | — |  |

## EMT Raintight Compression Connector


Material:Steel  
Finish:Zinc Plated



| CAT#    | TRADE SIZE | DIMENSION(IN) |       |       |
|---------|------------|---------------|-------|-------|
|         |            | A             | B     | C     |
| CCR15S  | 1/2"       | 0.625         | 0.500 | 1.125 |
| CCR20S  | 3/4"       | 0.688         | 0.500 | 1.375 |
| CCR25S  | 1"         | 0.688         | 0.563 | 1.688 |
| CCR32S  | 1 1/4"     | 0.938         | 0.688 | 2.063 |
| CCR40S  | 1 1/2"     | 1.063         | 0.688 | 2.250 |
| CCR50S  | 2"         | 1.125         | 0.750 | 2.750 |
| CCR65S  | 2 1/2"     | 1.688         | 0.813 | 3.625 |
| CCR80S  | 3"         | 1.688         | 0.938 | 4.250 |
| CCR90S  | 3 1/2"     | 1.813         | 1.000 | 4.688 |
| CCR100S | 4"         | 1.813         | 1.000 | 5.188 |

## EMT Raintight Compression Coupling


Material:Steel  
Finish:Zinc Plated



| CAT#    | TRADE SIZE | DIMENSION(IN) |       |   |
|---------|------------|---------------|-------|---|
|         |            | A             | B     | C |
| CKR15S  | 1/2"       | 1.625         | 1.125 | — |
| CKR20S  | 3/4"       | 1.750         | 1.375 | — |
| CKR25S  | 1"         | 1.875         | 1.688 | — |
| CKR32S  | 1 1/4"     | 2.250         | 2.063 | — |
| CKR40S  | 1 1/2"     | 2.250         | 2.250 | — |
| CKR50S  | 2"         | 2.375         | 2.750 | — |
| CKR65S  | 2 1/2"     | 3.875         | 3.625 | — |
| CKR80S  | 3"         | 4.000         | 4.250 | — |
| CKR90S  | 3 1/2"     | 4.063         | 4.688 | — |
| CKR100S | 4"         | 4.938         | 5.188 | — |

## Steel Combination Coupling


Rigid/IMC to EMT  
Material:Steel  
Finish:Zinc Plated



| CAT#  | TRADE SIZE | DIMENSION(IN) |       |       |       |
|-------|------------|---------------|-------|-------|-------|
|       |            | A             | B     | C     | D     |
| ZCR15 | 1/2"       | 1.313         | 0.875 | 0.875 | 0.688 |
| ZCR20 | 3/4"       | 1.438         | 1.125 | 1.125 | 0.750 |
| ZCR25 | 1"         | 1.688         | 1.375 | 1.375 | 0.813 |

## Chase Nipple

Material:Malleable Iron  
Finish:Zinc Plated




| CAT#    | TRADE SIZE | DIMENSION(IN) |       |   |
|---------|------------|---------------|-------|---|
|         |            | A             | B     | C |
| RBN15M  | 1/2"       | 1.125         | 0.688 | — |
| RBN20M  | 3/4"       | 1.438         | 0.813 | — |
| RBN25M  | 1"         | 1.750         | 0.875 | — |
| RBN32M  | 1 1/4"     | 2.063         | 1.188 | — |
| RBN40M  | 1 1/2"     | 2.313         | 1.188 | — |
| RBN50M  | 2"         | 2.875         | 1.313 | — |
| RBN65M  | 2 1/2"     | 3.563         | 1.500 | — |
| RBN80M  | 3"         | 4.375         | 1.625 | — |
| RBN90M  | 3 1/2"     | 4.750         | 1.688 | — |
| RBN100M | 4"         | 4.875         | 1.813 | — |
| RBN125M | 5"         | 6.000         | 2.188 | — |
| RBN150M | 6"         | 7.000         | 2.375 | — |

# PIPING SYSTEM PTE LTD

## RIGID Compression Connector


Material:Malleable Iron  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| RCC15  | 1/2"       | 1.500         | 0.500 | 1.500 |
| RCC20  | 3/4"       | 1.500         | 0.500 | 1.625 |
| RCC25  | 1"         | 1.690         | 0.560 | 2.000 |
| RCC32  | 1 1/4"     | 2.000         | 0.690 | 2.375 |
| RCC40  | 1 1/2"     | 2.060         | 0.690 | 2.625 |
| RCC50  | 2"         | 2.250         | 0.880 | 3.313 |
| RCC65  | 2 1/2"     | 2.940         | 1.250 | 3.750 |
| RCC80  | 3"         | 3.130         | 1.380 | 4.250 |
| RCC90  | 3 1/2"     | 3.130         | 1.380 | 4.750 |
| RCC100 | 4"         | 3.130         | 1.500 | 5.313 |

## RIGID Compression Coupling


Material:Malleable Iron  
Finish:Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| RCK15  | 1/2"       | 1.813         | 0.500 | 1.500 |
| RCK20  | 3/4"       | 1.875         | 0.500 | 1.625 |
| RCK25  | 1"         | 2.188         | 0.563 | 2.000 |
| RCK32  | 1 1/4"     | 2.625         | 0.750 | 2.375 |
| RCK40  | 1 1/2"     | 2.688         | 0.880 | 2.625 |
| RCK50  | 2"         | 3.063         | 0.938 | 3.313 |
| RCK65  | 2 1/2"     | 4.500         | 2.000 | 3.750 |
| RCK80  | 3"         | 4.938         | 2.250 | 4.250 |
| RCK90  | 3 1/2"     | 5.000         | 2.250 | 4.750 |
| RCK100 | 4"         | 5.313         | 2.438 | 5.313 |

## Three Piece Coupling(3PC)

Material:Malleable Iron  
Finish:HDG+Zinc Plated



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |   |
|--------|------------|---------------|-------|---|
|        |            | A             | B     | C |
| 3PC15  | 1/2"       | 1.313         | 1.380 | — |
| 3PC20  | 3/4"       | 1.563         | 1.560 | — |
| 3PC25  | 1"         | 1.625         | 1.880 | — |
| 3PC32  | 1 1/4"     | 2.125         | 2.380 | — |
| 3PC40  | 1 1/2"     | 2.375         | 2.810 | — |
| 3PC50  | 2"         | 2.625         | 3.310 | — |
| 3PC65  | 2 1/2"     | 3.125         | 4.060 | — |
| 3PC80  | 3"         | 3.188         | 4.690 | — |
| 3PC90  | 3 1/2"     | 3.563         | 5.060 | — |
| 3PC100 | 4"         | 4.000         | 5.750 | — |
| 3PC125 | 5"         | 4.000         | 7.250 | — |
| 3PC150 | 6"         | 4.380         | 8.310 | — |

## Conduit Bushing

Material:Malleable Iron  
Finish:HDG+Zinc Plated




| CAT#   | TRADE SIZE | DIMENSION(IN) |       |   |
|--------|------------|---------------|-------|---|
|        |            | A             | B     | C |
| RB15M  | 1/2"       | 1.071         | 0.448 | — |
| RB20M  | 3/4"       | 1.282         | 0.507 | — |
| RB25M  | 1"         | 1.576         | 0.625 | — |
| RB32M  | 1 1/4"     | 2.022         | 0.679 | — |
| RB40M  | 1 1/2"     | 2.303         | 0.742 | — |
| RB50M  | 2"         | 2.887         | 0.773 | — |
| RB65M  | 2 1/2"     | 3.374         | 0.910 | — |
| RB80M  | 3"         | 3.971         | 1.011 | — |
| RB90M  | 3 1/2"     | 4.378         | 1.033 | — |
| RB100M | 4"         | 5.018         | 1.072 | — |
| RB125M | 5"         | 5.906         | 1.201 | — |
| RB150M | 6"         | 7.330         | 1.353 | — |

## Ground Bushing

Material:Malleable Iron  
Finish:HDG+Zinc Plated  
Lug:Aluminum

Copper lug available




| CAT#    | TRADE SIZE | DIMENSION(IN) |       |          |
|---------|------------|---------------|-------|----------|
|         |            | A             | B     | LUG SIZE |
| RGB15M  | 1/2"       | 1.071         | 0.448 | 4-14     |
| RGB20M  | 3/4"       | 1.282         | 0.507 | 4-14     |
| RGB25M  | 1"         | 1.576         | 0.625 | 4-14     |
| RGB32M  | 1 1/4"     | 2.022         | 0.679 | 4-14     |
| RGB40M  | 1 1/2"     | 2.303         | 0.742 | 4-14     |
| RGB50M  | 2"         | 2.887         | 0.773 | 4-14     |
| RGB65M  | 2 1/2"     | 3.374         | 0.910 | 1/0-8    |
| RGB80M  | 3"         | 3.971         | 1.011 | 1/0-8    |
| RGB90M  | 3 1/2"     | 4.378         | 1.033 | 1/0-8    |
| RGB100M | 4"         | 5.018         | 1.072 | 1/0-8    |
| RGB125M | 5"         | 5.906         | 1.201 | 3/0-6    |
| RGB150M | 6"         | 7.330         | 1.353 | 3/0-6    |

## Locknuts

Material:Steel  
Finish:Zinc Plated


HDG Available , Alum Available



| CAT#   | TRADE SIZE | DIMENSION(IN) |       |       |
|--------|------------|---------------|-------|-------|
|        |            | A             | B     | C     |
| RLN15  | 1/2"       | 1.142         | 1.011 | 0.134 |
| RLN20  | 3/4"       | 1.389         | 1.258 | 0.134 |
| RLN25  | 1"         | 1.724         | 1.569 | 0.134 |
| RLN32  | 1 1/4"     | 2.082         | 1.921 | 0.177 |
| RLN40  | 1 1/2"     | 2.392         | 2.203 | 0.177 |
| RLN50  | 2"         | 2.901         | 2.711 | 0.177 |
| RLN65  | 2 1/2"     | 3.445         | 3.253 | 0.177 |
| RLN80  | 3"         | 4.133         | 3.947 | 0.177 |
| RLN90  | 3 1/2"     | 4.763         | 4.266 | 0.177 |
| RLN100 | 4"         | 5.258         | 5.011 | 0.177 |
| RLN125 | 5"         | 6.537         | 6.302 | 0.233 |
| RLN150 | 6"         | 7.922         | 7.383 | 0.384 |

## Squeeze Connector–Straight


Material:Malleable Iron  
Finish:Zinc Plated



| Cat#     | TRADE SIZE | A     | B     | C     |
|----------|------------|-------|-------|-------|
| SQI0010  | 3/8"       | 1.095 | 1.394 | 0.973 |
| SQI0015  | 1/2"       | 1.504 | 1.713 | 1.205 |
| SQI0020  | 3/4"       | 1.583 | 1.969 | 1.402 |
| SQI0025  | 1"         | 1.800 | 2.315 | 1.709 |
| SQI0032  | 1 1/4"     | 1.894 | 2.583 | 1.984 |
| SQI0040  | 1 1/2"     | 2.500 | 2.923 | 2.268 |
| SQI0050  | 2"         | 2.756 | 3.388 | 2.803 |
| SQI0065  | 2 1/2"     | 3.071 | 4.094 | 3.386 |
| SQI0080  | 3"         | 3.268 | 4.823 | 3.886 |
| SQI0090  | 3 1/2"     | 5.059 | 6.457 | 4.437 |
| SQI00100 | 4"         | 5.729 | 7.165 | 4.977 |

## Squeeze Connector–90°

Material:Malleable Iron  
Finish:Zinc Plated



| Cat#     | TRADE SIZE | A      | B     | C     |
|----------|------------|--------|-------|-------|
| SQI9010  | 3/8"       | 1.898  | 1.358 | 1.740 |
| SQI9015  | 1/2"       | 2.144  | 1.772 | 2.079 |
| SQI9020  | 3/4"       | 2.421  | 1.929 | 2.402 |
| SQI9025  | 1"         | 2.835  | 2.279 | 2.829 |
| SQI9032  | 1 1/4"     | 4.185  | 2.795 | 3.246 |
| SQI9040  | 1 1/2"     | 4.933  | 2.986 | 3.831 |
| SQI9050  | 2"         | 7.024  | 3.740 | 4.377 |
| SQI9065  | 2 1/2"     | 7.520  | 4.016 | 5.394 |
| SQI9080  | 3"         | 8.858  | 4.488 | 6.102 |
| SQI9090  | 3 1/2"     | 10.827 | 5.630 | 7.941 |
| SQI90100 | 4"         | 12.303 | 7.126 | 8.839 |

## Bushing

Material:Die Cast Zinc



| CAT#    | TRADE SIZE |
|---------|------------|
| RBU15Z  | 1/2"       |
| RBU20Z  | 3/4"       |
| RBU25Z  | 1"         |
| RBU32Z  | 1 1/4"     |
| RBU40Z  | 1 1/2"     |
| RBU50Z  | 2"         |
| RBU65Z  | 2 1/2"     |
| RBU80Z  | 3"         |
| RBU90Z  | 3 1/2"     |
| RBU100Z | 4"         |

## Bushing


Material:Plastic



| CAT#   | TRADE SIZE |
|--------|------------|
| RBU15  | 1/2"       |
| RBU20  | 3/4"       |
| RBU25  | 1"         |
| RBU32  | 1 1/4"     |
| RBU40  | 1 1/2"     |
| RBU50  | 2"         |
| RBU65  | 2 1/2"     |
| RBU80  | 3"         |
| RBU90  | 3 1/2"     |
| RBU100 | 4"         |

## Reducing

Material:Steel  
Finish:Zinc Plated



| CAT# | TRADE SIZE    | DIMENSION(IN) |       |   |
|------|---------------|---------------|-------|---|
|      |               | A             | B     | C |
| RB1  | 3/4"x1/2"     | 1.000         | 0.563 | — |
| RB2  | 1"x1/2"       | 1.313         | 0.625 | — |
| RB3  | 1"x3/4"       | 1.313         | 0.625 | — |
| RB4  | 1 1/4"x1/2"   | 1.625         | 0.750 | — |
| RB5  | 1 1/4"x3/4"   | 1.625         | 0.750 | — |
| RB6  | 1 1/4"x1"     | 1.625         | 0.750 | — |
| RB7  | 1 1/2"x1/2"   | 1.875         | 0.750 | — |
| RB8  | 1 1/2"x3/4"   | 1.875         | 0.750 | — |
| RB9  | 1 1/2"x1"     | 1.875         | 0.750 | — |
| RB10 | 1 1/2"x1 1/4" | 1.875         | 0.750 | — |
| RB11 | 2"x1"         | 2.313         | 0.875 | — |
| RB12 | 2"x1 1/4"     | 2.313         | 0.875 | — |
| RB13 | 2"x1 1/2"     | 2.313         | 0.875 | — |
| RB14 | 2 1/2"x1"     | 2.875         | 1.313 | — |
| RB15 | 2 1/2"x1 1/4" | 2.875         | 1.313 | — |
| RB16 | 2 1/2"x1 1/2" | 2.875         | 1.313 | — |
| RB17 | 2 1/2"x2"     | 2.875         | 1.313 | — |
| RB18 | 3"x1"         | 3.438         | 1.313 | — |
| RB19 | 3"x1 1/4"     | 3.438         | 1.313 | — |
| RB20 | 3"x1 1/2"     | 3.438         | 1.313 | — |
| RB21 | 3"x2"         | 3.438         | 1.313 | — |
| RB22 | 3"x2 1/2"     | 3.438         | 1.313 | — |
| RB23 | 3 1/2"x2"     | 4.000         | 1.563 | — |
| RB24 | 3 1/2"x2 1/2" | 4.000         | 1.563 | — |
| RB25 | 3 1/2"x3"     | 4.000         | 1.563 | — |
| RB26 | 4"x2"         | 4.438         | 1.625 | — |
| RB27 | 4"x2 1/2"     | 4.438         | 1.625 | — |
| RB28 | 4"x3"         | 4.438         | 1.625 | — |
| RB29 | 4"x3 1/2"     | 4.438         | 1.625 | — |
| RB30 | 5"x4"         | 5.500         | 1.750 | — |
| RB31 | 6"x5"         | 6.563         | 1.750 | — |

## Expansion Joint

Material:Malleable Iron  
Finish:Zinc Plated




| CAT#    | TRADE SIZE | DIMENSION(IN) |        |   |
|---------|------------|---------------|--------|---|
|         |            | A             | B      | C |
| XJG415  | 1/2"       | 3.000         | 6.750  | — |
| XJG420  | 3/4"       | 2.200         | 6.750  | — |
| XJG425  | 1"         | 2.510         | 7.250  | — |
| XJG432  | 1 1/4"     | 3.270         | 7.560  | — |
| XJG440  | 1 1/2"     | 3.760         | 7.870  | — |
| XJG450  | 2"         | 4.830         | 8.250  | — |
| XJG465  | 2 1/2"     | 4.950         | 9.310  | — |
| XJG480  | 3"         | 5.450         | 10.000 | — |
| XJG490  | 3 1/2"     | 6.700         | 9.810  | — |
| XJG4100 | 4"         | 6.700         | 9.810  | — |



# PIPING SYSTEM PTE LTD

## Watertight Hub


Material: Die Cast Zinc or Alum.  
NEC/CEC:  
Class I, Division 2  
Class II, Division 1 & 2  
Class III, Division 1 & 2



| CAT#  | TRADE SIZE |        | DIMENSION(IN) |       |       |
|-------|------------|--------|---------------|-------|-------|
|       |            |        | A             | B     | C     |
| ST15  | ST15A      | 1/2"   | 1.340         | 2.000 | 0.810 |
| ST20  | ST20A      | 3/4"   | 1.470         | 2.250 | 0.910 |
| ST25  | ST25A      | 1"     | 1.660         | 2.500 | 1.030 |
| ST32  | ST32A      | 1 1/4" | 1.690         | 3.250 | 1.030 |
| ST40  | ST40A      | 1 1/2" | 1.690         | 3.500 | 1.030 |
| ST50  | ST50A      | 2"     | 1.750         | 4.250 | 1.090 |
| ST65  | ST65A      | 2 1/2" | 2.220         | 4.750 | 1.280 |
| ST80  | ST80A      | 3"     | 2.310         | 5.250 | 1.380 |
| ST90  | ST90A      | 3 1/2" | 2.380         | 5.500 | 1.440 |
| ST100 | ST100A     | 4"     | 2.440         | 6.250 | 1.500 |

## Watertight Ground Hub


Material: Die Cast Zinc or Alum.  
NEC/CEC:  
Class I, Division 2  
Class II, Division 1 & 2  
Class III, Division 1 & 2



| CAT#   | TRADE SIZE |        | DIMENSION(IN) |       |       |
|--------|------------|--------|---------------|-------|-------|
|        |            |        | A             | B     | C     |
| STG15  | STG15A     | 1/2"   | 1.340         | 2.000 | 0.810 |
| STG20  | STG20A     | 3/4"   | 1.470         | 2.250 | 0.910 |
| STG25  | STG25A     | 1"     | 1.660         | 2.500 | 1.030 |
| STG32  | STG32A     | 1 1/4" | 1.690         | 3.250 | 1.030 |
| STG40  | STG40A     | 1 1/2" | 1.690         | 3.500 | 1.030 |
| STG50  | STG50A     | 2"     | 1.750         | 4.250 | 1.090 |
| STG65  | STG65A     | 2 1/2" | 2.220         | 4.750 | 1.280 |
| STG80  | STG80A     | 3"     | 2.310         | 5.250 | 1.380 |
| STG90  | STG90A     | 3 1/2" | 2.380         | 5.500 | 1.440 |
| STG100 | STG100A    | 4"     | 2.440         | 6.250 | 1.500 |

Conduit Hub  
Material: Malleable Iron  
Finish: Zinc Plated

HDG Available



| CAT#    | TRADE SIZE |  | DIMENSION(IN) |       |       |
|---------|------------|--|---------------|-------|-------|
|         |            |  | A             | B     | C     |
| STG15M  | 1/2"       |  | 0.813         | 0.625 | 1.500 |
| STG20M  | 3/4"       |  | 0.938         | 0.625 | 1.813 |
| STG25M  | 1"         |  | 1.063         | 0.750 | 2.063 |
| STG32M  | 1 1/4"     |  | 1.250         | 0.750 | 2.313 |
| STG40M  | 1 1/2"     |  | 1.250         | 0.813 | 3.125 |
| STG50M  | 2"         |  | 1.250         | 0.813 | 3.563 |
| STG65M  | 2 1/2"     |  | 1.625         | 1.188 | 4.125 |
| STG80M  | 3"         |  | 1.750         | 1.250 | 4.938 |
| STG90M  | 3 1/2"     |  | 1.813         | 1.313 | 5.750 |
| STG100M | 4"         |  | 1.938         | 1.375 | 6.188 |
| STG125M | 5"         |  | 2.063         | 1.438 | 7.438 |
| STG150M | 6"         |  | 2.125         | 1.563 | 8.813 |



## FLEX CONDUIT AND LT FITTING

## PVC Coated FLEX Steel Conduit

Material: Galvanized Steel Coil  
PVC Color: Black, White, Grey



| CAT#   | TRADE SIZE |
|--------|------------|
| JSH038 | 3/8"       |
| JSH050 | 1/2"       |
| JSH075 | 3/4"       |
| JSH100 | 1"         |
| JSH125 | 1 1/4"     |
| JSH150 | 1 1/2"     |
| JSH200 | 2"         |
| JSH250 | 2 1/2"     |
| JSH300 | 3"         |
| JSH400 | 4"         |
| JSH500 | 5"         |
| JSH600 | 6"         |

## LT Flex Steel Conduit


Material: Galvanized Steel Coil  
PVC Color: Black, White, Grey



| CAT#   | TRADE SIZE |
|--------|------------|
| JSB038 | 3/8"       |
| JSB050 | 1/2"       |
| JSB075 | 3/4"       |
| JSB100 | 1"         |
| JSB125 | 1 1/4"     |
| JSB150 | 1 1/2"     |
| JSB200 | 2"         |
| JSB250 | 2 1/2"     |
| JSB300 | 3"         |
| JSB400 | 4"         |

## LT Straight Connector


Material: Die Cast Zinc



| CAT#      | TRADE SIZE | DIMENSION(IN) |       |       |
|-----------|------------|---------------|-------|-------|
|           |            | A             | B     | C     |
| LTC0010Z  | 3/8"       | 1.125         | 0.500 | 1.125 |
| LTC0015Z  | 1/2"       | 1.250         | 0.500 | 1.250 |
| LTC0020Z  | 3/4"       | 1.250         | 0.500 | 1.563 |
| LTC0025Z  | 1"         | 1.438         | 0.625 | 1.813 |
| LTC0032Z  | 1 1/4"     | 1.500         | 0.688 | 2.250 |
| LTC0040Z  | 1 1/2"     | 1.625         | 0.750 | 2.438 |
| LTC0050Z  | 2"         | 1.750         | 0.750 | 3.000 |
| LTC0065Z  | 2 1/2"     | 2.188         | 1.000 | 4.000 |
| LTC0080Z  | 3"         | 2.500         | 1.125 | 4.188 |
| LTC0090Z  | 3 1/2"     | 2.625         | 1.188 | 5.250 |
| LTC00100Z | 4"         | 2.750         | 1.250 | 5.750 |

## LT Straight Connector


Material: Malleable Iron  
Finish: Zinc Plated



| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       |
|----------|------------|---------------|-------|-------|
|          |            | A             | B     | C     |
| LTC0010  | 3/8"       | 1.125         | 0.500 | 1.125 |
| LTC0015  | 1/2"       | 1.250         | 0.500 | 1.250 |
| LTC0020  | 3/4"       | 1.250         | 0.500 | 1.563 |
| LTC0025  | 1"         | 1.438         | 0.625 | 1.813 |
| LTC0032  | 1 1/4"     | 1.500         | 0.688 | 2.250 |
| LTC0040  | 1 1/2"     | 1.625         | 0.750 | 2.438 |
| LTC0050  | 2"         | 1.750         | 0.750 | 3.000 |
| LTC0065  | 2 1/2"     | 2.188         | 1.000 | 4.000 |
| LTC0080  | 3"         | 2.500         | 1.125 | 4.188 |
| LTC0090  | 3 1/2"     | 2.625         | 1.188 | 5.250 |
| LTC00100 | 4"         | 2.750         | 1.250 | 5.750 |

## LT Ground Straight Connector

Material: Malleable Iron  
Finish: Zinc Plated  
Lug: Aluminum  
Copper lug available



| CAT#      | TRADE SIZE | DIMENSION(IN) |       |       | LUG SIZE |
|-----------|------------|---------------|-------|-------|----------|
|           |            | A             | B     | C     |          |
| LTGC0010  | 3/8"       | 1.125         | 0.500 | 1.125 | 4-14     |
| LTGC0015  | 1/2"       | 1.250         | 0.500 | 1.250 | 4-14     |
| LTGC0020  | 3/4"       | 1.250         | 0.500 | 1.563 | 4-14     |
| LTGC0025  | 1"         | 1.438         | 0.625 | 1.813 | 4-14     |
| LTGC0032  | 1 1/4"     | 1.500         | 0.688 | 2.250 | 4-14     |
| LTGC0040  | 1 1/2"     | 1.625         | 0.750 | 2.438 | 4-14     |
| LTGC0050  | 2"         | 1.750         | 0.750 | 3.000 | 4-14     |
| LTGC0065  | 2 1/2"     | 2.188         | 1.000 | 4.000 | 1/0-8    |
| LTGC0080  | 3"         | 2.500         | 1.125 | 4.188 | 1/0-8    |
| LTGC0090  | 3 1/2"     | 2.625         | 1.188 | 5.250 | 3/0-6    |
| LTGC00100 | 4"         | 2.750         | 1.250 | 5.750 | 3/0-6    |



# PIPING SYSTEM PTE LTD

## LT 45 Connector

Material:Malleable Iron  
Finish:Zinc Plated




| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       |
|----------|------------|---------------|-------|-------|
|          |            | A             | B     | C     |
| LTC4510  | 3/8"       | 1.938         | 0.500 | 1.125 |
| LTC4515  | 1/2"       | 2.000         | 0.500 | 1.250 |
| LTC4520  | 3/4"       | 2.188         | 0.500 | 1.563 |
| LTC4525  | 1"         | 2.500         | 0.625 | 1.813 |
| LTC4532  | 1 1/4"     | 2.813         | 0.688 | 2.250 |
| LTC4540  | 1 1/2"     | 3.000         | 0.750 | 2.438 |
| LTC4550  | 2"         | 3.688         | 0.750 | 3.000 |
| LTC4565  | 2 1/2"     | 7.313         | 1.000 | 4.000 |
| LTC4580  | 3"         | 7.625         | 1.125 | 4.188 |
| LTC4590  | 3 1/2"     | 9.625         | 1.188 | 5.250 |
| LTC45100 | 4"         | 11.063        | 1.250 | 5.750 |

## LT Ground 45 Connector

Material:Malleable Iron  
Finish:Zinc Plated  
Lug:Aluminum


Copper lug available



| CAT#      | TRADE SIZE | DIMENSION(IN) |       |       |          |
|-----------|------------|---------------|-------|-------|----------|
|           |            | A             | B     | C     | LUG SIZE |
| LTGC4510  | 3/8"       | 1.938         | 0.500 | 1.125 | 4-14     |
| LTGC4515  | 1/2"       | 2.000         | 0.500 | 1.250 | 4-14     |
| LTGC4520  | 3/4"       | 2.188         | 0.500 | 1.563 | 4-14     |
| LTGC4525  | 1"         | 2.500         | 0.625 | 1.813 | 4-14     |
| LTGC4532  | 1 1/4"     | 2.813         | 0.688 | 2.250 | 4-14     |
| LTGC4540  | 1 1/2"     | 3.000         | 0.750 | 2.438 | 4-14     |
| LTGC4550  | 2"         | 3.688         | 0.750 | 3.000 | 4-14     |
| LTGC4565  | 2 1/2"     | 7.313         | 1.000 | 4.000 | 1/0-8    |
| LTGC4580  | 3"         | 7.625         | 1.125 | 4.188 | 1/0-8    |
| LTGC4590  | 3 1/2"     | 9.625         | 1.188 | 5.250 | 3/0-6    |
| LTGC45100 | 4"         | 11.063        | 1.250 | 5.750 | 3/0-6    |

## LT 90 Connector


Material:Die Cast Zinc



| CAT#      | TRADE SIZE | DIMENSION(IN) |       |       |
|-----------|------------|---------------|-------|-------|
|           |            | A             | B     | C     |
| LTC9010Z  | 3/8"       | 1.313         | 0.500 | 1.125 |
| LTC9015Z  | 1/2"       | 1.438         | 0.500 | 1.250 |
| LTC9020Z  | 3/4"       | 1.625         | 0.500 | 1.563 |
| LTC9025Z  | 1"         | 2.313         | 0.625 | 1.813 |
| LTC9032Z  | 1 1/4"     | 2.375         | 0.688 | 2.250 |
| LTC9040Z  | 1 1/2"     | 3.063         | 0.750 | 2.438 |
| LTC9050Z  | 2"         | 3.188         | 0.750 | 3.000 |
| LTC9065Z  | 2 1/2"     | 8.313         | 1.000 | 4.000 |
| LTC9080Z  | 3"         | 9.813         | 1.125 | 4.188 |
| LTC9090Z  | 3 1/2"     | 11.188        | 1.188 | 5.250 |
| LTC90100Z | 4"         | 12.563        | 1.250 | 5.750 |

## LT 90 Connector

Material:Malleable Iron  
Finish:Zinc Plated




| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       |
|----------|------------|---------------|-------|-------|
|          |            | A             | B     | C     |
| LTC9010  | 3/8"       | 1.313         | 0.500 | 1.125 |
| LTC9015  | 1/2"       | 1.438         | 0.500 | 1.250 |
| LTC9020  | 3/4"       | 1.625         | 0.500 | 1.563 |
| LTC9025  | 1"         | 2.313         | 0.625 | 1.813 |
| LTC9032  | 1 1/4"     | 2.375         | 0.688 | 2.250 |
| LTC9040  | 1 1/2"     | 3.063         | 0.750 | 2.438 |
| LTC9050  | 2"         | 3.188         | 0.750 | 3.000 |
| LTC9065  | 2 1/2"     | 8.313         | 1.000 | 4.000 |
| LTC9080  | 3"         | 9.813         | 1.125 | 4.188 |
| LTC9090  | 3 1/2"     | 11.188        | 1.188 | 5.250 |
| LTC90100 | 4"         | 12.563        | 1.250 | 5.750 |

## LT Ground 90 Connector

Material:Malleable Iron  
Finish:Zinc Plated  
Lug:Aluminum


Copper lug available



| CAT#      | TRADE SIZE | DIMENSION(IN) |       |       |          |
|-----------|------------|---------------|-------|-------|----------|
|           |            | A             | B     | C     | LUG SIZE |
| LTGC9010  | 3/8"       | 1.313         | 0.500 | 1.125 | 4-14     |
| LTGC9015  | 1/2"       | 1.438         | 0.500 | 1.250 | 4-14     |
| LTGC9020  | 3/4"       | 1.625         | 0.500 | 1.563 | 4-14     |
| LTGC9025  | 1"         | 2.313         | 0.625 | 1.813 | 4-14     |
| LTGC9032  | 1 1/4"     | 2.375         | 0.688 | 2.250 | 4-14     |
| LTGC9040  | 1 1/2"     | 3.063         | 0.750 | 2.438 | 4-14     |
| LTGC9050  | 2"         | 3.188         | 0.750 | 3.000 | 4-14     |
| LTGC9065  | 2 1/2"     | 8.313         | 1.000 | 4.000 | 1/0-8    |
| LTGC9080  | 3"         | 9.813         | 1.125 | 4.188 | 1/0-8    |
| LTGC9090  | 3 1/2"     | 11.188        | 1.188 | 5.250 | 3/0-6    |
| LTGC90100 | 4"         | 12.563        | 1.250 | 5.750 | 3/0-6    |

## LT Combination Coupling

Material:Malleable Iron  
Finish:Zinc Plated




| CAT#    | TRADE SIZE | DIMENSION(IN) |       |       |
|---------|------------|---------------|-------|-------|
|         |            | A             | B     | C     |
| LTR0010 | 3/8"       | 0.875         | 0.750 | 1.190 |
| LTR0015 | 1/2"       | 0.875         | 0.750 | 1.310 |
| LTR0020 | 3/4"       | 0.875         | 0.750 | 1.630 |
| LTR0025 | 1"         | 1.000         | 0.813 | 1.880 |
| LTR0032 | 1 1/4"     | 1.130         | 0.875 | 2.250 |
| LTR0040 | 1 1/2"     | 1.130         | 0.875 | 2.500 |
| LTR0050 | 2"         | 1.250         | 0.938 | 3.000 |

## PIPING SYSTEM PTE LTD

### LT Combination Ground Coupling


Material:Malleable Iron  
Finish:Zinc Plated



| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       |
|----------|------------|---------------|-------|-------|
|          |            | A             | B     | C     |
| LTRG0010 | 3/8"       | 0.875         | 0.750 | 1.190 |
| LTRG0015 | 1/2"       | 0.875         | 0.750 | 1.310 |
| LTRG0020 | 3/4"       | 0.875         | 0.750 | 1.630 |
| LTRG0025 | 1"         | 1.000         | 0.813 | 1.880 |
| LTRG0032 | 1 1/4"     | 1.130         | 0.875 | 2.250 |
| LTRG0040 | 1 1/2"     | 1.130         | 0.875 | 2.500 |
| LTRG0050 | 2"         | 1.250         | 0.938 | 3.000 |

### LT Straight Connector(Nonmetallic)


Material:Nylon  
Color:Grey



| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       | LUG SIZE |
|----------|------------|---------------|-------|-------|----------|
|          |            | A             | B     | C     |          |
| LTC0010N | 3/8"       | 2.000         | 0.540 | 1.400 | 4-14     |
| LTC0015N | 1/2"       | 2.000         | 0.540 | 1.400 | 4-14     |
| LTC0020N | 3/4"       | 2.200         | 0.640 | 1.700 | 4-14     |
| LTC0025N | 1"         | 2.280         | 0.740 | 2.000 | 4-14     |
| LTC0032N | 1 1/4"     | 2.440         | 0.760 | 2.400 | 4-14     |
| LTC0040N | 1 1/2"     | 2.700         | 0.800 | 2.670 | 4-14     |
| LTC0050N | 2"         | 2.990         | 0.850 | 3.280 | 4-14     |

### LT 90 Connector(Nonmetallic)

Material:Nylon  
Color:Grey



| CAT#     | TRADE SIZE | DIMENSION(IN) |       |       |
|----------|------------|---------------|-------|-------|
|          |            | A             | B     | C     |
| LTC9010N | 3/8"       | 2.120         | 0.540 | 3.120 |
| LTC9015N | 1/2"       | 2.120         | 0.540 | 3.120 |
| LTC9020N | 3/4"       | 2.500         | 0.620 | 3.600 |
| LTC9025N | 1"         | 3.130         | 0.700 | 4.130 |
| LTC9032N | 1 1/4"     | 4.450         | 0.760 | 5.200 |
| LTC9040N | 1 1/2"     | 4.750         | 0.800 | 5.200 |
| LTC9050N | 2"         | 5.420         | 0.860 | 5.800 |



## CONDUIT BODY AND FS/FD BOX

## INDUSTRIAL CONDUIT BODY

### 1. Applications:

Conduit outlet bodies are installed in conduit systems to: Act as pull outlets for conductors being installed

- Provide openings for making splices and taps in conductors
- Connect conduit sections
- Provide taps for branch conduit runs
- Make 90° bends in conduit runs
- Provide for access to conductors for maintenance and future system changes

### 2. Features:

Conduit Outlet Bodies

- Form 7 Conduit outlet bodies approach conduit in size for neat, compact installations
- Form 8 and Mogul bodies provide more room for heavier conductors
- Conduit hubs have tapered threads (NPT), rigid joints and excellent ground continuity for protection of wire insulation

Gaskets

- Form 7 are used with solid gaskets
- For Form 8 and Mogul, 1/2"-1-1/4" are used with solid gaskets, 1-1/2"-4" are used with open gaskets

Blank Covers

- Stainless steel cover screws are standard on Form 7, Form 8, Mogul cover

Form 7

- Wedge nut design facilitates installation and removal. Nuts are held captive in cover.

Form 8 and Mogul

- Two cover screws provided on all sizes to provide tight cover and gasket assembly. The covers have dome shapes for added strength and extra wiring room.

### 3. Certifications and Compliances:

- UL Standard: 514A
- CSA Standard 22.2 No. 18
- IP: NEMA 3R

### 4. Standard Materials:

- Form 7 conduit bodies—gray iron
- Form 7 conduit body covers—sheet steel
- Form 8 and Mogul conduit bodies and covers—gray iron or carbon steel (Q345B)
- Gaskets—neoprene
- Cover screws—stainless steel

### 5. Standard Finishes:

- Form 7 conduit bodies—electrogalvanized with aluminum acrylic paint, or hot-dip galvanized with electro galvanized
- Form 7 conduit body covers—electro galvanized
- Form 8 and Mogul conduit bodies and covers—electrogalvanized with aluminum acrylic paint, or hot-dip galvanized with electro galvanized



### Catalog Number

| HUB SIZE (IN) | C      |        |       | LB     |        |       | LL     |        |       |
|---------------|--------|--------|-------|--------|--------|-------|--------|--------|-------|
|               | Form 7 | Form 8 | Mogul | Form 7 | Form 8 | Mogul | Form 7 | Form 8 | Mogul |


|       |                                                                                     |      |      |                                                                                     |       |       |                                                                                     |       |       |
|-------|-------------------------------------------------------------------------------------|------|------|-------------------------------------------------------------------------------------|-------|-------|-------------------------------------------------------------------------------------|-------|-------|
|       |  |      |      |  |       |       |  |       |       |
| 1/2   | C17                                                                                 | C18  | —    | LB17                                                                                | LB18  | —     | LL17                                                                                | LL18  | —     |
| 3/4   | C27                                                                                 | C28  | —    | LB27                                                                                | LB28  | —     | LL27                                                                                | LL28  | —     |
| 1     | C37                                                                                 | C38  | BC3  | LB37                                                                                | LB38  | BLB3  | LL37                                                                                | LL38  | BLL3  |
| 1-1/4 | C47                                                                                 | C48  | BC4  | LB47                                                                                | LB48  | BLB4  | LL47                                                                                | LL48  | BLL4  |
| 1-1/2 | C57                                                                                 | C58  | BC5  | LB57                                                                                | LB58  | BLB5  | LL57                                                                                | LL58  | BLL5  |
| 2     | C67                                                                                 | C68  | BC6  | LB67                                                                                | LB68  | BLB6  | LL67                                                                                | LL68  | BLL6  |
| 2-1/2 | C77                                                                                 | C78  | BC7  | LB77                                                                                | LB78  | BLB7  | LL77                                                                                | LL78  | BLL7  |
| 3     | C87                                                                                 | C88  | BC8  | LB87                                                                                | LB88  | BLB8  | LL87                                                                                | LL88  | BLL8  |
| 3-1/2 | C97                                                                                 | C98  | BC9  | LB97                                                                                | LB98  | BLB9  | LL97                                                                                | LL98  | BLL9  |
| 4     | C107                                                                                | C108 | BC10 | LB107                                                                               | LB108 | BLB10 | LL107                                                                               | LL108 | BLL10 |

| HUB SIZE (IN) | LR     |        |       | T      |        |       | UB     |        |       |
|---------------|--------|--------|-------|--------|--------|-------|--------|--------|-------|
|               | Form 7 | Form 8 | Mogul | Form 7 | Form 8 | Mogul | Form 7 | Form 8 | Mogul |

|       |                                                                                     |       |       |                                                                                     |      |      |                                                                                     |   |       |
|-------|-------------------------------------------------------------------------------------|-------|-------|-------------------------------------------------------------------------------------|------|------|-------------------------------------------------------------------------------------|---|-------|
|       |  |       |       |  |      |      |  |   |       |
| 1/2   | LR17                                                                                | LR18  | —     | T17                                                                                 | T18  | —    | —                                                                                   | — | —     |
| 3/4   | LR27                                                                                | LR28  | —     | T27                                                                                 | T28  | —    | —                                                                                   | — | —     |
| 1     | LR37                                                                                | LR38  | BLR3  | T37                                                                                 | T38  | BT3  | —                                                                                   | — | BUB3  |
| 1-1/4 | LR47                                                                                | LR48  | BLR4  | T47                                                                                 | T48  | BT4  | —                                                                                   | — | BUB4  |
| 1-1/2 | LR57                                                                                | LR58  | BLR5  | T57                                                                                 | T58  | BT5  | —                                                                                   | — | BUB5  |
| 2     | LR67                                                                                | LR68  | BLR6  | T67                                                                                 | T68  | BT6  | —                                                                                   | — | BUB6  |
| 2-1/2 | LR77                                                                                | LR78  | BLR7  | T77                                                                                 | T78  | BT7  | —                                                                                   | — | BUB7  |
| 3     | LR87                                                                                | LR88  | BLR8  | T87                                                                                 | T88  | BT8  | —                                                                                   | — | BUB8  |
| 3-1/2 | LR97                                                                                | LR98  | BLR9  | T97                                                                                 | T98  | BT9  | —                                                                                   | — | BUB9  |
| 4     | LR107                                                                               | LR108 | BLR10 | T107                                                                                | T108 | BT10 | —                                                                                   | — | BUB10 |


| HUB SIZE (IN) | COVER  |        |        |       |
|---------------|--------|--------|--------|-------|
|               | Form 7 | Form 7 | Form 8 | Mogul |

|       |                                                                                       |      |                                                                                       |      |
|-------|---------------------------------------------------------------------------------------|------|---------------------------------------------------------------------------------------|------|
|       |  |      |  |      |
| 1/2   | 170G                                                                                  | 170G | 180F                                                                                  | —    |
| 3/4   | 270G                                                                                  | 270G | 280F                                                                                  | —    |
| 1     | 370G                                                                                  | 370G | 380F                                                                                  | BG48 |
| 1-1/4 | 470G                                                                                  | 470G | 480F                                                                                  | BG48 |
| 1-1/2 | 570G                                                                                  | 570G | 580F                                                                                  | BG68 |
| 2     | 670G                                                                                  | 670G | 680F                                                                                  | BG68 |
| 2-1/2 | 870G                                                                                  | 870G | 880F                                                                                  | BG88 |
| 3     | 870G                                                                                  | 870G | 880F                                                                                  | BG88 |
| 3-1/2 | 970G                                                                                  | 970G | 980F                                                                                  | BG98 |
| 4     | 970G                                                                                  | 970G | 980F                                                                                  | BG98 |



**C Form 7**

| CAT# | TRADE SIZE | A     | B    | C    | D    | E    |
|------|------------|-------|------|------|------|------|
| C17  | 1/2"       | 5.45  | 1.40 | 1.45 | 0.95 | 3.20 |
| C27  | 3/4"       | 6.05  | 1.60 | 1.65 | 1.15 | 3.80 |
| C37  | 1"         | 6.75  | 1.90 | 1.80 | 1.35 | 4.55 |
| C47  | 1-1/4"     | 7.30  | 2.30 | 2.20 | 1.80 | 5.00 |
| C57  | 1-1/2"     | 8.60  | 2.60 | 2.45 | 2.05 | 5.45 |
| C67  | 2"         | 9.50  | 3.20 | 3.05 | 2.45 | 6.40 |
| C77  | 2-1/2"     | 12.10 | 3.65 | 4.25 | 3.60 | 8.40 |
| C87  | 3"         | 12.10 | 4.40 | 4.25 | 3.60 | 8.40 |



**LB Form 7**

| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| LB17  | 1/2"       | 4.60  | 2.20 | 1.46 | 0.94 | 3.19  |
| LB27  | 3/4"       | 5.24  | 2.50 | 1.64 | 1.13 | 3.81  |
| LB37  | 1"         | 6.04  | 2.88 | 1.83 | 1.38 | 4.50  |
| LB47  | 1-1/4"     | 6.54  | 3.31 | 2.27 | 1.75 | 5.00  |
| LB57  | 1-1/2"     | 7.17  | 3.69 | 2.52 | 1.94 | 5.44  |
| LB67  | 2"         | 8.17  | 4.25 | 3.08 | 2.44 | 6.38  |
| LB77  | 2-1/2"     | 10.54 | 5.13 | 4.33 | 3.56 | 8.38  |
| LB87  | 3"         | 10.54 | 5.88 | 4.33 | 3.56 | 8.38  |
| LB97  | 3-1/2"     | 12.85 | 6.56 | 5.33 | 4.50 | 10.25 |
| LB107 | 4"         | 12.85 | 7.06 | 5.33 | 4.50 | 10.25 |



**C Form 8**

| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| C18  | 1/2"       | 5.53  | 1.44 | 1.38 | 1.00 | 3.31  |
| C28  | 3/4"       | 6.28  | 1.73 | 1.46 | 1.19 | 3.94  |
| C38  | 1"         | 7.31  | 1.98 | 1.83 | 1.38 | 4.56  |
| C48  | 1-1/4"     | 8.50  | 2.42 | 2.27 | 1.75 | 5.31  |
| C58  | 1-1/2"     | 10.38 | 2.82 | 2.83 | 2.13 | 6.50  |
| C68  | 2"         | 12.25 | 3.60 | 3.83 | 3.00 | 8.56  |
| C78  | 2-1/2"     | 15.63 | 4.48 | 5.08 | 4.25 | 10.88 |
| C88  | 3"         | 15.63 | 4.85 | 5.08 | 4.25 | 10.88 |



**LB Form 8**

| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| LB18  | 1/2"       | 4.98  | 2.22 | 1.46 | 1.00 | 3.31  |
| LB28  | 3/4"       | 5.60  | 2.44 | 1.64 | 1.19 | 3.94  |
| LB38  | 1"         | 6.51  | 2.81 | 1.83 | 1.38 | 4.56  |
| LB48  | 1-1/4"     | 7.57  | 3.34 | 2.27 | 1.75 | 5.31  |
| LB58  | 1-1/2"     | 7.17  | 4.03 | 2.83 | 2.13 | 6.50  |
| LB68  | 2"         | 11.04 | 4.81 | 3.83 | 3.00 | 8.56  |
| LB78  | 2-1/2"     | 13.98 | 6.13 | 5.08 | 4.25 | 10.88 |
| LB88  | 3"         | 13.98 | 6.50 | 5.08 | 4.25 | 10.88 |
| LB98  | 3-1/2"     | 16.88 | 7.56 | 6.25 | 5.44 | 13.44 |
| LB108 | 4"         | 16.88 | 7.81 | 6.25 | 5.44 | 13.44 |


**C Mogul**

| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| BC3  | 1"         | 9.56  | 1.88 | 2.19 | 1.88 | 6.00  |
| BC4  | 1-1/4"     | 9.56  | 2.31 | 2.19 | 1.88 | 6.00  |
| BC5  | 1-1/2"     | 13.75 | 2.56 | 3.00 | 2.63 | 10.00 |
| BC6  | 2"         | 13.75 | 3.13 | 3.00 | 2.63 | 10.00 |
| BC7  | 2-1/2"     | 18.38 | 3.63 | 4.25 | 3.81 | 15.00 |
| BC8  | 3"         | 18.38 | 4.38 | 4.25 | 3.81 | 15.00 |
| BC9  | 3-1/2"     | 23.75 | 4.88 | 5.25 | 4.75 | 20.00 |
| BC10 | 4"         | 23.75 | 5.38 | 5.25 | 4.75 | 20.00 |

**LB Mogul**

| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| BLB3  | 1"         | 8.59  | 2.84 | 2.19 | 1.88 | 6.00  |
| BLB4  | 1-1/4"     | 8.59  | 3.28 | 2.19 | 1.88 | 6.00  |
| BLB5  | 1-1/2"     | 12.69 | 3.63 | 3.00 | 2.63 | 10.00 |
| BLB6  | 2"         | 12.69 | 4.19 | 3.00 | 2.63 | 10.00 |
| BLB7  | 2-1/2"     | 16.91 | 5.09 | 4.25 | 3.81 | 15.00 |
| BLB8  | 3"         | 16.91 | 5.84 | 4.25 | 3.81 | 15.00 |
| BLB9  | 3-1/2"     | 22.13 | 6.50 | 5.25 | 4.75 | 20.00 |
| BLB10 | 4"         | 22.13 | 7.00 | 5.25 | 4.75 | 20.00 |

## LL Form 7



| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| LL17  | 1/2"       | 4.60  | 1.42 | 2.29 | 0.94 | 3.19  |
| LL27  | 3/4"       | 5.23  | 1.67 | 2.48 | 1.13 | 3.81  |
| LL37  | 1"         | 6.04  | 1.92 | 2.79 | 1.38 | 4.50  |
| LL47  | 1-1/4"     | 6.54  | 2.35 | 3.23 | 1.75 | 5.00  |
| LL57  | 1-1/2"     | 7.17  | 2.60 | 3.60 | 1.94 | 5.44  |
| LL67  | 2"         | 8.17  | 3.17 | 4.17 | 2.44 | 6.38  |
| LL77  | 2-1/2"     | 10.54 | 3.67 | 5.79 | 3.56 | 8.38  |
| LL87  | 3"         | 10.54 | 4.42 | 5.79 | 3.56 | 8.38  |
| LL97  | 3-1/2"     | 12.73 | 4.92 | 6.98 | 4.50 | 10.25 |
| LL107 | 4"         | 12.73 | 5.42 | 6.98 | 4.50 | 10.25 |

## LL Form 8




| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| LL18 | 1/2"       | 4.94  | 1.48 | 2.20 | 1.00 | 3.31  |
| LL28 | 3/4"       | 5.56  | 1.73 | 2.35 | 1.19 | 3.94  |
| LL38 | 1"         | 6.47  | 1.98 | 2.67 | 1.38 | 4.56  |
| LL48 | 1-1/4"     | 7.53  | 2.42 | 3.20 | 1.75 | 5.31  |
| LL58 | 1-1/2"     | 9.13  | 2.82 | 4.04 | 2.13 | 6.50  |
| LL68 | 2"         | 11.00 | 3.60 | 5.00 | 3.00 | 8.56  |
| LL78 | 2-1/2"     | 13.94 | 4.48 | 6.73 | 4.25 | 10.88 |
| LL88 | 3"         | 13.94 | 4.85 | 6.73 | 4.25 | 10.88 |

## LL Mogul

| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| BLL3  | 1"         | 8.59  | 2.84 | 1.75 | 1.88 | 6.00  |
| BLL4  | 1-1/4"     | 8.59  | 3.28 | 2.19 | 1.88 | 6.00  |
| BLL5  | 1-1/2"     | 12.69 | 3.63 | 2.50 | 2.63 | 10.00 |
| BLL6  | 2"         | 12.69 | 4.19 | 3.19 | 2.63 | 10.00 |
| BLL7  | 2-1/2"     | 16.91 | 5.09 | 5.00 | 3.81 | 15.00 |
| BLL8  | 3"         | 16.91 | 5.84 | 5.00 | 3.81 | 15.00 |
| BLL9  | 3-1/2"     | 22.13 | 6.50 | 6.25 | 4.75 | 20.00 |
| BLL10 | 4"         | 22.13 | 7.00 | 6.25 | 4.75 | 20.00 |

## LR Form 7



| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| LR17  | 1/2"       | 4.60  | 1.42 | 2.29 | 0.94 | 3.19  |
| LR27  | 3/4"       | 5.23  | 1.67 | 2.48 | 1.13 | 3.81  |
| LR37  | 1"         | 6.04  | 1.92 | 2.79 | 1.38 | 4.50  |
| LR47  | 1-1/4"     | 6.54  | 2.35 | 3.23 | 1.75 | 5.00  |
| LR57  | 1-1/2"     | 7.17  | 2.60 | 3.60 | 1.94 | 5.44  |
| LR67  | 2"         | 8.17  | 3.17 | 4.17 | 2.44 | 6.38  |
| LR77  | 2 1/2"     | 10.54 | 3.67 | 5.79 | 3.56 | 8.38  |
| LR87  | 3"         | 10.54 | 4.42 | 5.79 | 3.56 | 8.38  |
| LR97  | 3 1/2"     | 12.73 | 4.92 | 6.98 | 4.50 | 10.25 |
| LR107 | 4"         | 12.73 | 5.42 | 6.98 | 4.50 | 10.25 |

## LR Form 8




| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| LR18 | 1/2"       | 4.94  | 1.48 | 2.20 | 1.00 | 3.31  |
| LR28 | 3/4"       | 5.56  | 1.73 | 2.35 | 1.19 | 3.94  |
| LR38 | 1"         | 6.47  | 1.98 | 2.67 | 1.38 | 4.56  |
| LR48 | 1-1/4"     | 7.53  | 2.42 | 3.20 | 1.75 | 5.31  |
| LR58 | 1-1/2"     | 9.13  | 2.82 | 4.04 | 2.13 | 6.50  |
| LR68 | 2"         | 11.00 | 3.60 | 5.04 | 3.00 | 8.56  |
| LR78 | 2-1/2"     | 13.94 | 4.48 | 6.73 | 4.25 | 10.88 |
| LR88 | 3"         | 13.94 | 4.85 | 6.73 | 4.25 | 10.88 |

## LR Mogul

| CAT#  | TRADE SIZE | A     | B    | C    | D    | E     |
|-------|------------|-------|------|------|------|-------|
| BLR3  | 1"         | 8.59  | 2.84 | 1.75 | 1.88 | 6.00  |
| BLR4  | 1-1/4"     | 8.59  | 3.28 | 2.19 | 1.88 | 6.00  |
| BLR5  | 1-1/2"     | 12.69 | 3.63 | 2.50 | 2.63 | 10.00 |
| BLR6  | 2"         | 12.69 | 4.19 | 3.19 | 2.63 | 10.00 |
| BLR7  | 2-1/2"     | 16.91 | 5.09 | 5.00 | 3.81 | 15.00 |
| BLR8  | 3"         | 16.91 | 5.84 | 5.00 | 3.81 | 15.00 |
| BLR9  | 3-1/2"     | 22.13 | 6.50 | 6.25 | 4.75 | 20.00 |
| BLR10 | 4"         | 22.13 | 7.00 | 6.25 | 4.75 | 20.00 |





**T Form 7**

| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| T17  | 1/2"       | 5.60  | 1.80 | 2.35 | 0.95 | 3.20  |
| T27  | 3/4"       | 6.25  | 2.04 | 2.67 | 1.13 | 3.81  |
| T37  | 1"         | 7.25  | 2.29 | 3.04 | 1.38 | 4.50  |
| T47  | 1-1/4"     | 7.44  | 2.35 | 3.23 | 1.75 | 5.00  |
| T57  | 1-1/2"     | 8.19  | 2.60 | 3.60 | 1.94 | 5.44  |
| T67  | 2"         | 9.19  | 3.17 | 4.16 | 2.44 | 6.38  |
| T77  | 2 1/2"     | 12.00 | 3.67 | 5.79 | 3.56 | 8.38  |
| T87  | 3"         | 12.06 | 4.42 | 5.79 | 3.56 | 8.38  |
| T97  | 3 1/2"     | 14.31 | 4.92 | 6.98 | 4.50 | 10.25 |
| T107 | 4"         | 14.31 | 5.42 | 6.98 | 4.50 | 10.25 |

**T Form 8**




| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| T18  | 1/2"       | 5.69  | 1.79 | 2.16 | 1.00 | 3.31  |
| T28  | 3/4"       | 6.28  | 2.04 | 2.31 | 1.19 | 3.94  |
| T38  | 1"         | 7.31  | 2.29 | 2.63 | 1.38 | 4.56  |
| T48  | 1-1/4"     | 8.50  | 2.67 | 3.16 | 1.75 | 5.31  |
| T58  | 1-1/2"     | 10.38 | 2.82 | 4.00 | 2.13 | 6.50  |
| T68  | 2"         | 12.25 | 3.60 | 5.00 | 3.00 | 8.56  |
| T78  | 2-1/2"     | 15.63 | 4.48 | 6.69 | 4.25 | 10.88 |
| T88  | 3"         | 15.63 | 4.85 | 6.69 | 4.25 | 10.88 |

**T Mogul**

| CAT# | TRADE SIZE | A     | B    | C    | D    | E     |
|------|------------|-------|------|------|------|-------|
| BT3  | 1"         | 6.59  | 1.88 | 1.75 | 1.50 | 4.56  |
| BT4  | 1-1/4"     | 7.50  | 2.50 | 2.19 | 1.94 | 5.31  |
| BT5  | 1-1/2"     | 8.25  | 2.75 | 2.50 | 2.25 | 6.00  |
| BT6  | 2"         | 10.50 | 3.44 | 3.19 | 2.88 | 8.06  |
| BT7  | 2-1/2"     | 15.63 | 4.44 | 5.00 | 4.25 | 10.88 |
| BT8  | 3"         | 15.63 | 4.81 | 5.00 | 4.25 | 10.88 |
| BT9  | 3-1/2"     | 18.75 | 5.69 | 6.25 | 5.44 | 13.44 |
| BT10 | 4"         | 18.75 | 5.94 | 6.25 | 5.44 | 13.44 |

**FS/FD Box**  
Material: Malleable Iron  
Finish: Zinc Plated+Alum Painting



| CAT# | TRADE SIZE | DIMENSION(IN) |       |       |
|------|------------|---------------|-------|-------|
|      |            | A             | B     | C     |
| FS1  | 1/2"       | 5.300         | 2.870 | 2.130 |
| FS2  | 3/4"       | 5.300         | 2.870 | 2.130 |
| FS3  | 1"         | 5.300         | 2.870 | 2.130 |
| FD1  | 1/2"       | 5.300         | 2.870 | 2.860 |
| FD2  | 3/4"       | 5.300         | 2.870 | 2.860 |
| FD3  | 1"         | 5.300         | 2.870 | 2.860 |
| FSC1 | 1/2"       | 6.100         | 2.870 | 2.130 |
| FSC2 | 3/4"       | 6.100         | 2.870 | 2.130 |
| FSC3 | 1"         | 6.100         | 2.870 | 2.130 |
| FDC1 | 1/2"       | 6.100         | 2.870 | 2.860 |
| FDC2 | 3/4"       | 6.100         | 2.870 | 2.860 |
| FDC3 | 1"         | 6.100         | 2.870 | 2.860 |



**FS**



**FD**



**FBCM1**



**FBCS1**



**RCM1**



**RCS1**



**SWCM1**



**SWCS1**



**FSC**




**FDC**



**HAZARDOUS  
LOCATION  
PRODUCT**

## GUA SERIES OUTLET BOX

Neoprene O-ring is standard  
Cast iron alloy bodies and cast aluminum covers(iron covers also available)  
Internal green grounding screw is standard  
NEC/CEC:  
Class I, Division 1 & 2, Groups C, D  
Class II, Division 1, Groups E, F, G  
Class II, Division 2, Groups F, G  
Class III



### GUA

| CAT#    |        | TRADE SIZE | COVER OPENING |
|---------|--------|------------|---------------|
| Ferrous | Alum.  |            |               |
| GUA14   | GUA14A | 1/2"       | 2"            |
| GUA24   | GUA24A | 3/4"       | 2"            |
| GUA16   | GUA16A | 1/2"       | 3"            |
| GUA26   | GUA26A | 3/4"       | 3"            |
| GUA36   | GUA36A | 1"         | 3"            |
| GUA47   | GUA47A | 1-1/4"     | 3-5/8"        |
| GUA59   | GUA59A | 1-1/2"     | 5"            |

### GUAB

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAB14  | GUAB14A | 1/2"       | 2"            |
| GUAB24  | GUAB16A | 1/2"       | 3"            |
| GUAB16  | GUAB24A | 3/4"       | 2"            |
| GUAB26  | GUAB26A | 3/4"       | 3"            |
| GUAB36  | GUAB36A | 1"         | 3"            |
| GUAB47  | GUAB47A | 1-1/4"     | 3-5/8"        |
| GUAB59  | GUAB59A | 1-1/2"     | 5"            |
| GUAB69  | GUAB69A | 2"         | 5"            |

### GUAC

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAC14  | GUAC14A | 1/2"       | 2"            |
| GUAC16  | GUAC16A | 1/2"       | 3"            |
| GUAC24  | GUAC24A | 3/4"       | 2"            |
| GUAC26  | GUAC26A | 3/4"       | 3"            |
| GUAC36  | GUAC36A | 1"         | 3"            |
| GUAC47  | GUAC47A | 1-1/4"     | 3-5/8"        |
| GUAC49  | GUAC49A | 1-1/4"     | 5"            |
| GUAC59  | GUAC59A | 1-1/2"     | 5"            |
| GUAC69  | GUAC69A | 2"         | 5"            |

### GUAW

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAW14  | GUAW14A | 1/2"       | 2"            |
| GUAW16  | GUAW16A | 1/2"       | 3"            |
| GUAW24  | GUAW24A | 3/4"       | 2"            |
| GUAW26  | GUAW26A | 3/4"       | 3"            |

## GUAL

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAL14  | GUAL14A | 1/2"       | 2"            |
| GUAL16  | GUAL16A | 1/2"       | 3"            |
| GUAL24  | GUAL24A | 3/4"       | 2"            |
| GUAL26  | GUAL26A | 3/4"       | 3"            |
| GUAL36  | GUAL36A | 1"         | 3"            |
| GUAL47  | GUAL47A | 1-1/4"     | 3-5/8"        |
| GUAL49  | GUAL49A | 1-1/4"     | 5"            |
| GUAL59  | GUAL59A | 1-1/2"     | 5"            |
| GUAL69  | GUAL69A | 2"         | 5"            |



## GUAN

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAN14  | GUAN14A | 1/2"       | 2"            |
| GUAN16  | GUAN16A | 1/2"       | 3"            |
| GUAN24  | GUAN24A | 3/4"       | 2"            |
| GUAN26  | GUAN26A | 3/4"       | 3"            |
| GUAN36  | GUAN36A | 1"         | 3"            |
| GUAN47  | GUAN47A | 1-1/4"     | 3-5/8"        |
| GUAN59  | GUAN59A | 1-1/2"     | 5"            |
| GUAN69  | GUAN69A | 2"         | 5"            |



## GUAT

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAT15  | GUAT15A | 1/2"       | 2"            |
| GUAT16  | GUAT16A | 1/2"       | 3"            |
| GUAT24  | GUAT24A | 3/4"       | 2"            |
| GUAT26  | GUAT26A | 3/4"       | 3"            |
| GUAT36  | GUAT36A | 1"         | 3"            |
| GUAT47  | GUAT47A | 1-1/4"     | 3-5/8"        |
| GUAT59  | GUAT59A | 1-1/2"     | 5"            |
| GUAT69  | GUAT69A | 2"         | 5"            |



## GUAX

| CAT#    |         | TRADE SIZE | COVER OPENING |
|---------|---------|------------|---------------|
| Ferrous | Alum.   |            |               |
| GUAX14  | GUAX14A | 1/2"       | 2"            |
| GUAX16  | GUAX16A | 1/2"       | 3"            |
| GUAX24  | GUAX24A | 3/4"       | 2"            |
| GUAX26  | GUAX26A | 3/4"       | 3"            |
| GUAX36  | GUAX36A | 1"         | 3"            |
| GUAX47  | GUAX47A | 1-1/4"     | 3-5/8"        |
| GUAX59  | GUAX59A | 1-1/2"     | 5"            |
| GUAX69  | GUAX69A | 2"         | 5"            |



## CONDUIT UNION

Material:Ductile Iron(2 1/2"- 6") or Steel(1/2"-2")

Finish:Zinc Plated

NEC/CEC:

Class I, Division 1 & 2, Groups A, B, C, D

Class II, Division 1, Groups E, F, G

Class III, Division 1 & 2



## UNY


| CAT#    |         | TRADE SIZE | LENGTH | DIA  |
|---------|---------|------------|--------|------|
| Ferrous | Alum.   |            |        |      |
| UNY15   | UNY15A  | 1/2"       | 2.39   | 1.50 |
| UNY20   | UNY20A  | 3/4"       | 2.44   | 1.81 |
| UNY25   | UNY25A  | 1"         | 2.75   | 2.00 |
| UNY32   | UNY32A  | 1-1/4"     | 3.06   | 2.75 |
| UNY40   | UNY40A  | 1-1/2"     | 3.63   | 3.06 |
| UNY50   | UNY50A  | 2"         | 3.50   | 3.81 |
| UNY65   | UNY65A  | 2-1/2"     | 4.81   | 4.31 |
| UNY80   | UNY80A  | 3"         | 5.34   | 5.06 |
| UNY90   | UNY90A  | 3-1/2"     | 5.50   | 5.69 |
| UNY100  | UNY100A | 4"         | 5.63   | 6.19 |
| UNY125  | UNY125A | 5"         | 5.25   | 8.19 |
| UNY150  | UNY150A | 6"         | 5.38   | 9.31 |

## UNF

| CAT#    |         | TRADE SIZE | LENGTH | DIA  |
|---------|---------|------------|--------|------|
| Ferrous | Alum.   |            |        |      |
| UNF15   | UNF15A  | 1/2"       | 1.88   | 1.50 |
| UNF20   | UNF20A  | 3/4"       | 2.13   | 1.81 |
| UNF25   | UNF25A  | 1"         | 2.16   | 2.00 |
| UNF32   | UNF32A  | 1-1/4"     | 2.25   | 2.75 |
| UNF40   | UNF40A  | 1-1/2"     | 2.75   | 3.06 |
| UNF50   | UNF50A  | 2"         | 2.50   | 3.81 |
| UNF65   | UNF65A  | 2-1/2"     | 3.50   | 4.31 |
| UNF80   | UNF80A  | 3"         | 4.00   | 5.06 |
| UNF90   | UNF90A  | 3-1/2"     | 4.16   | 5.69 |
| UNF100  | UNF100A | 4"         | 4.25   | 6.19 |
| UNF125  | UNF125A | 5"         | 3.81   | 8.19 |
| UNF150  | UNF150A | 6"         | 3.81   | 9.31 |

## SEALING FITTING

Material: Grey Iron or Ductile Iron  
 Finish: HDG+Zinc Plated  
 NEC/CEC:  
 Class I, Division 1 & 2, Groups C, D  
 Class II, Division 1, Groups E, F, G  
 Class III, Division 1 & 2



EYS Series Sealing Fitting

| CAT#                   |             | TRADE SIZE | DIMENSION |      | TURNING RADIUS |
|------------------------|-------------|------------|-----------|------|----------------|
| FEMALE                 | MALE&FEMALE |            | A         | B    |                |
| VERTICAL OR HORIZONTAL |             |            |           |      |                |
| EYS11                  | EYS116      | 1/2"       | 3.63      | 1.25 | 1.09           |
| EYS21                  | EYS216      | 3/4"       | 3.66      | 1.50 | 1.25           |
| EYS31                  | EYS316      | 1"         | 4.25      | 1.75 | 1.59           |
| EYS4                   | EYS46       | 1-1/4"     | 5.00      | 2.25 | 1.81           |
| EYS5                   | EYS56       | 1-1/2"     | 5.44      | 2.44 | 2.00           |
| EYS6                   | EYS66       | 2"         | 6.25      | 3.00 | 2.31           |
| EYS7                   | EYS76       | 2-1/2"     | 7.50      | 3.50 | 2.56           |
| EYS8                   | EYS86       | 3"         | 8.50      | 4.25 | 3.09           |
| EYS9                   | EYS96       | 3-1/2"     | 9.19      | 4.75 | 3.38           |
| EYS10                  | EYS106      | 4"         | 9.75      | 5.25 | 3.53           |



## REA

Material: Steel  
 Finish: Zinc Plated

| CAT#  | MALE SIZE | FEMALE SIZE |
|-------|-----------|-------------|
| REA12 | 1/2"      | 3/4"        |
| REA23 | 3/4"      | 1"          |
| REA34 | 1"        | 1 1/4"      |

## PLG(Recessed)

Material: Steel(1/2"-1")  
 Malleable Iron(1 1/4"-4")  
 Finish: Zinc Plated

| CAT#  | SIZE   |
|-------|--------|
| PLG1  | 1/2"   |
| PLG2  | 3/4"   |
| PLG3  | 1"     |
| PLG4  | 1 1/4" |
| PLG5  | 1 1/2" |
| PLG6  | 2"     |
| PLG7  | 2 1/2" |
| PLG8  | 3"     |
| PLG9  | 3 1/2" |
| PLG10 | 4"     |

## PLG(Square Head)

Material: Steel  
 Finish: Zinc Plated

| CAT#   | SIZE   |
|--------|--------|
| PLG15  | 1/2"   |
| PLG25  | 3/4"   |
| PLG35  | 1"     |
| PLG45  | 1 1/4" |
| PLG55  | 1 1/2" |
| PLG65  | 2"     |
| PLG75  | 2 1/2" |
| PLG85  | 3"     |
| PLG95  | 3 1/2" |
| PLG105 | 4"     |

## SUPPORT PRODUCT

# PIPING SYSTEM PTE LTD



## Strut Channel

Finish:Pre-G Aluminum,HDG Available

| CAT# | STYLE   | SIZE          | STEEL GAUGE |
|------|---------|---------------|-------------|
| A12A | SHALLOW | 1-5/8"x3-1/4" | 12          |
| A12  | SHALLOW | 1-5/8"x1-5/8" | 12          |
| A12S | SLOTTED | 1-5/8"x1-5/8" | 12          |
| C14  | SHALLOW | 1-5/8"x13/16" | 12          |
| C14S | SLOTTED | 1-5/8"x13/16" | 12          |



## Rod Coupling

Finish:Zinc Plated HDG Available

| CAT#  | SIZE |
|-------|------|
| FRC25 | 1/4" |
| FRC38 | 3/8" |
| FRC50 | 1/2" |



## Continuous Thread Rod

Finish:Zinc Plated HDG Available

| CAT#  | SIZE     |
|-------|----------|
| FTR25 | 1/4"x10' |
| FTR38 | 3/8"x10' |
| FTR50 | 1/2"x10' |



## Nut With Spring

Finish:Zinc Plated HDG Available

| CAT#  | SIZE |
|-------|------|
| FNS25 | 1/4" |
| FNS38 | 3/8" |
| FNS50 | 1/2" |



## Beam Clamp

Finish:Zinc Plated HDG Available

| CAT# | SIZE   | TAPPED HOLE |
|------|--------|-------------|
| 500  | 1"     | 1/4"-20     |
| 501  | 1 1/4" | 15/16"-18   |
| 502  | 2"     | 3/8"-16     |
| 503  | 2 1/4" | 1/2"-13     |



## 1 Hole Pipe Strap (MI)

Finish:HDG

| CAT#   | SIZE   |
|--------|--------|
| RSM15  | 1/2"   |
| RSM20  | 3/4"   |
| RSM25  | 1"     |
| RSM32  | 1 1/4" |
| RSM40  | 1 1/2" |
| RSM50  | 2"     |
| RSM65  | 2 1/2" |
| RSM80  | 3"     |
| RSM100 | 4"     |



## Conduit Clamp

Finish:Zinc Plated HDG Available, Alum Available

| CAT#  | SIZE   |
|-------|--------|
| CL15  | 1/2"   |
| CL20  | 3/4"   |
| CL25  | 1"     |
| CL32  | 1 1/4" |
| CL40  | 1 1/2" |
| CL50  | 2"     |
| CL65  | 2 1/2" |
| CL80  | 3"     |
| CL90  | 3 1/2" |
| CL100 | 4"     |
| CL125 | 5"     |
| CL150 | 6"     |



## Conduit Hanger

Finish:Zinc Plated

| CAT#   | SIZE   |
|--------|--------|
| CLH15  | 1/2"   |
| CLH20  | 3/4"   |
| CLH25  | 1"     |
| CLH32  | 1 1/4" |
| CLH40  | 1 1/2" |
| CLH50  | 2"     |
| CLH65  | 2 1/2" |
| CLH80  | 3"     |
| CLH90  | 3 1/2" |
| CLH100 | 4"     |
| CLH125 | 5"     |
| CLH150 | 6"     |



## Clamp Back Spacer

Finish:HDG

| CAT#   | SIZE   |
|--------|--------|
| BSC15  | 1/2"   |
| BSC20  | 3/4"   |
| BSC25  | 1"     |
| BSC32  | 1 1/4" |
| BSC40  | 1 1/2" |
| BSC50  | 2"     |
| BSC65  | 2 1/2" |
| BSC80  | 3"     |
| BSC100 | 4"     |



## EMT 2 Holes Strap

Finish:Zinc Plated

| CAT#  | SIZE   |
|-------|--------|
| ESD15 | 1 1/2" |
| ESD20 | 3/4"   |
| ESD25 | 1"     |
| ESD32 | 1 1/4" |
| ESD40 | 1 1/2" |
| ESD50 | 2"     |



## EDGE Clamp

Finish:HDG

| CAT#   | SIZE   |
|--------|--------|
| EDC15  | 1/2"   |
| EDC20  | 3/4"   |
| EDC25  | 1"     |
| EDC32  | 1 1/4" |
| EDC40  | 1 1/2" |
| EDC50  | 2"     |
| EDC65  | 2 1/2" |
| EDC80  | 3"     |
| EDC100 | 4"     |



## RIGID 1 Hole Strap

Finish:Zinc Plated HDG Available

| CAT#   | SIZE   |
|--------|--------|
| RSS15  | 1 1/2" |
| RSS20  | 3/4"   |
| RSS25  | 1"     |
| RSS32  | 1 1/4" |
| RSS40  | 1 1/2" |
| RSS50  | 2"     |
| RSS65  | 2 1/2" |
| RSS80  | 3"     |
| RSS90  | 3 1/2" |
| RSS100 | 4"     |
| RSS125 | 5"     |
| RSS150 | 6"     |



## EMT 1 Hole Strap

Finish:Zinc Plated

| CAT#  | SIZE   |
|-------|--------|
| ESS15 | 1 1/2" |
| ESS20 | 3/4"   |
| ESS25 | 1"     |
| ESS32 | 1 1/4" |
| ESS40 | 1 1/2" |
| ESS50 | 2"     |



## RIGID 2 Holes Strap

Finish:Zinc Plated HDG Available

| CAT#   | SIZE   |
|--------|--------|
| RSD15  | 1 1/2" |
| RSD20  | 3/4"   |
| RSD25  | 1"     |
| RSD32  | 1 1/4" |
| RSD40  | 1 1/2" |
| RSD50  | 2"     |
| RSD65  | 2 1/2" |
| RSD80  | 3"     |
| RSD90  | 3-1/2" |
| RSD100 | 4"     |
| RSD125 | 5"     |
| RSD150 | 6"     |



## U-Bolt

Finish:Zinc Plated HDG Available

| CAT#   | SIZE   |
|--------|--------|
| CLU15  | 1/2"   |
| CLU20  | 3/4"   |
| CLU25  | 1"     |
| CLU32  | 1 1/4" |
| CLU40  | 1 1/2" |
| CLU50  | 2"     |
| CLU65  | 2 1/2" |
| CLU80  | 3"     |
| CLU100 | 4"     |
| CLU125 | 5"     |
| CLU150 | 6"     |



## Parallel Clamp

Finish:HDG

| CAT#   | SIZE   |
|--------|--------|
| PAR15  | 1/2"   |
| PAR20  | 3/4"   |
| PAR25  | 1"     |
| PAR32  | 1 1/4" |
| PAR40  | 1 1/2" |
| PAR50  | 2"     |
| PAR65  | 2 1/2" |
| PAR80  | 3"     |
| PAR100 | 4"     |



## Right Angle Clamp

Finish:HDG

| CAT#   | SIZE   |
|--------|--------|
| RAN15  | 1/2"   |
| RAN20  | 3/4"   |
| RAN25  | 1"     |
| RAN32  | 1 1/4" |
| RAN40  | 1 1/2" |
| RAN50  | 2"     |
| RAN65  | 2 1/2" |
| RAN80  | 3"     |
| RAN100 | 4"     |