


管件 PIPE FITTING



PVC-U/C

ELBOW 90°

90°弯头, PVC-U/C (国标、美标)



产品参数 (国标 GB/T 4219.2)

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions (mm)							公称压力 Nominal Pressure PN(kg/cm²)
	D0	d1	d2	d	T	L	H	
15	26.30	20.30	19.95	18.00	16.20	27.70	40.80	S5(PN20)
20	31.80	25.30	24.95	23.00	18.70	32.70	48.60	S5(PN20)
25	39.90	32.30	31.90	30.00	22.20	39.70	59.60	S5(PN20)
32	49.70	40.40	39.90	38.00	26.20	47.70	72.50	S5(PN20)
40	61.90	50.40	49.90	48.00	31.20	57.70	88.70	S5(PN20)
50	77.90	63.40	62.90	61.00	37.70	70.70	109.70	S5(PN20)
65	91.00	75.40	74.90	70.90	43.70	82.50	128.00	S6.3(PN16)
80	107.40	90.50	89.90	85.90	51.20	97.50	151.20	S6.3(PN16)
100	127.00	110.60	109.90	103.90	61.20	117.50	181.10	S6.3(PN16)
De125	144.30	125.70	124.90	118.90	68.70	132.50	204.70	S6.3(PN16)
125	162.30	140.80	139.90	133.90	76.20	148.00	229.10	S6.3(PN16)
150	184.60	160.80	159.90	153.50	86.20	168.50	260.80	S6.3(PN16)
De180	202.60	180.90	179.90	178.50	97.00	190.00	291.30	S6.3(PN16)
De200	230.50	201.00	199.90	193.50	106.20	208.00	323.30	S6.3(PN16)
200	259.40	226.20	224.90	216.90	119.10	233.60	363.20	S6.3(PN16)
De250	287.90	251.30	249.90	241.90	131.65	258.50	402.50	S8(PN16)
250	314.80	281.50	279.90	278.00	147.00	291.00	448.40	S8(PN16)
300	358.20	316.70	314.90	306.90	164.30	323.00	502.10	S8(PN16)
350	394.00	356.80	355.00	331.50	184.00	375.75	576.00	S8(PN16)
400	450.00	402.00	400.00	363.80	204.20	413.50	657.50	S8(PN16)
500	540.50	503.00	500.00	469.00	256.00	515.00	784.75	PN6
600	668.50	633.00	630.00	591.80	321.00	645.00	978.75	PN6

产品参数 (美标 SCH80)


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (* ")	外形尺寸 Dimensions (mm)						
	D0	d1	d2	d	T	L	H
1/2"	30.50	21.54	21.23	17.00	23.22	36.25	51.50
3/4"	36.90	26.87	26.57	22.50	26.40	41.40	59.85
1"	44.70	33.66	33.27	29.00	29.57	47.10	69.45
1-1/4"	54.00	42.42	42.04	38.00	32.75	55.75	82.75
1-1/2"	60.60	48.56	48.11	43.00	35.93	61.95	92.25
2"	73.10	60.63	60.17	55.00	39.10	70.85	107.40
2-1/2"	88.40	73.38	72.85	67.50	45.45	84.50	128.70
3"	105.30	89.31	88.70	83.00	48.63	97.63	149.30
4"	132.00	114.76	114.07	106.00	58.15	117.25	183.25
5"	161.90	141.81	141.04	133.00	67.68	143.50	224.45
6"	190.90	168.83	168.00	160.00	77.20	166.25	261.70
8"	245.90	219.84	218.69	208.00	102.60	216.30	340.55
10"	305.80	273.81	272.67	262.50	128.00	278.00	430.90
12"	361.60	324.60	323.47	288.50	153.40	328.50	509.70
14"	394.11	355.94	354.33	331.50	200.00	375.75	576.00
16"	450.00	407.19	405.33	363.80	230.66	431.50	657.50
20"	540.50	511.00	508.00	469.00	236.00	515.00	784.75
24"	668.50	612.60	609.60	591.80	306.00	645.00	978.75

PVC-U/C

ELBOW 45°

45°弯头，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）							公称压力 Nominal Pressure PN(kg/cm²)
	D0	d1	d2	d	T	H	L	
15	26.30	20.30	19.95	18.00	16.20	22.10	46.90	S5(PN20)
20	31.80	25.30	24.95	23.00	18.70	25.70	54.90	S5(PN20)
25	38.60	32.30	31.90	30.00	22.20	30.60	66.20	S5(PN20)
32	49.70	40.40	39.90	38.00	26.20	36.30	79.30	S5(PN20)
40	61.90	50.40	49.90	48.00	31.20	43.30	95.70	S5(PN20)
50	77.50	63.40	62.90	61.00	37.70	52.50	116.90	S5(PN20)
65	91.20	75.40	74.90	70.90	43.70	64.60	142.50	S6.3(PN16)
80	107.60	90.50	89.90	85.90	51.20	75.60	166.90	S6.3(PN16)
100	127.00	110.60	109.90	103.90	61.20	89.20	197.60	S6.3(PN16)
De125	144.30	125.70	124.90	118.90	68.70	100.70	222.90	S6.3(PN16)
125	161.60	140.80	139.90	133.90	76.20	112.40	248.90	S6.3(PN16)
150	184.60	160.80	159.90	153.90	86.20	126.90	281.90	S6.3(PN16)
De180	202.60	180.90	179.90	178.50	97.00	137.90	307.00	S6.3(PN16)
De200	230.50	201.00	199.90	193.50	106.20	157.10	349.50	S6.3(PN16)
200	259.40	226.20	224.90	216.90	119.10	175.70	391.50	S6.3(PN16)
De250	287.90	251.30	249.90	241.90	131.65	193.30	432.20	S8(PN16)
250	314.80	281.50	279.90	278.00	147.00	209.60	469.10	S8(PN16)
300	358.20	316.70	314.90	306.90	164.30	242.80	541.20	S8(PN16)
350	394.11	356.80	355.00	331.50	184.00	270.94	602.20	S8(PN16)
400	450.00	402.00	400.00	369.80	363.80	306.81	662.20	S8(PN16)
500	540.50	503.00	500.00	469.00	256.00	377.00	834.00	PN6
600	668.50	633.00	630.00	591.80	321.00	471.00	1040.00	PN6

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions（mm）					
	D0	d1	d2	d	T	H
1/2"	30.50	21.54	21.23	17.00	23.22	29.72
3/4"	35.27	26.87	26.57	22.50	26.40	34.40
1"	43.66	33.66	33.27	29.00	29.57	37.58
1-1/4"	53.02	42.42	42.04	38.00	32.75	42.75
1-1/2"	59.86	48.56	48.11	43.00	35.93	47.93
2"	72.22	60.63	60.17	55.00	39.10	55.10
2-1/2"	88.00	73.38	72.85	67.50	45.45	63.50
3"	105.30	89.31	88.70	83.00	48.63	68.63
4"	132.00	114.76	114.07	106.00	58.15	84.15
5"	161.90	141.81	141.04	133.00	67.68	104.55
6"	190.90	168.83	168.00	160.00	77.20	122.20
8"	245.90	219.84	218.69	208.00	102.60	153.80
10"	305.20	273.80	272.67	262.50	128.00	188.00
12"	358.15	324.60	323.47	311.00	164.30	242.80
14"	394.11	355.94	354.33	331.50	200.00	270.94
16"	450.00	407.19	405.33	363.80	230.66	306.81
20"	540.50	511.00	508.00	469.00	236.00	377.00
24"	668.50	612.60	609.60	591.80	306.00	471.00

PVC-U/C

EQUAL TEE

正三通，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)


尺寸 Size DN	外形尺寸 Dimensions（mm）								公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	d	T	L	H1	H	
15	26.30	20.30	19.95	18.00	16.20	55.40	27.70	40.85	S5(PN20)
20	31.80	25.30	24.95	23.00	18.70	65.40	32.70	48.60	S5(PN20)
25	39.90	32.30	31.90	30.00	22.20	79.40	39.70	59.65	S5(PN20)
32	49.70	40.40	39.90	38.00	26.20	97.20	47.70	72.55	S5(PN20)
40	61.90	50.40	49.90	48.00	31.20	114.50	57.70	88.65	S5(PN20)
50	77.90	63.40	62.90	61.00	37.70	141.00	70.70	109.65	S5(PN20)
65	91.20	75.40	74.90	70.90	43.70	165.00	82.50	128.10	S6.3(PN16)
80	107.60	90.50	89.90	85.90	51.20	194.00	97.50	151.30	S6.3(PN16)
100	127.00	110.60	109.90	103.90	61.20	234.00	117.50	181.00	S6.3(PN16)
De125	144.30	125.70	124.90	118.90	68.70	264.00	132.50	204.65	S6.3(PN16)
125	161.60	140.80	139.90	133.90	76.20	296.00	148.00	228.80	S6.3(PN16)
150	184.60	160.80	159.90	153.90	86.20	334.00	168.00	260.30	S6.3(PN16)
De180	202.60	180.90	179.90	178.50	97.00	380.00	190.00	291.30	S6.3(PN16)
De200	230.50	201.00	199.90	193.50	106.20	415.00	208.00	323.25	S6.3(PN16)
200	259.40	226.20	224.90	216.90	119.10	463.50	233.50	363.20	S6.3(PN16)
De250	287.90	251.30	249.90	241.90	131.65	516.00	258.50	402.45	S8(PN16)
250	314.80	281.50	279.90	278.00	147.00	581.50	291.00	448.40	S8(PN16)
300	358.20	316.70	314.90	306.90	164.30	645.00	323.00	502.10	S8(PN16)
350	394.11	356.80	355.00	331.50	184.00	742.20	371.10	571.6	S8(PN16)
400	450.00	402.00	400.00	363.80	204.20	828.00	414.00	640.5	S8(PN16)
500	540.50	503.00	500.00	469.00	256.00	1029.00	514.50	784.75	PN6
600	668.50	633.00	630.00	591.80	321.00	1289.00	644.50	978.75	PN6

产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size （"）	外形尺寸 Dimensions（mm）							
	D0	D1	D2	d	T	H1	H	L
1/2"	30.14	21.54	21.23	17.00	23.22	36.25	51.50	72.50
3/4"	35.87	26.87	26.57	22.50	26.40	41.40	59.85	82.80
1"	44.30	33.66	33.27	29.00	29.57	47.10	69.45	94.20
1-1/4"	53.42	42.42	42.04	38.00	32.75	55.75	82.75	111.50
1-1/2"	60.40	48.56	48.11	43.00	35.93	62.00	92.25	124.00
2"	73.10	60.63	60.17	55.00	39.10	70.85	107.40	141.70
2-1/2"	88.40	73.38	72.85	67.50	45.45	83.28	128.70	166.55
3"	105.70	89.31	88.70	83.00	48.63	97.08	149.30	194.15
4"	132.50	114.76	114.07	106.00	58.15	117.25	183.25	234.50
5"	161.60	141.81	141.04	133.00	67.68	142.80	227.95	285.60
6"	192.00	168.83	168.00	160.00	77.20	166.25	261.70	332.50
8"	246.50	219.84	218.69	208.00	102.60	217.60	340.55	435.20
10"	305.80	273.81	272.67	262.50	128.00	278.00	430.90	556.00
12"	361.60	324.60	323.47	313.00	153.40	328.50	509.70	656.80
14"	394.11	355.94	354.33	331.50	200.00	371.10	571.60	742.20
16"	450.00	401.5	400	204.2	230.66	414.00	625	828.00
20"	540.50	511.00	508.00	469.00	236.00	514.50	784.75	1029.00
24"	668.50	612.60	609.60	591.80	306.00	644.50	978.75	1289.00

PVC-U/C
 REDUCING TEE
 异三通，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2） SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN(De)	外形尺寸 Dimensions（mm）													公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	D3	d0	d1	d2	d3	T	t	H1	H	L	
20X15(25*20)	31.80	25.25	24.95	23.00	26.30	20.30	19.95	18.00	18.70	16.20	30.20	46.1	60.40	S5(PN20)
25X15(32*20)	39.90	32.30	31.90	30.00	26.50	20.30	19.95	18.00	22.20	16.20	34.40	54.35	69.00	S5(PN20)
25X20(32*25)	39.90	32.30	31.90	30.00	31.80	25.30	24.95	23.00	22.20	16.20	36.20	56.15	72.10	S5(PN20)
32X15(40*20)	49.70	40.35	39.90	38.00	26.40	20.30	19.95	18.00	26.20	16.20	39.00	63.85	75.50	S5(PN20)
32X20(40*25)	49.70	40.35	39.90	38.00	31.10	25.30	24.95	23.00	26.20	18.70	40.70	65.55	80.60	S5(PN20)
32X25(40*32)	49.70	40.35	39.90	38.00	39.70	32.30	31.90	30.00	26.20	22.20	43.70	68.55	87.40	S5(PN20)
40X15(50*20)	61.90	50.35	49.90	48.00	26.30	20.30	19.95	18.00	31.20	16.20	45.20	76.15	85.40	S5(PN20)
40X20(50*25)	61.90	50.35	49.90	48.00	31.80	25.30	24.95	23.00	31.20	18.70	46.70	77.65	90.20	S5(PN20)
40X25(50*32)	61.90	50.35	49.90	48.00	39.90	32.30	31.90	30.00	31.20	22.20	49.50	80.45	97.40	S5(PN20)
40X32(50*40)	61.90	50.35	49.90	48.00	49.30	40.35	39.90	38.00	31.20	26.20	52.70	83.65	65.25	S5(PN20)
50X15(63*20)	77.90	63.40	62.90	61.00	26.60	20.30	19.95	18.00	37.70	16.20	53.20	92.15	98.25	S5(PN20)
50X20(63*25)	77.90	63.40	62.90	61.00	31.80	25.30	24.95	23.00	37.70	18.70	54.70	93.65	103.10	S5(PN20)
50X25(63*32)	77.90	63.40	62.90	61.00	40.00	32.30	31.90	30.00	37.70	22.20	57.20	96.15	110.40	S5(PN20)
50X32(63*40)	77.90	63.40	62.90	61.00	49.70	40.35	39.90	38.00	37.70	26.20	59.20	98.15	118.40	S5(PN20)
50X40(63*50)	77.90	63.40	62.90	61.00	61.50	50.35	49.90	48.00	37.70	31.20	64.20	103.15	127.70	S5(PN20)
65X15(75*20)	91.20	75.40	74.90	70.90	26.30	20.30	19.95	18.00	43.70	16.20	55.20	100.8	140.00	S6.3(PN16)
65X20(75*25)	91.20	75.40	74.90	70.90	31.80	25.30	24.95	23.00	43.70	18.70	57.70	103.3	140.00	S6.3(PN16)
65X25(75*32)	91.20	75.40	74.90	70.90	39.90	32.30	31.90	23.00	43.70	22.20	61.20	106.8	140.30	S6.3(PN16)
65X32(75*40)	91.20	75.40	74.90	70.90	49.70	40.35	39.90	30.00	43.70	26.20	65.20	110.8	140.00	S6.3(PN16)
65X40(75*50)	91.20	75.40	74.90	70.90	61.50	50.35	49.90	48.00	43.70	31.20	70.20	115.8	140.00	S6.3(PN16)
65X50(75*63)	91.20	75.40	74.90	70.90	77.30	63.40	62.90	61.00	43.70	37.70	77.30	122.9	152.20	S6.3(PN16)
80X20(90*25)	107.60	90.50	89.90	85.90	31.80	25.30	24.95	23.00	51.20	18.70	65.20	119	167.80	S6.3(PN16)
80X25(90*32)	107.60	90.50	89.90	85.90	39.50	32.30	31.90	23.00	51.20	22.20	68.70	122.5	168.20	S6.3(PN16)
80X32(90*40)	107.60	90.50	89.90	85.90	49.50	40.35	39.90	38.00	51.20	26.20	72.70	126.5	168.20	S6.3(PN16)
80X40(90*50)	107.60	90.50	89.90	85.90	61.90	50.35	49.90	48.00	51.20	31.20	77.70	131.5	168.00	S6.3(PN16)
80X50(90*63)	107.60	90.50	89.90	85.90	77.30	63.40	62.90	61.00	51.20	37.70	84.20	138	168.20	S6.3(PN16)
80X65(90*75)	107.60	90.50	89.90	85.90	91.20	75.40	74.90	70.90	51.20	43.70	92.30	146.1	180.70	S6.3(PN16)
100X20(110*25)	127.00	110.60	109.90	103.90	31.80	25.30	24.95	23.00	61.20	18.70	74.20	137.7	189.00	S6.3(PN16)
100X25(110*32)	127.00	110.60	109.90	103.90	40.10	32.30	31.90	23.00	61.20	22.20	77.70	141.2	190.00	S6.3(PN16)
100X32(110*40)	127.00	110.60	109.90	103.90	49.70	40.35	39.90	38.00	61.20	26.20	81.70	145.2	190.50	S6.3(PN16)
100X40(110*50)	127.00	110.60	109.90	103.90	61.90	50.35	49.90	48.00	61.20	31.20	86.70	150.2	189.00	S6.3(PN16)
100X50(110*63)	127.00	110.60	109.90	103.90	77.30	63.40	62.90	61.00	61.20	37.70	93.20	156.7	190.00	S6.3(PN16)
100X65(110*75)	127.00	110.60	109.90	103.90	91.20	75.40	74.90	70.90	61.20	43.70	99.00	162.5	201.50	S6.3(PN16)
100X80(110*90)	127.00	110.60	109.90	103.90	107.60	90.50	89.90	85.90	61.20	51.20	110.35	173.85	214.80	S6.3(PN16)
De125*110	144.30	125.70	124.90	118.90	127.00	110.60	109.90	103.90	68.70	61.20	127.80	199.95	251.00	S6.3(PN16)
125X40(140*50)	161.60	140.75	139.90	133.90	61.60	50.35	49.90	48.00	76.20	31.20	101.70	182.5	247.40	S6.3(PN16)
125X50(140*63)	161.60	140.75	139.90	133.90	77.30	63.40	62.90	61.00	76.20	37.70	108.20	189	247.00	S6.3(PN16)
125X65(140*75)	161.60	140.75	139.90	133.90	91.20	75.40	74.90	70.90	76.20	43.70	114.00	194.8	248.00	S6.3(PN16)
125X80(140*90)	161.60	140.75	139.90	133.90	107.40	90.50	89.90	85.90	76.20	51.20	121.50	202.3	247.00	S6.3(PN16)
125X100(140*110)	161.60	140.75	139.90	133.90	127.00	110.60	109.90	103.90	76.20	61.20	136.70	217.5	266.40	S6.3(PN16)
De140*125	161.60	140.75	139.90	133.90	144.30	125.70	124.90	118.90	76.20	68.70	142.40	223.2	280.50	S6.3(PN16)
150X50(160*63)	184.60	160.80	159.90	153.90	77.70	63.40	62.90	61.00	86.20	37.70	118.20	210.5	286.00	S6.3(PN16)
150X65(160*75)	184.60	160.80	159.90	153.90	89.90	75.40	74.90	70.90	86.20	43.70	124.00	216.3	285.00	S6.3(PN16)
150X80(160*90)	184.60	160.80	159.90	153.90	107.60	90.50	89.90	85.90	86.20	51.20	131.50	223.8	285.50	S6.3(PN16)
150X100(160*110)	184.60	160.80	159.90	153.90	127.30	110.60	109.90	103.90	86.20	61.20	142.50	234.8	286.00	S6.3(PN16)
150X125(160*140)	184.60	160.80	159.90	153.90	161.80	140.75	139.90	133.90	86.20	76.20	161.50	253.8	315.50	S6.3(PN16)
De180*160	202.60	180.80	180.10	178.50	184.60	160.80	159.90	153.90	97.00	86.20	180.00	281.3	326.00	S6.3(PN16)
De200*90	230.50	201.00	199.90	193.50	107.70	90.50	89.90	85.90	106.20	51.20	151.50	266.75	356.50	S6.3(PN16)
De200*110	230.50	201.00	199.90	193.50	127.50	110.60	109.90	103.90	106.20	61.20	162.50	277.75	357.00	S6.3(PN16)
De200*140	230.50	201.00	199.90	193.50	162.20	140.75	139.90	133.90	106.20	76.20	178.00	293.25	356.50	S6.3(PN16)
De200*160	230.50	201.00	199.90	193.50	184.60	160.80	159.90	153.90	106.20	86.20	197.50	312.75	415.50	S6.3(PN16)
200X50(225*63)	259.40	226.20	224.90	216.90	77.30	63.40	62.90	61.00	119.10	37.70	149.70	279.4	384.00	S6.3(PN16)
200X65(225*75)	259.40	226.20	224.90	216.90	91.20	75.40	74.90	70.90	119.10	43.70	155.50	285.2	384.00	S6.3(PN16)

200X80(225*90)	259.40	226.20	224.90	216.90	107.60	90.50	89.90	85.90	119.10	51.20	163.00	292.7	384.00	S6.3(PN16)
200X100(225*110)	259.40	226.20	224.90	216.90	127.00	110.60	109.90	103.90	119.10	61.20	174.00	303.7	384.00	S6.3(PN16)
200X125(225*140)	259.40	226.20	224.90	216.90	161.90	140.75	139.90	133.90	119.10	76.20	189.50	319.2	384.00	S6.3(PN16)
200X150(225*160)	259.40	226.20	224.90	216.90	185.00	160.80	159.90	153.90	119.10	86.20	209.70	339.4	403.00	S6.3(PN16)
De225*200	259.40	226.20	224.90	216.90	230.50	201.00	199.90	193.50	119.10	106.20	231.50	361.2	384.00	S6.3(PN16)
De250*63	281.10	251.30	249.90	241.90	77.30	63.40	62.90	61.00	132.00	37.70	162.00	302.55	429.50	S8(PN16)
De250*75	281.10	251.30	249.90	241.90	91.20	75.40	74.90	70.90	132.00	43.70	167.80	308.35	429.50	S8(PN16)
De250*90	281.10	251.30	249.90	241.90	107.80	90.50	89.90	85.90	132.00	51.20	175.30	315.85	429.50	S8(PN16)
De250*110	281.10	251.30	249.90	241.90	127.00	110.60	109.90	103.90	132.00	61.20	186.30	326.85	429.50	S8(PN16)
De250*140	281.10	251.30	249.90	241.90	161.60	140.75	139.90	153.90	132.00	76.20	201.80	342.35	429.50	S8(PN16)
De250*160	281.10	251.30	249.90	241.90	184.60	160.80	159.90	178.50	132.00	86.20	211.80	352.35	429.50	S8(PN16)
De250*225	287.90	251.30	249.90	241.90	259.40	226.20	224.90	218.90	132.00	119.10	254.00	397.95	429.50	S8(PN16)
De280*225	314.80	281.50	279.90	278.00	259.20	226.20	224.90	218.90	147.00	132.00	276.00	433.40	526.50	S8(PN16)
300X80(315*90)	354.70	316.70	314.90	306.90	107.60	90.50	89.90	85.90	164.30	51.20	198.70	376.05	445.90	S8(PN16)
300X100(315*110)	354.70	316.70	314.90	306.90	127.00	110.60	109.90	103.90	164.30	61.20	209.70	387.05	600.10	S8(PN16)
300X125(315*140)	354.70	316.70	314.90	306.90	161.60	140.75	139.90	133.90	164.30	76.20	225.20	402.55	600.10	S8(PN16)
300X150(315*160)	354.70	316.70	314.90	306.90	184.60	160.80	159.90	153.90	164.30	86.20	235.20	412.55	600.10	S8(PN16)
De315*200	354.70	316.70	314.90	306.90	230.50	201.00	199.90	193.50	164.30	106.20	268.50	445.85	538.00	S8(PN16)
300X200(315*225)	354.70	316.70	314.90	306.90	259.40	226.20	224.90	220.90	164.30	119.10	269.20	446.55	600.10	S8(PN16)
De315*250	354.70	316.70	314.90	306.90	288.60	251.30	249.90	241.90	164.30	132.00	282.00	459.35	644.00	S8(PN16)
300X250(315*280)	391.00	316.70	314.90	306.90	314.50	281.50	279.90	278.00	164.30	147.00	321.50	517.00	647.00	S8(PN16)
De355*200	388.00	356.80	355.00	326.00	230.50	201.00	199.90	193.50	184.30	106.20	285.50	478.00	590.50	PN6
350X225(355*250)	388.00	356.80	355.00	326.00	281.10	251.30	249.90	241.90	184.30	132.00	311.50	504.60	639.00	PN6
350X300(355*315)	388.00	356.80	400.00	326.00	344.20	316.70	314.90	306.90	184.30	164.30	350.60	544.60	693.00	PN6
De400*200	432.70	401.60	400.00	398.50	220.90	200.90	199.85	197.00	107.00	208.00	318.60	534.95	623.00	PN6
400X225(400*250)	432.40	401.60	400.00	398.50	273.50	251.15	249.41	247.00	132.00	208.00	342.80	559.00	672.00	PN6
400X300(400*315)	432.70	401.60	400.00	398.50	344.50	316.55	315.05	312.00	165.00	208.00	370.00	586.35	752.00	PN6
De500*200	540.50	502.00	499.00	469.00	228.90	201.00	199.50	168.70	256.00	106.00	364.70	635.00	728.70	PN6
DN500X300(500X315)	540.50	502.00	499.00	469.00	346.60	316.50	314.50	284.00	256.00	163.50	422.20	692.50	844.00	PN6


产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (英寸)	外形尺寸 Dimensions (mm)											
	D0	D1	D2	D3	d0	d1	d2	d3	t	T	H	L
3/4"×1/2"	35.87	26.87	26.57	22.50	30.14	21.54	21.23	17.00	23.22	26.40	56.50	82.80
1"×1/2"	44.30	33.66	33.27	29.00	30.14	21.54	21.23	17.00	23.22	29.57	63.90	94.20
1"×3/4"	44.30	33.66	33.27	29.00	35.87	26.87	26.57	22.50	26.40	29.57	66.80	94.20
1-1/4"×3/4"	53.42	42.42	42.04	38.00	35.87	26.87	26.57	22.50	26.40	32.75	75.80	111.50
1-1/4"×1"	53.42	42.42	42.04	38.00	44.30	33.66	33.27	29.00	29.57	32.75	78.30	111.50
1-1/2"×1"	60.40	48.56	48.11	43.00	44.30	33.66	33.27	29.00	29.57	35.93	84.60	124.00
1-1/2"×1-1/4"	60.40	48.56	48.11	43.00	53.42	42.42	42.04	38.00	32.75	35.93	88.70	124.00
2"×1-1/4"	73.10	60.63	60.17	55.00	53.42	42.42	42.04	38.00	32.75	39.10	100.60	141.70
2"×1-1/2"	73.10	60.63	60.17	55.00	60.40	48.56	48.11	43.00	35.93	39.10	104.00	141.70
2-1/2"×1-1/2"	88.40	73.38	72.85	67.50	60.40	48.56	48.11	43.00	35.93	45.45	117.90	169.00
2-1/2"×2"	88.40	73.38	72.85	67.50	73.10	60.63	60.17	55.00	39.10	45.45	121.30	169.00
3"×2"	105.70	89.31	88.70	83.00	73.10	60.63	60.17	55.00	39.10	48.63	137.50	194.15
3"×2-1/2"	105.70	89.31	88.70	83.00	88.40	73.38	72.85	67.50	45.45	48.63	144.90	194.15
4"×2-1/2"	132.50	114.76	114.07	106.00	88.40	73.38	72.85	67.50	45.45	58.15	169.30	234.50
4"×3"	132.50	114.76	114.07	106.00	105.70	89.31	88.70	83.00	48.63	58.15	173.90	234.50
5"×2"	161.60	141.81	141.04	133.00	72.70	60.63	60.17	55.00	39.10	67.68	185.90	285.60
6"×2"	192.00	168.83	168.00	160.00	73.10	60.63	60.17	55.00	39.10	77.20	224.90	332.50
6"×4"	192.00	168.83	168.00	160.00	132.50	114.76	114.07	106.00	58.15	77.20	240.30	332.50
8"×4"	246.50	219.84	218.69	208.00	132.50	114.76	114.07	106.00	58.15	102.60	286.00	435.20
8"×6"	246.50	219.84	218.69	208.00	192.00	168.83	168.00	160.00	77.20	102.60	313.50	435.20
10"×6"	305.80	273.81	272.67	262.50	192.00	168.83	168.00	160.00	77.20	128.00	370.40	446.60
10"×8"	305.80	273.81	272.67	262.50	246.50	219.84	218.69	208.00	102.60	128.00	297.90	496.50
12"×8"	361.60	324.60	323.47	313.00	246.50	219.84	218.69	208.00	102.60	153.40	450.10	583.00
12"×10"	361.60	324.60	323.47	313.00	305.80	273.81	272.67	262.50	128.00	153.40	477.60	656.80
20"×12"	540.50	511.00	508.00	469.00	346.60	324.70	323.20	284.00	236.00	163.70	692.50	844.00

PVC-U/C COPPER THREADED
ELBOW 90°

铜内丝 90°弯头，PVC-U/C（国标）



产品参数（国标 GB/T 4219.2）


SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN(De)	外形尺寸 Dimensions (mm)									公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	d1	d2	d	T	L1	L	Tr 螺纹 PT	
15(20)	26.90	34.00	20.30	19.95	16.00	16.20	27.70	43.50	1/2"	S5(PN20)
20(25)	32.60	39.50	25.30	24.95	21.00	18.70	32.70	50.30	3/4"	S5(PN20)
25(32)	40.10	46.50	32.30	31.90	28.00	22.20	39.70	60.30	1"	S5(PN20)

PVC-U/C

EQUAL CROSS

正四通，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）						公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	d	T	L	
15	26.30	20.30	19.95	18.00	16.20	55.40	S5(PN20)
20	31.80	25.30	24.95	21.00	18.70	65.40	S5(PN20)
25	39.90	32.30	31.90	28.00	22.20	79.40	S5(PN20)
32	49.50	40.35	39.90	36.00	26.20	95.40	S5(PN20)
40	61.50	50.35	49.90	46.00	31.20	115.40	S5(PN20)
50	77.40	63.40	62.90	59.00	37.70	141.00	S5(PN20)
65	91.20	75.40	74.90	70.90	43.70	165.00	S6.3(PN16)
80	107.60	90.50	89.90	85.90	51.20	194.50	S6.3(PN16)
100	127.00	110.60	109.90	103.90	61.20	234.50	S6.3(PN16)
De125	144.30	125.70	124.90	118.90	68.70	263.80	S6.3(PN16)
125	161.60	140.75	139.90	133.90	76.20	295.00	S6.3(PN16)
150	185.30	160.80	159.90	153.90	86.20	336.00	S6.3(PN16)
De200	230.00	201.00	199.90	193.90	106.20	414.00	S6.3(PN16)
200	259.40	226.20	224.90	216.90	119.10	465.00	S6.3(PN16)
De250	287.90	251.30	249.90	241.40	131.65	515.50	S6.3(PN16)
250	314.80	281.20	280.10	276.00	147.00	582.00	S8(PN16)
300	354.00	316.70	314.90	307.00	164.30	643.00	S8(PN16)

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions（mm）					
	D0	d1	d2	d	T	L
1/2"	29.54	21.54	21.23	17.00	23.22	72.50
3/4"	35.36	26.87	26.57	22.50	26.40	82.80
1"	43.66	33.66	33.27	29.00	29.57	94.20
1-1/4"	53.02	42.42	42.04	38.00	32.75	111.50
1-1/2"	59.86	48.56	48.11	43.00	35.93	124.00
2"	72.23	60.63	60.17	55.00	39.10	143.70
2-1/2"	88.00	73.38	72.85	67.50	45.45	169.00
3"	105.30	89.31	88.70	83.00	48.63	193.26
4"	132.00	114.76	114.07	106.00	58.15	234.50
5"	162.00	141.81	141.04	133.00	67.68	287.00
6"	190.85	168.83	168.00	160.00	77.20	332.50

PVC-U/C

BUSHING

变径（补芯），PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)


尺寸 Size DN(De)	外形尺寸 Dimensions（mm）					
	D0	d1	d2	d	T	L
20X15(25*20)	25.00	20.30	19.95	16.00	17.00	19.20
25X15(32*20)	32.00	20.30	19.95	16.00	17.00	22.20
25X20(32*25)	32.00	25.30	24.95	21.00	19.50	22.20
32X15(40*20)	40.00	20.30	19.95	16.00	17.00	26.30
32X20(40*25)	40.00	25.30	24.95	21.00	19.50	26.30
32X25(40*32)	40.00	32.30	31.90	27.50	23.00	26.30
40X15(50*20)	50.00	20.30	19.95	16.00	17.00	31.20
40X20(50*25)	50.00	25.30	24.95	21.00	19.50	31.20
40X25(50*32)	50.00	32.30	31.90	27.50	23.00	31.20
40X32(50*40)	50.00	40.35	39.90	35.00	27.00	31.20
50X15(63*20)	63.00	20.30	19.95	16.00	17.00	38.10
50X20(63*25)	63.00	25.30	24.95	21.00	19.50	38.10
50X25(63*32)	63.00	32.30	31.90	27.50	23.00	38.10
50X32(63*40)	63.00	40.35	39.90	35.00	27.00	38.10
50X40(63*50)	63.00	50.35	49.90	45.00	32.00	38.10
65X20(75*25)	75.00	25.30	24.95	21.00	19.50	44.10
65X25(75*32)	75.00	32.30	31.90	27.50	23.00	44.10
65X32(75*40)	75.00	40.35	39.90	35.00	27.00	44.10
65X40(75*50)	75.00	50.35	49.90	45.00	32.00	44.10
65X50(75*63)	75.00	63.40	62.90	56.00	38.50	44.10
80X25(90*32)	90.00	32.30	31.90	27.50	23.00	51.00
80X32(90*40)	90.00	40.35	39.90	35.00	27.00	51.00
80X40(90*50)	90.00	50.35	49.90	45.00	32.00	51.00
80X50(90*63)	90.00	63.40	62.90	56.00	38.50	51.00
80X65(90*75)	90.00	75.40	74.90	67.00	44.50	51.00
100X40(110*50)	110.00	50.35	49.90	45.00	32.00	61.00
100X50(110*63)	110.00	63.40	62.90	56.00	38.50	61.00
100X65(110*75)	110.00	75.40	74.90	67.00	44.50	61.00
100X80(110*90)	110.00	90.50	89.90	80.50	52.00	61.00
De125*110	125.00	110.40	109.90	102.00	62.00	68.70
125X50(140*63)	140.00	63.40	62.90	102.00	62.00	77.00
125X65(140*75)	140.00	75.40	74.90	117.00	68.70	76.20
125X80(140*90)	140.00	90.50	89.90	56.00	38.50	76.20
125X100(140*110)	140.00	110.60	109.90	67.00	44.50	76.20
De140*125	140.00	125.70	124.90	80.50	52.00	76.20
150X50(160*63)	160.00	63.40	62.90	96.00	62.00	86.00
150X65(160*75)	160.00	75.40	74.90	130.00	77.00	86.00
150X80(160*90)	160.00	90.50	89.90	56.00	38.50	86.00
150X100(160*110)	160.00	110.60	109.90	67.00	44.50	86.00
150X125(160*140)	160.00	125.70	139.90	80.50	52.00	86.00
De180*160	180.00	160.80	159.90	150.90	86.20	96.00
De200*160	200.00	160.80	159.90	151.50	85.50	106.50
De200*180	200.00	180.90	179.90	169.70	96.00	106.20
200X100(225*110)	225.00	110.60	109.90	96.00	62.00	118.70
200X125(225*140)	225.00	140.75	139.90	130.00	77.00	118.70
200X150(225*160)	225.00	160.80	159.90	150.50	85.50	118.70
De225*200	225.00	201.00	199.90	188.80	106.20	118.70
De250*110	250.00	110.60	109.90	96.00	62.00	131.20
De250*160	250.00	160.80	159.90	150.50	85.50	131.20
De250*200	250.00	201.00	199.90	188.80	106.20	131.20
De250*225	250.00	226.20	224.90	210.80	119.10	131.20
250X200(280*225)	280.00	226.20	224.90	208.80	119.10	146.20

300X100(315*110)	315.00	110.60	109.90	96.00	62.00	163.70
300X150(315*160)	315.00	160.80	159.90	150.50	85.50	163.70
De315*200	315.00	201.00	199.90	188.80	106.20	163.70
300X200(315*225)	315.00	226.20	224.90	210.80	119.10	163.70
De315*250	315.00	251.15	249.90	239.00	131.65	163.70
300X250(315*280)	315.00	281.50	279.90	263.50	146.20	163.70
De355*200	355.00	201.00	199.90	188.80	106.20	183.70
350X200(355*225)	355.00	226.20	224.90	210.80	119.10	183.70
De355*250	355.00	251.15	249.90	239.00	131.65	183.70
350X300(355*315)	355.00	316.55	314.90	305.00	164.30	183.70
De400*200	400.00	201.00	199.90	188.80	106.20	206.20
400X200(400*225)	400.00	226.20	224.90	210.80	119.10	206.20
De400*250	400.00	251.15	249.90	239.00	131.65	206.20
400X300(400*315)	400.00	316.60	314.90	305.00	164.30	206.20
400X350(400*355)	400.00	356.70	354.90	345.00	183.70	206.20

产品参数（美标 **SCH80**）
 SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (")	外形尺寸 Dimensions （mm）						
	D0	d1	d2	d	T	d1	L
1/2"*1/4"	21.34	14.02	13.60	10.00	16.50	23.50	29.00
1/2"*3/8"	21.34	17.45	17.04	12.00	19.50	23.50	29.00
3/4"*1/2"	26.67	21.54	21.23	17.00	23.22	26.40	31.90
1"*3/8"	33.40	17.45	17.04	12.00	19.50	29.58	35.58
1"*1/2""	33.40	21.54	21.23	17.00	23.22	29.58	35.58
1"*3/4"	33.40	26.87	26.57	22.50	26.40	29.58	35.58
1-1/4"*1/2"	42.16	21.54	21.23	17.00	23.22	30.00	36.00
1-1/4"*3/4"	42.16	26.87	26.57	22.50	26.40	30.00	36.00
1-1/4"*1"	42.16	33.66	33.27	29.00	29.57	30.00	36.00
1-1/2"*1/2"	48.26	21.54	21.23	17.00	23.22	35.93	41.93
1-1/2"*3/4""	48.26	26.87	26.57	22.50	26.40	35.93	41.93
1-1/2"*1"	48.26	33.66	33.27	29.00	29.57	35.93	41.93
1-1/2"*1-1/4"	48.26	42.42	42.04	38.00	32.75	35.93	41.93
2"*1/2"	60.33	21.54	21.23	17.00	23.22	39.10	45.10
2"*3/4"	60.33	26.87	26.57	22.50	26.40	39.10	45.10
2"*1"	60.33	33.66	33.27	29.00	29.57	39.10	45.10
2"*1-1/4"	60.33	42.42	42.04	38.00	32.75	39.10	45.10
2"*1-1/2"	60.33	48.56	48.11	43.00	35.93	39.10	45.10
2-1/2"*1-1/2"	70.03	48.56	48.11	43.00	35.93	45.00	51.00
2-1/2"*2"	70.03	60.63	60.17	55.00	39.10	45.00	51.00
3"*1-1/2"	88.90	48.56	48.11	43.00	35.93	49.00	57.00
3"*2"	88.90	60.63	60.17	55.00	39.10	49.00	57.00
3"*2-1/2"	88.90	48.56	48.11	67.50	35.93	49.00	57.00
4"*2"	114.30	60.63	60.17	55.00	39.10	59.00	67.00
4"*2-1/2"	114.30	48.56	48.11	67.50	35.93	59.00	67.00
4"*3"	114.30	89.31	88.70	83.00	48.63	59.00	67.00
5"*4"	141.30	114.76	114.07	106.00	58.15	69.00	79.00
6"*3"	168.30	89.31	88.70	83.00	48.63	78.00	90.00
6"*4"	168.30	114.76	114.07	106.00	58.15	78.00	90.00
6"*5"	168.30	141.81	141.04	133.00	67.68	78.00	90.00
8"*4"	219.10	114.76	114.07	106.00	58.15	103.00	115.00
8"*6"	219.10	168.83	168.00	160.00	77.20	103.00	115.00
10"*3"	273.05	89.31	88.70	83.00	48.63	127.00	148.00
10"*4"	273.05	114.76	114.07	106.00	58.15	127.00	148.00
10"*6"	273.05	168.83	168.00	160.00	77.20	127.00	148.00
10"*8"	273.05	219.84	218.69	208.00	102.60	127.00	148.00
12"*4"	323.85	114.76	114.07	106.00	58.15	151.00	169.00
12"*6"	323.85	168.83	168.00	160.00	77.20	151.00	169.00
12"*8"	323.85	219.84	218.69	208.00	102.60	151.00	169.00
12"*10"	323.85	273.81	272.67	262.50	128.00	151.00	169.00
14"x12"	355.35	324.7	323.2	305	163.7	183.7	169.00
16"x14"	406.3	356.7	354.9	345	183.7	206.2	169.00

PVC-U/C
 COPPER THREADED TEE
 铜内丝三通，PVC-U/C（国标）




产品参数（国标 **GB/T 4219.2**）
 SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions （mm）										公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	d1	d2	d	T	H1	H	L	Tr 螺纹 PT	
15	26.90	34.00	20.30	19.95	16.00	16.20	30.00	43.45	55.40	1/2"	S5(PN20)
20	32.60	39.50	25.30	24.95	21.00	18.70	34.00	50.30	65.40	3/4"	S5(PN20)
25	40.10	46.50	32.30	31.90	28.00	22.20	40.00	60.05	79.40	1"	S5(PN20)

PVC-U/C

REDUCER

异径，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN(De)	外形尺寸 Dimensions（mm）										公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	d0	d1	d2	d3	t	T	L	
20X15(25*20)	31.80	25.30	24.95	26.30	20.30	19.95	18.00	16.20	18.70	40.00	S5(PN20)
25X15(32*20)	39.90	32.30	31.90	26.30	20.30	19.95	18.00	16.20	22.20	48.50	S5(PN20)
25X20(32*25)	39.90	32.30	31.90	31.80	25.30	24.95	23.00	18.70	22.20	47.40	S5(PN20)
32X15(40*20)	49.40	40.35	39.90	26.30	20.30	19.95	18.00	16.20	26.20	56.50	S5(PN20)
32X20(40*25)	49.30	40.35	39.90	31.80	25.30	24.95	23.00	18.70	26.20	56.80	S5(PN20)
32X25(40*32)	49.40	40.35	39.90	39.70	32.30	31.90	30.00	22.20	26.20	54.80	S5(PN20)
40X15(50*20)	61.50	50.35	49.90	26.30	20.30	19.95	18.00	16.20	31.20	66.00	S5(PN20)
40X20(50*25)	61.50	50.35	49.90	31.80	25.30	24.95	23.00	18.70	31.20	66.00	S5(PN20)
40X25(50*32)	61.50	50.35	49.90	39.90	32.30	31.90	30.00	22.20	31.20	67.00	S5(PN20)
40X32(50*40)	61.90	50.35	49.90	49.70	40.35	39.90	38.00	26.20	31.20	65.00	S5(PN20)
50X15(63*20)	77.20	63.40	62.90	26.30	20.30	19.95	18.00	16.20	37.70	79.00	S5(PN20)
50X20(63*25)	77.30	63.40	62.90	31.80	25.30	24.95	23.00	18.70	37.70	79.00	S5(PN20)
50X25(63*32)	77.90	63.40	62.90	39.90	32.30	31.90	30.00	22.20	37.70	80.00	S5(PN20)
50X32(63*40)	77.30	63.40	62.90	49.70	40.35	39.90	38.00	26.20	37.70	80.00	S5(PN20)
50X40(63*50)	77.30	63.40	62.90	61.90	50.35	49.90	48.00	31.20	37.70	77.70	S5(PN20)
65X15(75*20)	90.80	75.40	74.90	26.30	20.30	19.95	18.00	16.20	43.70	93.00	S6.3(PN16)
65X20(75*25)	90.80	75.40	74.90	31.80	25.30	24.95	23.00	18.70	43.70	92.70	S6.3(PN16)
65X25(75*32)	90.80	75.40	74.90	39.90	32.30	31.90	30.00	22.20	43.70	93.50	S6.3(PN16)
65X32(75*40)	90.80	75.40	74.90	49.40	40.35	39.90	38.00	26.20	43.70	93.00	S6.3(PN16)
65X40(75*50)	91.00	75.40	74.90	61.70	50.35	49.90	48.00	31.20	43.70	93.30	S6.3(PN16)
65X50(75*63)	91.00	75.40	74.90	77.50	63.40	62.90	61.00	37.70	43.70	92.50	S6.3(PN16)
80X20(90*25)	107.30	90.50	89.90	32.00	25.30	24.95	23.00	18.70	51.20	108.00	S6.3(PN16)
80X25(90*32)	107.20	90.50	89.90	40.40	32.30	31.90	30.00	22.20	51.20	108.10	S6.3(PN16)
80X32(90*40)	107.20	90.50	89.90	49.70	40.35	39.90	38.00	26.20	51.20	108.50	S6.3(PN16)
80X40(90*50)	107.30	90.50	89.90	61.60	50.35	49.90	48.00	31.20	51.20	108.20	S6.3(PN16)
80X50(90*63)	107.30	90.50	89.90	77.30	63.40	62.90	61.00	37.70	51.20	108.00	S6.3(PN16)
80X65(90*75)	107.30	90.50	89.90	91.20	75.40	74.90	70.90	43.70	51.20	107.30	S6.3(PN16)
100X20(110*25)	127.00	110.60	109.90	32.00	25.30	24.95	23.00	18.70	61.20	127.80	S6.3(PN16)
100X25(110*32)	127.00	110.60	109.90	40.10	32.30	31.90	30.00	22.20	61.20	128.30	S6.3(PN16)
100X32(110*40)	126.80	110.60	109.90	49.70	40.35	39.90	38.00	26.20	61.20	128.60	S6.3(PN16)
100X40(110*50)	127.00	110.60	109.90	61.70	50.35	49.90	48.00	31.20	61.20	128.00	S6.3(PN16)
100X50(110*63)	127.40	110.60	109.90	77.50	63.40	62.90	61.00	37.70	61.20	128.00	S6.3(PN16)
100X65(110*75)	127.00	110.60	109.90	90.80	75.40	74.90	70.90	43.70	61.20	128.60	S6.3(PN16)
100X80(110*90)	127.00	110.60	109.90	107.30	90.50	89.90	85.90	51.20	61.20	127.40	S6.3(PN16)
De125*110	144.00	125.70	124.90	127.00	110.60	109.90	103.90	61.20	68.70	142.60	S6.3(PN16)
125X40(140*50)	161.60	140.75	139.90	61.60	50.30	49.90	48.00	31.11	76.20	157.60	S6.3(PN16)
125X50(140*63)	161.60	140.75	139.90	77.60	63.40	62.90	61.00	37.59	76.20	158.00	S6.3(PN16)
125X65(140*75)	161.60	140.75	139.90	91.00	75.35	74.90	70.90	43.57	76.20	158.50	S6.3(PN16)
125X80(140*90)	161.70	140.75	139.90	77.50	90.50	89.90	85.90	52.00	76.20	158.30	S6.3(PN16)
125X100(140*110)	161.80	140.75	139.90	127.20	110.60	109.90	103.90	61.02	76.20	157.70	S6.3(PN16)
De140*125	161.80	140.75	139.90	144.60	125.65	124.90	118.90	68.70	76.20	157.50	S6.3(PN16)
150X50(160*63)	184.60	160.70	159.90	127.00	63.35	62.90	61.00	37.82	87.00	180.50	S6.3(PN16)
150X65(160*75)	184.60	160.70	159.90	91.20	75.35	74.90	70.90	43.83	87.00	179.00	S6.3(PN16)
150X80(160*90)	184.60	160.70	159.90	107.70	90.50	89.90	85.90	51.36	87.00	178.70	S6.3(PN16)
150X100(160*110)	184.60	160.70	159.90	127.50	110.60	109.90	103.90	61.40	87.00	180.20	S6.3(PN16)
150X125(160*140)	184.60	160.70	159.90	161.90	140.75	139.90	133.90	77.00	87.00	177.30	S6.3(PN16)
De180*160	202.60	180.80	179.90	180.00	160.70	159.90	153.90	87.00	97.00	202.20	S6.3(PN16)
De200*160	230.00	201.00	199.90	184.00	160.80	159.90	153.90	86.20	106.20	217.50	S6.3(PN16)

200X150(225*160)	259.40	226.20	224.90	184.00	160.80	159.90	153.90	86.20	119.10	242.50	S6.3(PN16)
De225*200	259.40	226.20	224.90	230.50	201.00	199.90	193.50	106.20	119.10	243.00	S6.3(PN16)
De250*225	287.90	251.30	249.90	259.00	226.20	224.90	216.90	119.10	131.65	269.50	S8(PN16)
250X200(280*225)	314.80	281.30	279.90	259.40	226.20	224.90	216.90	119.10	147.00	304.50	S8(PN16)
300X250(315*280)	354.60	316.60	314.90	314.80	281.30	279.90	278.00	147.00	164.30	338.00	S8(PN16)
350X300(355*315)	391.00	356.80	355.00	354.60	316.60	314.90	306.90	164.30	184.30	384.00	PN6
400X300(400*315)	442.00	402.00	400.00	344.00	316.60	314.90	306.90	164.30	207.00	435.00	PN6
400X350(400*355)	442.00	402.00	400.00	384.25	356.80	355.00	326.00	184.30	207.00	430.70	PN6
500X400(500*400)	540.50	503.00	500.00	433.80	401.50	400.00	390.00	206.00	261.00	540.00	PN6
600X300(630*315)	668.50	633.00	630.00	346.50	316.50	315.00	305.00	163.50	321.00	680.00	PN6
600X400(630*400)	668.50	633.00	630.00	433.80	401.50	400.00	390.00	206.00	321.00	680.00	PN6
600X500(630*500)	668.50	633.00	630.00	540.50	503.00	500.00	490.00	256.00	321.00	680.00	PN6

产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (")	外形尺寸 Dimensions (mm)									
	D0	D1	D2	d0	d1	d2	d3	t	T	L
3/4"*1/2"	36.90	26.87	26.57	30.50	21.54	21.23	17.00	23.22	26.40	58.60
1"*1/2"	44.70	33.66	33.27	30.50	21.54	21.23	17.00	23.22	29.57	65.10
1"*3/4"	44.70	33.66	33.27	36.90	26.87	26.57	22.50	26.40	29.57	66.30
1-1/4"*1/2"	54.00	42.42	42.04	30.50	21.54	21.23	17.00	23.22	32.75	72.68
1-1/4"*3/4"	54.00	42.42	42.04	36.90	26.87	26.57	22.50	26.40	32.75	73.80
1-1/4"*1"	54.00	42.42	42.04	44.70	33.66	33.27	29.00	29.57	32.75	73.80
1-1/2"*3/4"	60.60	48.56	48.11	36.90	26.87	26.57	22.50	26.40	35.93	80.00
1-1/2"*1"	60.60	48.56	48.11	40.70	33.66	33.27	29.00	29.57	35.93	80.00
1-1/2"*1-1/4"	60.60	48.56	48.11	54.00	42.42	42.04	38.00	32.75	35.93	78.70
2"*1"	73.10	60.63	60.17	44.70	33.66	33.27	29.00	29.57	39.10	88.20
2"*1-1/4"	73.10	60.63	60.17	54.00	42.42	42.04	38.00	32.75	39.10	88.20
2"*1-1/2"	73.10	60.63	60.17	60.60	48.56	48.11	43.00	35.93	39.10	88.50
10"*8"	305.00	273.81	272.67	245.90	219.84	218.69	208.00	102.60	128.00	269.75
20"x16"	540.50	511.00	508.00	433.80	401.50	400.00	390.00	183.7	236.00	540.00
24"x16"	668.50	612.60	609.60	433.80	401.50	400.00	390.00	183.7	306.00	680.00
24"x20"	668.50	612.60	609.60	540.50	511.00	508.00	490.00	236.00	306.00	680.00

EXPERT IN PIPING SYSTEM


管路系统专家



PVC-U/C

COPPER THREADED REDUCER

铜内丝直接，PVC-U/C（国标）



产品参数（国标 GB/T 4219.2）


SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions (mm)								公称压力 Nominal Pressure PN(kg/cm ²)
	D0	D1	d1	d2	T	d	L	Tr 螺纹 PT	
15	26.90	34.00	20.30	19.95	16.20	16.00	37.20	1/2"	S5(PN20)
20	32.60	39.50	25.30	24.95	18.70	21.00	40.70	3/4"	S5(PN20)
25	40.10	46.50	32.30	31.90	22.20	28.00	47.90	1"	S5(PN20)

PVC-U/C

CAP

管堵，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）					公称压力 Nominal Pressure PN(kg/cm²)
	D0	d1	d2	T	L	
15	26.30	20.30	19.95	16.20	21.90	S5(PN20)
20	31.80	25.30	24.95	18.70	25.70	S5(PN20)
25	39.90	32.30	31.90	22.20	30.70	S5(PN20)
32	49.70	40.40	39.90	26.20	36.90	S5(PN20)
40	61.90	50.40	49.90	31.20	44.70	S5(PN20)
50	77.90	63.40	62.90	37.70	54.00	S5(PN20)
65	91.20	75.40	74.90	43.70	62.60	S6.3(PN16)
80	107.60	90.50	89.90	51.20	73.30	S6.3(PN16)
100	127.00	110.60	109.90	61.20	84.50	S6.3(PN16)
De125	144.30	125.70	124.90	68.70	96.10	S6.3(PN16)
125	161.60	140.80	139.90	76.20	109.70	S6.3(PN16)
150	184.60	160.80	159.90	86.20	126.20	S6.3(PN16)
De180	202.60	180.90	179.90	97.00	142.90	S6.3(PN16)
De200	230.50	201.00	199.90	106.20	151.10	S6.3(PN16)
200	259.40	226.20	224.90	119.10	170.40	S6.3(PN16)
De250	287.90	251.30	249.90	131.65	186.90	S8(PN16)
250	314.80	281.50	279.90	147.00	212.50	S8(PN16)
300	358.20	316.70	314.90	164.30	234.50	S8(PN16)
350	391.00	356.80	355.00	184.30	265.00	PN6
400	442.00	402.00	400.00	204.20	294.00	PN6

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions（mm）				
	D0	d1	d2	T	L
1/2"	29.54	21.54	21.23	23.22	30.80
3/4"	35.31	26.87	26.57	26.40	35.13
1"	43.70	33.66	33.27	29.57	40.00
1-1/4"	53.05	42.42	42.04	32.75	45.00
1-1/2"	59.86	48.56	48.11	35.93	49.00
2"	72.23	60.63	60.17	39.10	53.95
2-1/2"	87.98	73.38	72.85	45.45	64.20
3"	105.30	89.31	88.70	48.63	58.00
4"	132.00	114.76	114.07	58.15	81.00
5"	161.80	141.81	141.04	67.68	106.50
6"	190.85	168.83	168.00	77.20	119.55
8"	245.85	219.84	218.69	102.60	141.70
10"	305.80	273.81	272.67	128.00	186.25
12"	358.20	324.7	323.2	163.70	234.50

PVC-U/C

COUPLING

管箍，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）						公称压力 Nominal Pressure PN(kg/cm²)
	D0	d1	d2	d	T	L	
15	26.30	20.30	19.95	18.00	16.20	34.40	S5(PN20)
20	31.80	25.30	24.95	23.00	18.70	39.00	S5(PN20)
25	39.90	32.30	31.90	30.00	22.20	46.40	S5(PN20)
32	49.40	40.40	39.90	38.00	26.20	54.40	S5(PN20)
40	61.40	50.40	49.90	48.00	31.20	64.40	S5(PN20)
50	77.10	63.40	62.90	61.00	37.70	77.10	S5(PN20)
65	91.00	75.40	74.90	68.20	43.70	90.00	S6.3(PN16)
80	107.60	90.50	89.90	83.80	51.20	106.40	S6.3(PN16)
100	127.20	110.60	109.90	103.00	61.20	128.30	S6.3(PN16)
De125	144.30	125.70	124.90	118.60	68.70	144.00	S6.3(PN16)
125	161.60	140.80	139.90	133.80	76.20	159.50	S6.3(PN16)
150	184.60	160.80	159.90	153.80	86.20	179.70	S6.3(PN16)
De180	202.60	180.90	179.90	178.50	97.00	199.00	S6.3(PN16)
De200	230.30	201.00	199.90	193.50	106.20	217.50	S6.3(PN16)
200	259.40	226.20	224.90	216.90	119.10	243.00	S6.3(PN16)
De250	287.90	251.30	249.90	241.90	131.65	268.30	S8(PN16)
250	314.50	281.50	279.90	278.00	147.00	300.00	S8(PN16)
300	354.00	316.70	314.90	306.90	164.30	335.40	S8(PN16)
350	384.25	356.80	355.00	326.00	184.30	373.50	S8(PN16)
400	430.15	402.00	400.00	369.80	205.50	422.80	S8(PN16)
500(500)	540.50	503.00	500.00	469.00	256.00	540.00	PN6
600(630)	668.50	633.00	630.00	591.80	321.00	680.00	PN6

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (英寸)	外形尺寸 Dimensions（mm）					
	D0	d1	d2	d	T	L
1/2"	30.50	21.54	21.23	17.00	23.22	50.40
3/4"	36.90	26.87	26.57	22.50	26.40	56.80
1"	44.70	33.66	33.27	29.00	29.57	63.10
1-1/4"	54.00	42.42	42.04	38.00	32.75	69.50
1-1/2"	60.60	48.56	48.11	43.00	35.93	75.80
2"	73.10	60.63	60.17	55.00	39.10	82.20
2-1/2"	88.40	73.38	72.85	67.50	45.45	96.00
3"	105.30	89.31	88.70	83.00	48.63	102.30
4"	132.00	114.76	114.07	106.00	58.15	124.00
5"	161.90	141.81	141.04	133.00	67.68	144.00
6"	190.90	168.83	168.00	160.00	77.20	164.40
8"	245.90	219.84	218.69	208.00	102.60	215.20
10"	305.80	273.81	272.67	262.50	128.00	266.00
12"	360.60	324.60	323.47	313.00	153.40	316.80
14"	394.11	355.94	354.33	331.50	200.00	378.00
16"	450.00	407.19	405.33	363.80	230.66	420.00
20"	540.50	511.00	508.00	469.00	236.00	540.00
24"	668.50	612.60	609.60	591.80	306.00	680.00

PVC-U/C

FEMALE ADAPTOR

内丝，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）								公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	D3	d	T	L	Tr 螺纹 PT	
15	27.10	20.30	19.95	27.60	16.50	16.50	33.50	1/2"	S5(PN20)
20	32.50	25.30	24.95	33.60	22.00	19.00	37.00	3/4"	S5(PN20)
25	40.30	32.30	31.90	41.30	28.00	22.50	42.20	1"	S5(PN20)
32	49.50	40.35	39.90	51.10	36.00	26.50	49.00	1-1/4"	S5(PN20)
40	61.60	50.35	49.90	59.00	42.00	31.50	54.00	1-1/2"	S5(PN20)
50	77.40	63.40	62.90	73.60	53.00	38.00	65.50	2"	S5(PN20)
65	90.40	75.40	74.90	90.20	68.00	44.00	76.00	2-1/2"	S6.3(PN16)
80	106.50	90.50	89.90	107.60	80.00	51.50	86.50	3"	S6.3(PN16)
100	126.90	110.60	109.90	129.40	104.50	61.50	103.00	4"	S6.3(PN16)

产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions（mm）							
	D0	D1	D2	D3	d	T	L	Tr 螺纹 NPT
1/2"	29.70	21.54	21.23	29.22	16.00	23.22	40.22	1/2"
3/4"	35.30	26.87	26.57	34.97	20.60	26.40	44.40	3/4"
1"	43.70	33.66	33.27	43.35	26.00	29.57	49.60	1"
1-1/4"	53.10	42.42	42.04	52.58	36.00	32.75	55.25	1-1/4"
1-1/2"	59.90	48.56	48.11	59.45	41.00	35.93	58.45	1-1/2"
2"	73.10	60.63	60.17	72.10	52.00	39.10	66.60	2"
2-1/2"	88.00	73.38	72.85	87.30	64.00	45.45	77.50	2-1/2"
3"	105.30	89.31	88.70	104.60	78.00	48.63	83.65	3"
4"	132.00	114.76	114.07	131.65	102.50	58.15	99.70	4"

EXPERT IN PIPING SYSTEM


管路系统专家



PVC-U/C

MALE ADAPTOR

外丝，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）							公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	d	T	L	Tr 螺纹 PT	
15	26.80	20.30	19.95	11.30	16.50	35.00	1/2"	S5(PN20)
20	32.50	25.30	24.95	16.10	19.00	38.50	3/4"	S5(PN20)
25	40.30	32.30	31.90	21.40	22.50	44.50	1"	S5(PN20)
32	49.50	40.35	39.90	28.80	26.50	51.00	1-1/4"	S5(PN20)
40	61.60	50.35	49.90	32.50	31.50	56.50	1-1/2"	S5(PN20)
50	77.00	63.40	62.90	41.30	38.00	69.40	2"	S5(PN20)
65	90.40	75.40	74.90	55.80	44.00	79.90	2-1/2"	S6.3(PN16)
80	106.50	90.50	89.90	67.30	51.50	91.50	3"	S6.3(PN16)
100	126.90	110.60	109.90	91.60	61.50	108.00	4"	S6.3(PN16)

产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions（mm）						
	D0	D1	D2	d	T	L	Tr 螺纹 NPT
1/2"	29.55	21.54	21.23	11.30	23.22	41.50	1/2"
3/4"	35.30	26.87	26.57	16.00	26.40	45.90	3/4"
1"	43.66	33.66	33.27	21.35	29.57	51.50	1"
1-1/4"	50.00	42.42	42.04	28.80	32.75	56.80	1-1/4"
1-1/2"	59.85	48.56	48.11	32.50	35.93	61.50	1-1/2"
2"	72.25	60.63	60.17	41.30	39.10	71.00	2"
2-1/2"	88.00	73.38	72.85	55.80	45.45	82.00	2-1/2"
3"	105.45	89.31	88.70	67.30	48.63	88.65	3"
4"	132.00	114.76	114.07	91.60	58.15	104.65	4"

EXPERT IN PIPING SYSTEM


管路系统专家



PVC-U/C

ONE-PIECE FLANGE

单片式法兰，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）											公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	d0	d1	d2	d3	da	T	H	L	螺孔数 n Number of bolt hole	
15	95.00	65.00	26.80	20.30	19.95	16.00	14.00	16.20	12.40	20.20	4	PN16
20	105.00	75.00	32.50	25.30	24.95	21.00	14.00	18.70	13.50	22.70	4	PN16
25	115.00	85.00	40.30	32.30	31.90	28.00	14.00	22.20	15.00	26.20	4	PN16
32	140.00	100.00	49.30	40.35	39.90	36.00	18.00	26.20	14.40	31.20	4	PN16
40	150.00	110.00	61.60	50.35	49.90	46.00	18.00	31.20	15.50	36.20	4	PN16
50	165.00	125.00	77.40	63.40	62.90	57.00	18.00	37.70	15.50	43.70	4	PN16
65	185.00	145.00	90.40	75.40	74.90	69.00	18.00	43.70	17.30	50.20	4	PN16
80	200.00	160.00	106.50	90.50	89.90	83.00	18.00	51.20	18.50	58.70	8	PN16
100	220.00	180.00	126.90	110.60	109.90	103.00	18.00	61.20	20.30	68.70	8	PN16
De125	250.00	210.00	144.00	125.70	124.90	117.00	18.00	68.70	22.00	77.20	8	PN16
125	250.00	210.00	161.30	140.75	139.90	131.50	18.00	76.20	22.20	84.70	8	PN16
150	285.00	240.00	184.30	160.80	159.90	151.00	22.00	86.20	25.00	95.70	8	PN16
De180	285.00	240.00	202.60	180.80	179.90	166.00	22.00	97.00	25.50	115.00	8	PN10
De200	340.00	295.00	227.00	201.00	199.90	190.00	22.00	106.20	26.30	116.20	8	PN10
200	340.00	295.00	254.10	226.20	224.90	216.00	22.00	119.10	27.00	129.70	8	PN10
De250	395.00	350.00	281.30	251.30	249.90	239.50	22.00	131.65	28.00	142.20	12	PN10
250	405.00	350.00	310.40	281.50	279.90	264.00	22.00	147.00	29.00	169.00	12	PN10
300	445.00	400.00	354.60	316.70	314.90	302.00	22.00	167.70	31.50	179.70	12	PN10

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*)	外形尺寸 Dimensions（mm）										
	D0	D1	d0	d1	d2	d3	da	T	H	L	螺孔数 n Number of bolt hole
1/2"	89.00	60.30	29.54	21.54	21.23	17.00	16.00	23.22	13.00	27.72	4
3/4"	89.00	69.85	35.27	26.87	26.57	22.50	16.00	26.40	14.00	30.90	4
1"	108.00	79.38	43.66	33.66	33.27	29.00	16.00	29.57	15.00	34.10	4
1-1/4"	117.00	88.90	53.02	42.42	42.04	38.00	16.00	32.75	15.00	38.75	4
1-1/2"	127.00	98.43	59.86	48.56	48.11	43.00	16.00	35.93	17.00	41.95	4
2"	152.00	120.65	72.23	60.63	60.17	55.00	19.00	39.10	19.00	46.10	4
2-1/2"	178.00	139.70	88.00	73.38	72.85	67.50	19.00	45.45	20.00	53.00	4
3"	191.00	152.40	105.30	89.31	88.70	83.00	19.00	48.63	20.50	57.15	4
4"	229.00	190.50	132.00	114.76	114.07	106.00	19.00	58.15	21.00	66.65	8
5"	254.00	216.00	162.00	141.81	141.04	133.00	22.00	67.68	23.50	77.50	8
6"	284.00	241.30	190.85	168.83	168.00	160.00	22.00	77.20	26.50	88.20	8
8"	343.00	298.45	245.84	219.84	218.69	208.00	22.00	102.60	27.00	113.60	8

PVC-U/C

VANSTONE FLANGE

活套平承法兰，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）														公称压力 Nominal Pressure PN(kg/cm²)
	D0	D1	D2	d0	d1	d2	d3	dw	da	T	H1	H	L	螺孔数 n Number of bolt hole	
15	95	65	31	30.5	20.3	19.95	16	37.6	14	23.22	2.5	13	24.7	4	PN16
20	105	75	37.9	36.9	25.35	24.95	20.6	47	14	26.4	2.5	14	27.9	4	PN16
25	115	85	45.7	44.7	32.35	31.95	27	56	14	29.58	2.5	15	31.08	4	PN16
32	140	100	55	54	40.4	39.95	36	64	18	32.75	2.5	15	35.25	4	PN16
40(50)	150.00	110.00	62.60	61.60	50.35	49.90	45.00	74.00	18.00	31.20	2.50	18.00	33.70	4	PN16
50(63)	165.00	125.00	78.40	77.40	63.40	62.90	57.00	93.00	18.00	37.70	2.50	20.00	41.20	4	PN16
65(75)	185.00	145.00	91.40	90.40	75.40	74.90	69.00	110.00	18.00	43.70	2.50	23.00	47.20	4	PN16
80(90)	200.00	160.00	107.50	106.50	90.50	89.90	83.00	126.00	18.00	51.20	2.50	26.00	55.70	8	PN16
100(110)	220.00	180.00	127.90	126.90	110.60	109.90	103.00	147.00	18.00	61.20	2.50	28.00	65.70	8	PN16
De125	250.00	210.00	145.00	144.00	125.70	124.90	117.00	164.00	18.00	68.70	2.50	29.00	74.20	8	PN16
125(140)	250.00	210.00	162.30	161.30	140.75	139.90	131.50	181.00	18.00	76.20	2.50	30.00	81.70	8	PN16
150(160)	285.00	240.00	186.30	184.30	160.80	159.90	151.00	204.00	22.00	86.20	3.00	32.00	92.20	8	PN16
De180	285.00	240.00	229.00	227.00	201.00	199.90	190.00	257.40	22.00	106.20	3.00	36.00	112.20	8	PN10
De200	340.00	295.00	229.00	227.00	201.00	199.90	190.00	256.00	22.00	106.20	3.00	36.00	112.20	12	PN16
200(225)	340.00	295.00	256.10	254.10	226.20	224.90	216.00	271.00	22.00	118.70	3.00	38.00	127.70	12	PN16
De200	340.00	295.00	229.00	227.00	201.00	199.90	190.00	256.00	22.00	106.20	3.00	36.00	112.20	8	PN10
200(225)	340.00	295.00	256.10	254.10	226.20	224.90	216.00	271.00	22.00	118.70	3.00	38.00	127.70	8	PN10
De250	395.00	350.00	283.30	281.30	251.30	249.90	239.50	310.00	22.00	131.20	3.50	40.00	138.20	12	PN10
250(280)	398.00	351.50	308.00	305.50	281.50	280.15	272.00	325.00	22.00	147.00	10.00	35.00	159.00	12	PN10
300(315)	445.00	400.00	356.60	354.60	316.70	314.90	302.00	373.00	22.00	167.70	5.00	44.00	175.70	12	PN10
350(355)	510.00	460.00	388.60	386.60	356.80	355.00	326.00	417.00	22.00	184.00	32.00	40.00	197.00	16	PN10
400(400)	570.00	515.00	438.00	432.00	402.00	400.00	388.00	463.00	26.00	208.00	35.00	43.80	220.00	16	PN10
De450	620.00	565.00	488.50	486.00	451.94	450.05	447.00	518.00	26.00	233.00	38.00	45.00	245.00	20	PN10
500	670.00	620.00	541.00	536.50	502.80	500.60	486.00	573.00	26.00	256.00	38.00	50.00	268.00	20	PN10
600	813.00	725.00	670.00	668.50	633.00	629.00	621.00	697.00	30.00	321.00	37.00	50.00	316.00	20	PN10

产品参数（美标 SCH80）


SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*")	外形尺寸 Dimensions (mm)													
	D0	D1	D2	d0	d1	d2	d3	dw	da	T	H1	H	L	螺孔数 n Number of bolt hole
1/2"	89	61	31	30.5	21.54	21.23	16	37.6	16	23.22	2.5	13	24.72	4
3/4"	98	70	37.9	36.9	26.87	26.57	20.6	47	16	26.4	2.5	14	27.9	4
1"	108	79	45.7	44.7	33.66	33.27	27	56	16	29.58	2.5	15	31.08	4
1-1/4"	117	89	55	54	42.42	42.04	36	64	16	32.75	2.5	15	35.25	4
1-1/2"	127	98	62.6	61.6	50.46	50.46	45	72.4	16	35.93	2.5	18	38.43	4
2"	152	121	74.1	73.1	60.63	60.17	52.5	88.5	19	39.1	2.5	20	42.6	4
2-1/2"	178	140	89.4	88.4	73.38	72.85	65	108	19	45.5	2.5	23	49	4
3"	191	152	106.3	105.3	89.31	88.7	80	124.8	19	48.63	2.5	26	53.13	4
4"	229	191	133	132	114.76	114.07	102	152	19	58.15	2.5	28	62.65	8
5"	254	216	162.9	161.9	141.81	141.04	122	181.5	22	68	2.5	30	73.5	8
6"	284	241	192.5	191.5	168.83	168	150	209.5	22	77.2	3	32	83.2	8
8"	343	298	247.9	246.9	219.84	218.69	193	264.9	22	102.6	3	36	108.6	8
10"	410	362	309.8	305.8	273.81	272.67	262.5	327.37	24	128	3	42	138	12
12"	482.6	432	366.6	362.6	324.6	323.47	313.	384.60	24	153.4	3	44	166	12
14"	534	476.3	402	399.2	356.6	355.5	331.5	426.6	28.6	183.5	3	52	186	12
16"	600	540.8	456	451.6	407.6	406.36	342.5	482.4	28.6	208	3	60	210	16
20"	698.00	635.00	541.00	536.50	511.00	508.00	486.00	573.00	26	236.00	38.00	42.90	268.00	20
24"	813.00	725.00	670.00	668.50	612.60	609.60	621.00	697.00	33	306.00	37.00	47.70	316.00	20

PVC-U/C

BLIND FLANGE

盲法兰，PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）					公称压力 Nominal Pressure PN(kg/cm²)
	D0	d1	da	H	螺孔数 n Number of bolt hole	
15(20)	95.00	65.00	14.00	12.50	4	PN16
20(25)	105.00	75.00	14.00	13.40	4	PN16
25(32)	115.00	85.00	14.00	14.00	4	PN16
32(40)	140.00	100.00	18.00	14.40	4	PN16
40(50)	150.00	110.00	18.00	16.40	4	PN16
50(63)	165.00	125.00	18.00	16.20	4	PN16
65(75)	185.00	145.00	18.00	17.50	4	PN16
80(90)	200.00	160.00	18.00	18.00	8	PN16
100(110)	220.00	180.00	18.00	22.00	8	PN16
125(140)	250.00	210.00	18.00	27.00	8	PN16
150(160)	285.00	240.00	22.00	28.00	8	PN16
200(225)	340.00	295.00	22.00	29.50	8	PN10
250(280)	405.00	350.00	22.00	33.00	12	PN10
300(315)	445.00	400.00	22.00	31.50	12	PN10
350(355)	510.00	450.00	24.00	40.00	16	PN10
400(400)	570.00	500.00	27.00	33.00	16	PN10
500(500)	670.00	620.00	27.00	45.00	20	PN10
600(630)	813.00	725.00	30.00	53.00	20	PN10


产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size (*)	外形尺寸 Dimensions (mm)				
	D0	d1	da	H	螺孔数 n Number of bolt hole
1/2"	89.00	60.30	16.00	14.50	4
3/4"	89.00	69.85	16.00	15.30	4
1"	108.00	79.38	16.00	16.30	4
1-1/4"	117.00	88.90	16.00	15.80	4
1-1/2"	127.00	98.43	16.00	18.50	4
2"	152.00	120.65	19.00	20.50	4
2-1/2"	178.00	139.70	19.00	21.30	4
3"	191.00	152.40	19.00	22.00	4
4"	229.00	190.50	19.00	23.20	8
5"	254.00	216.00	22.00	25.00	8
6"	284.00	241.30	22.00	28.30	8
8"	343.00	298.45	22.00	28.70	8
10"	410.00	362.00	24.00	40.00	12
12"	482.60	432.00	24.00	42.00	12
14"	534.00	476.30	28.60	45.00	12
16"	598.35	540.80	28.60	52.00	16
20"	698.00	635.00	26.00	42.90	20
24"	813.00	725.00	30.00	47.70	20

PVC-U/C
UNION

由任（由令），PVC-U/C（国标，美标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）							公称压力 Nominal Pressure PN(kg/cm²)
	D0	d0	d1	d2	d	T	L	
15	47.00	26.80	20.30	19.95	15.50	16.50	41.50	PN10
20	53.90	32.00	25.30	24.95	20.00	19.00	48.00	PN10
25	67.00	40.30	32.30	31.90	26.00	22.50	55.00	PN10
32	78.50	49.10	40.35	39.90	34.00	26.50	63.50	PN10
40	93.00	61.60	50.35	49.90	43.00	31.50	75.50	PN10
50	110.60	76.00	63.40	62.90	56.00	38.00	89.50	PN10
65	130.00	89.60	75.40	74.90	67.00	44.00	102.00	PN10
80	147.50	105.50	90.50	89.90	82.00	51.50	120.00	PN10
100	173.00	126.50	110.60	109.90	102.00	61.50	140.00	PN10


产品参数（美标 SCH80）

SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size （* "）	外形尺寸 Dimensions（mm）						
	D0	d0	d1	d2	d	T	L
1/2"	47.00	29.54	21.54	21.23	17.00	23.22	48.20
3/4"	54.00	35.36	26.87	26.57	22.50	26.40	55.50
1"	67.00	43.66	33.66	33.27	29.00	29.57	62.10
1-1/4"	78.50	53.02	42.42	42.04	38.00	32.75	70.00
1-1/2"	93.00	59.86	48.56	48.11	43.00	35.93	80.00
2"	110.60	72.23	60.63	60.17	55.00	39.10	90.50
2-1/2"	130.60	88.00	73.38	72.85	67.50	45.45	104.00
3"	148.50	105.30	89.31	88.70	83.00	48.63	117.00
4"	173.50	132.00	114.76	114.07	106.00	58.15	136.60

FLANGE GASKET

法兰垫片（三元乙丙橡胶 EPDM, 氟橡胶 FPM）（国标，美标）



产品参数（国标 GB/T 4219.2） SPECIFICATIONS(DIN,ISO,GB/T)


尺寸 Size DN	外形尺寸 Dimensions（mm）						
	D0	D1	D2	da	H	L	螺孔数 n Number of bolt hole
15	93.00	16.00	65.00	14.00	3.00	115.00	4
20	103.00	21.00	75.00	14.00	3.00	125.00	4
25	113.00	28.00	85.00	14.00	3.00	135.00	4
32	138.00	36.00	100.00	18.00	3.00	160.00	4
40	148.00	45.00	110.00	18.00	3.00	170.00	4
50	163.00	57.00	125.00	18.00	3.00	185.00	4
65	183.00	69.00	145.00	18.00	3.00	205.00	4
80	198.00	83.00	160.00	18.00	3.00	220.00	8
100	218.00	103.00	180.00	18.00	3.00	250.00	8
De125	248.00	117.00	210.00	18.00	3.00	280.00	8
125	248.00	131.50	210.00	18.00	3.00	280.00	8
150	283.00	151.00	240.00	22.00	3.00	315.00	8
De180	283.00	166.00	240.00	22.00	3.00	315.00	8
De200	338.00	190.00	295.00	22.00	3.00	370.00	8
200	338.00	203.00	295.00	22.00	3.00	370.00	8
De250	393.00	239.50	350.00	22.00	3.00	430.00	12
300	443.00	302.00	400.00	22.00	3.00	485.00	12
350	500.00	320.00	450.00	22.00	3.00	550.00	16
400	550.00	350.00	500.00	22.00	3.00	590.00	16

产品参数（美标 SCH80） SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size （"）	外形尺寸 Dimensions（mm）						
	D0	D1	D2	da	H	L	螺孔数 n Number of bolt hole
1/2"	87.00	16.00	60.33	3.00	16.00	109.00	4
3/4"	96.00	20.60	69.85	3.00	16.00	118.00	4
1"	106.00	27.00	79.38	3.00	16.00	128.00	4
1-1/4"	115.00	36.00	88.90	3.00	16.00	134.70	4
1-1/2"	125.00	41.50	98.43	3.00	16.00	146.60	4
2"	150.00	52.50	120.65	3.00	19.00	172.00	4
2-1/2"	176.00	65.00	139.70	3.00	19.00	198.00	4
3"	189.00	80.00	152.40	3.00	19.00	209.00	4
4"	226.00	102.00	190.50	3.00	19.00	258.00	8
5"	250.00	122.00	215.90	3.00	22.00	282.00	8
6"	281.00	150.00	241.30	3.00	22.00	313.00	8
8"	340.00	193.00	298.45	3.00	22.00	372.00	8
10"	408.00	262.50	362.00	3.00	25.00	450.00	12
12"	482.00	313.00	432.00	3.00	25.00	524.00	12
14"	543.00	342.50	476.30	3.00	28.60	573.00	12
16"	600.00	388.00	540.80	3.00	28.60	630.00	16

PVC-U
BRACKET

管卡，PVC-U（国标）



产品参数（国标 GB/T 4219.2）

SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN	外形尺寸 Dimensions（mm）									
	D	H	H1	d	S	L	L1	h1	h2	S1
15	20.20	35.40	27.20	5.20	16.00	-	-	-	-	-
20	25.10	41.00	30.50	5.20	16.00	-	-	-	-	-
25	32.10	52.80	40.00	5.20	16.00	-	-	-	-	-
32	40.10	59.30	44.00	5.20	16.00	-	-	-	-	-
40	50.10	71.20	52.00	5.20	16.00	-	-	-	-	-
50	63.10	88.50	65.00	5.20	16.00	-	-	-	-	-
65	75.10	91.80	62.50	5.20	16.00	82.85	79.11	20.00	26.90	16.00
80	90.10	103.90	69.00	5.20	20.00	97.22	91.87	30.00	36.90	20.00
100	110.10	124.50	85.00	5.20	20.00	105	96.38	30.00	36.90	20.00
125	140.10	154.50	108.00	9.00	25.40					


EXPERT IN PIPING SYSTEM

管路系统专家



PVC-U HEX NIPPLE

双头外丝，PVC-U（美标）




产品参数（美标 SCH80） SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size DN(De)	外形尺寸 Dimensions (mm)		
	D0	L	Tr 螺纹 NPT
1/2"	11.30	38	1/2"
3/4"	16.10	40	3/4"
1"	21.40	46	1"
1-1/4"	28.80	51	1-1/4"
1-1/2"	32.50	52	1-1/2"
2"	41.30	63	2"

PVC-U Y-TEE

斜三通，PVC-U（美标）



产品参数（国标 GB/T 4219.2） SPECIFICATIONS(DIN,ISO,GB/T)

尺寸 Size DN(De)	外形尺寸 Dimensions (mm)							压力等级 Pressure level
	D1	d1	d2	T	L	L2	H	
15(20)	29.10	20.30	19.95	23.22	82.50	53.22	53.22	PN16
20(25)	34.90	25.30	24.95	26.40	97.80	62.40	62.40	PN16
25(32)	42.90	32.30	31.90	29.58	114.20	74.58	74.58	PN16
32(40)	52.00	40.40	39.90	32.75	131.50	88.75	88.75	PN16
40(50)	60.00	50.40	49.90	35.93	149.90	101.93	101.93	PN16
50(63)	75.00	63.40	62.90	39.10	177.20	124.10	124.10	PN16
65(75)	91.00	75.40	74.90	45.50	210.00	146.50	146.50	PN16
80(90)	107.00	90.50	89.90	51.20	244.50	173.20	173.20	PN16
100(110)	134.00	110.60	109.90	61.20	298.50	210.20	210.20	PN16
125(140)	168.00	140.70	139.90	76.20	376.40	266.20	266.20	PN16
150(160)	191.00	160.80	159.90	86.20	426.40	299.20	299.20	PN16
200(225)	260.00	226.20	224.90	118.70	587.40	414.70	414.70	PN16

产品参数（美标 SCH80） SPECIFICATIONS(ASTM D2467 SCH80)

尺寸 Size DN(De)	外形尺寸 Dimensions (mm)						
	D1	d1	d2	T	L	L2	H
1/2"	29.10	21.54	21.23	23.22	82.50	53.22	53.22
3/4"	34.90	26.87	26.57	26.40	97.80	62.40	62.40
1"	42.90	33.66	33.27	29.58	114.20	74.58	74.58
1-1/4"	52.00	42.42	42.02	32.75	131.50	88.75	88.75
1-1/2"	60.00	48.56	48.11	35.93	149.90	101.93	101.93
2"	75.00	60.63	60.17	39.10	177.20	124.10	124.10
2-1/2"	91.00	73.38	72.85	45.50	210.00	146.50	146.50
3"	107.00	89.31	88.70	51.20	244.50	173.20	173.20
4"	134.00	114.76	114.07	61.20	298.50	210.20	210.20
5"	168.00	141.81	141.04	76.20	376.40	266.20	266.20
6"	191.00	168.83	168.00	86.20	426.40	299.20	299.20
8"	260.00	219.84	218.69	118.70	587.40	414.70	414.70