

SQUARE & RECTANGULAR TUBE

| SQUARE | | | | | |
|--------|---|-------|---|------|--------|
| OD | | OD | | WALL | LBS/FT |
| 1/2 | x | 1/2 | x | .065 | .385 |
| 5/8 | x | 5/8 | x | .065 | .495 |
| 3/4 | x | 3/4 | x | .065 | .606 |
| 3/4 | x | 3/4 | x | .120 | .950 |
| 1 | x | 1 | x | .049 | .634 |
| 1 | x | 1 | x | .065 | .827 |
| 1 | x | 1 | x | .083 | 1.035 |
| 1 | x | 1 | x | .120 | 1.321 |
| 1 1/4 | x | 1 1/4 | x | .065 | 1.048 |
| 1 1/4 | x | 1 1/4 | x | .083 | 1.317 |
| 1 1/4 | x | 1 1/4 | x | .120 | 1.844 |
| 1 1/2 | x | 1 1/2 | x | .065 | 1.270 |
| 1 1/2 | x | 1 1/2 | x | .083 | 1.610 |
| 1 1/2 | x | 1 1/2 | x | .120 | 2.255 |
| 1 1/2 | x | 1 1/2 | x | .180 | 3.630 |
| 1 3/4 | x | 1 3/4 | x | .083 | 1.880 |
| 1 3/4 | x | 1 3/4 | x | .120 | 2.660 |
| 2 | x | 2 | x | .065 | 1.710 |
| 2 | x | 2 | x | .083 | 2.164 |
| 2 | x | 2 | x | .120 | 3.068 |
| 2 | x | 2 | x | .180 | 4.455 |
| 2 | x | 2 | x | .188 | 4.460 |
| 2 | x | 2 | x | .250 | 6.010 |
| 2 1/2 | x | 2 1/2 | x | .120 | 3.884 |
| 2 1/2 | x | 2 1/2 | x | .180 | 5.679 |
| 2 1/2 | x | 2 1/2 | x | .250 | 7.650 |
| 3 | x | 3 | x | .083 | 3.293 |
| 3 | x | 3 | x | .120 | 4.700 |
| 3 | x | 3 | x | .180 | 6.903 |
| 3 | x | 3 | x | .188 | 6.900 |
| 3 | x | 3 | x | .250 | 10.000 |
| 4 | x | 4 | x | .120 | 6.260 |
| 4 | x | 4 | x | .180 | 9.270 |
| 4 | x | 4 | x | .188 | 9.270 |
| 4 | x | 4 | x | .250 | 12.680 |
| 4 | x | 4 | x | .375 | 18.475 |
| 5 | x | 5 | x | .250 | 16.150 |
| 6 | x | 6 | x | .180 | 14.247 |
| 6 | x | 6 | x | .250 | 19.550 |
| 6 | x | 6 | x | .375 | 27.660 |
| 8 | x | 8 | x | .250 | 26.350 |
| 8 | x | 8 | x | .375 | 38.890 |
| 10 | x | 10 | x | .250 | 33.150 |

| RECTANGULAR | | | | | |
|-------------|---|-------|---|------|--------|
| OD | | OD | | WALL | LBS/FT |
| 1/2 | x | 1 | x | .065 | .606 |
| 1/2 | x | 1 1/2 | x | .065 | .827 |
| 3/4 | x | 2 | x | .065 | 1.158 |
| 1 | x | 1 1/2 | x | .065 | 1.048 |
| 1 | x | 1 1/2 | x | .120 | 1.929 |
| 1 | x | 2 | x | .065 | 1.270 |
| 1 | x | 2 | x | .083 | 1.600 |
| 1 | x | 2 | x | .120 | 2.252 |
| 1 | x | 3 | x | .065 | 1.711 |
| 1 | x | 3 | x | .120 | 3.068 |
| 1 1/2 | x | 2 | x | .065 | 1.490 |
| 1 1/2 | x | 2 | x | .120 | 2.660 |
| 1 1/2 | x | 3 | x | .065 | 1.932 |
| 1 1/2 | x | 3 | x | .120 | 3.476 |
| 2 | x | 3 | x | .120 | 3.884 |
| 2 | x | 3 | x | .180 | 5.679 |
| 2 | x | 3 | x | .250 | 7.650 |
| 2 | x | 4 | x | .120 | 4.700 |
| 2 | x | 4 | x | .180 | 6.903 |
| 2 | x | 4 | x | .250 | 9.350 |
| 2 | x | 6 | x | .120 | 6.332 |
| 2 | x | 6 | x | .180 | 9.351 |
| 2 | x | 6 | x | .250 | 12.750 |
| 3 | x | 4 | x | .120 | 5.516 |
| 3 | x | 4 | x | .180 | 8.127 |
| 3 | x | 4 | x | .250 | 11.050 |
| 3 | x | 5 | x | .180 | 9.270 |
| 3 | x | 5 | x | .250 | 12.680 |
| 3 | x | 6 | x | .180 | 10.520 |
| 3 | x | 6 | x | .250 | 14.450 |
| 4 | x | 6 | x | .180 | 11.900 |
| 4 | x | 6 | x | .250 | 16.350 |
| 4 | x | 8 | x | .250 | 18.770 |
| 4 | x | 10 | x | .250 | 22.950 |
| 4 | x | 12 | x | .250 | 26.350 |
| 6 | x | 8 | x | .250 | 22.950 |
| 6 | x | 10 | x | .250 | 26.350 |

The materials that can be provided above include:
 SS201 SS304 SS304L SS310 SS316 SS316L SS410
 N06625 N07718 N08825 etc.