



**Jiangsu Xinchangjiang Seamless Steel Tube
Manufacturing Co.,Ltd**

Address:No.375, Zhencheng Road, Jiangyin City,Jiangsu Province,China

P.C.:214442 Tel:+86-510-86160120

E-Mail:cjgg@xinchj.com Http://www.jywfgg.com




**Jiangsu Xinchangjiang
Seamless Steel Tube
Manufacturing Co.,Ltd**

Professional manufacturer and service
supplier of seamless steel pipe

www.jywfgg.com



INDUSTRY CHAIN - Metallurgy



Jiangsu Xinchangjiang Group, founded by Changjiang Village in 1972. It holds a position among Chinese Top 500 enterprises with an annual turnover of \$15 billion and a workforce of over 15,000. Our diverse industrial presence includes Metallurgy, Real Estate, Shipbuilding & Scrapping, Chemical, Mechanical and Electrical Industry, Port Transportation, Logistics and Financial Investment.



CONTENTS

Value Proposition	01
Introduction	03
Honors & Qualification	05
Main Products	07
Products Size	10
Flow Chart	19
Production Equipment	21
Testing Equipment	25
Warehouse & Logistic	29
Leader's Care	33
Communication & Cooperation	34
Project Performance	35
Future Vision	39



Value Proposition

Committed to quality manufacture and supply of Seamless Steel Pipe together with end-to-end service.

Completed Industry Value Chain and Quality Assurance & Control from steel-making to finished pipes.

Comprehensive Capability & Capacity: One stop service for project-based to meet and fulfill client business plan and other requirements.

Strong Finance & Capital Resource support from our own Jiangsu Xinchangjiang Group.

.Certified by marine classification societies,i.e.LR,DNV-GL, ABS,BV, NK, KR, RINA and CCS.
.Certified by API(the American Petroleum Institute).
.ISO,PED,CPR and CU-TR Certification.

Jiangsu Xinchangjiang Seamless Steel Tube Manufacturing Co.,Ltd, formerly known as Jiangyin Seamless Steel Tube Factory, is located in the newly-developed modern port city of Jiangyin City in the lower reaches of Yangtze River. Benefiting from convenient Inland Waterway Transportation to Shanghai port, we strive to ensure seamless logistics for our customers.

As a subsidiary of Jiangsu Xinchangjiang Group, we specialize in the production of various cold-drawn, hot-rolled, and hot-expanded seamless steel pipes of $\Phi 8\text{mm}\sim 1420\text{mm}$ X1~60mm. Which includes 28 cold-drawn production lines, 3 hot-rolled production lines, 6 hot-expansion production lines, Annual production capacity up to 1 million tons.



JIANGSU CHANGQIANG STEEL CO.,LTD



JIANGSU XINCHANGJIANG SEAMLESS STEEL TUBE MANUFACTURING CO.,LTD



HONORS & QUALIFICATIONS

Our dedication to excellence has earned us numerous recognized qualification certificates, representing the hard work of JST. Each honor achieved serves as a milestone, a testament to our journey of perseverance.




{ MAIN PRODUCTS


Our products include a wide range of seamless steel pipes and a vast variety of special pipes.



★ High Pressure Boiler Pipe



★ Galvanized steel pipe



★ Marine Pipe



★ Line Pipe



★ Fluid Conveyance Pipe




★ Oil Cracking Tube

PRODUCT
SIZE



★ Alloy Pipe



★ High Pressure Fertilizer Pipe



★ Tubing



★ Casing



Size(Φ273)											
wall thickness outside diameter	6	6.5	7	8	8-8.5	9-15	16-25	26-30	31-35	36-40	41-45
159	●	●	●	●	●	●	●				
168	●	●	●	●	●	●	●				
180	●	●	●	●	●	●	●	●	●		
194(203)	●	●	●	●	●	●	●	●	●	●	
219	●	●	●	●	●	●	●	●	●	●	●
245			●	●	●	●	●	●	●	●	●
273(270)		●	●	●	●	●	●	●	●	●	●
299					●	●	●	●	●	●	●
325		●	●	●	●	●	●	●	●	●	●
339.7						●	●	●			

Size(Hot expanding units)							
wall thickness outside diameter	6-7	7.5-8	9-20	21-30	31-34	41-50	50-60
323.8	●						
355.6	●						
406	●						
457	●	●	●	●	●	●	●
480	●	●	●	●	●	●	●
500	●	●	●	●	●	●	●
508	●	●	●	●	●	●	●
530		●	●	●	●	●	●
560		●	●	●	●	●	●
580		●	●	●	●	●	●
610		●	●	●	●	●	●
630		●	●	●	●	●	●
660-720		●	●	●	●	●	●
730-780		●	●	●	●	●	●
813-820		●	●	●	●	●	●
864			●	●	●	●	●
914-965			●	●	●	●	●
1016-1420			●	●	●	●	●

Size(Cold-drawn)

wall thickness outside diameter	1	1.5	2	2.5	3	3.5	4	4.5	5	5.5	6	6.5	7	7.5	8	9	10	11	12
8 、 9	●	●	●																
10、 11	●	●	●	●	●														
12、 13	●	●	●	●	●	●	●												
14、 15	●	●	●	●	●	●	●												
16、 17	●	●	●	●	●	●	●	●											
18、 19、 20		●	●	●	●	●	●	●	●	●	●								
21、 22、 23			●	●	●	●	●	●	●	●	●	●	●	●					
24、 25、 26			●	●	●	●	●	●	●	●	●	●	●	●	●	●			
27、 28			●	●	●	●	●	●	●	●	●	●	●	●	●	●			
29、 30、 31			●	●	●	●	●	●	●	●	●	●	●	●	●	●			
32、 34、 35、 36			●	●	●	●	●	●	●	●	●	●	●	●	●	●			
37、 38、 39、 40			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●		
42、 43、 44、 45			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
48、 51、 54			●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
57、 60、 63.5					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
68、 70					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
73、 76					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
80、 83					●	●	●	●	●	●	●	●	●	●	●	●	●	●	●
89、 10、 114						●	●	●	●	●	●	●	●	●	●				

Size(Φ159)

wall thickness outside diameter	4	4.5	5-5.5	6-6.5	7-9	10-12	12.5-14
89	●	●	●	●	●	●	
95	●	●	●	●	●	●	
102	●	●	●	●	●	●	
108	●	●	●	●	●	●	●
114		●	●	●	●	●	●
121			●	●	●	●	●
127			●	●	●	●	●
133			●	●	●	●	●
140				●	●	●	●
159				●	●	●	●

OCTG

Standard: API SPEC 5CT

Size Of Tubing API Tubing product is used for extracting oil or gas from well.

Size	linear mass lb/ft		Outside diameter		Wall thickness		Type of end-finish					
							Grade					
	Non-Upset T&C	Ex-Upset T&C	in.	mm	in.	mm	J-55	N-80	L-80	C-90	T-95	P-110
2 3/8"	4.00	-	2.375	60.33	0.167	4.24	PN	PN	PN	PN	PN	-
	4.60	4.70	2.375	60.33	0.190	4.83	PNU	PNU	PNU	PNU	PNU	PNU
	5.80	5.95	2.375	60.33	0.254	6.45	-	PNU	PNU	PNU	PNU	PNU
	6.60	-	2.375	60.33	0.295	7.49	-	P	-	P	P	-
	7.35	7.45	2.375	60.33	0.336	8.53	-	PU	-	PU	PU	-
2 7/8"	6.40	6.50	2.875	73.03	0.217	5.51	PNU	PNU	PNU	PNU	PNU	PNU
	7.80	7.90	2.875	73.03	0.276	7.01	-	PNU	PNU	PNU	PNU	PNU
	8.60	8.70	2.875	73.03	0.308	7.82	-	PNU	PNU	PNU	PNU	PNU
	9.35	9.45	2.875	73.03	0.340	8.64	-	PU	-	PU	PU	-
	10.50	-	2.875	73.03	0.392	9.96	-	P	-	P	P	-
3 1/2"	11.50	-	2.875	73.03	0.440	11.18	-	P	-	P	P	-
	7.70	-	3.500	88.90	0.216	5.49	PN	PN	PN	PN	PN	-
	9.20	9.30	3.500	88.90	0.254	6.45	PNU	PNU	PNU	PNU	PNU	PNU
	10.20	-	3.500	88.90	0.289	7.84	PN	PN	PN	PN	PN	-
	12.70	12.95	3.500	88.90	0.375	9.52	-	PNU	PNU	PNU	PNU	PNU
	14.30	-	3.500	88.90	0.430	10.92	-	P	-	P	P	-
	15.50	-	3.500	88.90	0.476	12.09	-	P	-	P	P	-
4"	17.00	-	3.500	88.90	0.530	13.46	-	P	-	P	P	-
	9.50	-	4.000	101.60	0.226	5.74	PN	PN	PN	PN	PN	PN
	-	11.00	4.000	101.60	0.262	6.65	PU	PU	PU	PU	PU	PU
	13.20	-	4.000	101.60	0.330	8.38	-	P	-	P	P	-
	16.10	-	4.000	101.60	0.415	10.54	-	P	-	P	P	-
	18.90	-	4.000	101.60	0.500	12.70	-	P	-	P	P	-
4 1/2"	22.20	-	4.000	101.60	0.610	15.49	-	P	-	P	P	-
	12.60	12.75	4.500	114.30	0.271	6.88	PNU	PNU	PNU	PNU	PNU	PNU
	15.20	-	4.500	114.30	0.337	8.56	-	P	-	P	P	-
	17.00	-	4.500	114.30	0.380	9.65	-	P	-	P	P	-
	18.90	-	4.500	114.30	0.430	10.92	-	P	-	P	P	-
	21.50	-	4.500	114.30	0.500	12.70	-	P	-	P	P	-
	23.70	-	4.500	114.30	0.560	14.22	-	P	-	P	P	-
	26.10	-	4.500	114.30	0.630	16.00	-	P	-	P	P	-

Note:
P-Plain end N-Non-upset threaded and coupled
U-External upset threaded and coupled

Size Of Casing API Casing product is used for the wall of oil well.

Size	linear mass lb/ft	Outside diameter		Wall thickness		Type of end-finish							
						Grade							
		in.	mm	in.	mm	H-40	J-55 K-55	M-65	L-80 C-95	N-80	C-90 T-95	P-110	Q-125
4 1/2"	9.50	4.500	114.30	0.205	5.21	PS	PS	PS	-	-	-	-	-
	10.50	4.500	114.30	0.224	5.69	-	PSB	PSB	-	-	-	-	-
	11.60	4.500	114.30	0.250	6.35	-	PSLB	PLB	PLB	PLB	PLB	PLB	-
	13.50	4.500	114.30	0.290	7.37	-	-	PLB	PLB	PLB	PLB	PLB	-
	15.10	4.500	114.30	0.337	8.56	-	-	-	-	-	-	PLB	PLB
5"	11.50	5.000	127.00	0.220	5.59	-	PS	PS	-	-	-	-	-
	13.00	5.000	127.00	0.253	6.43	-	PSLB	PSLB	-	-	-	-	-
	15.00	5.000	127.00	0.296	7.52	-	PSLB	PLB	PLB	PLB	PLB	PLB	-
	18.00	5.000	127.00	0.362	9.19	-	-	PLB	PLB	PLB	PLB	PLB	PLB
	21.40	5.000	127.00	0.437	11.10	-	-	PLB	PLB	PLB	PLB	PLB	PLB
	23.20	5.000	127.00	0.478	12.14	-	-	-	PLB	PLB	PLB	PLB	PLB
	24.10	5.000	127.00	0.500	12.70	-	-	-	PLB	PLB	PLB	PLB	PLB
5 1/2"	14.00	5.500	139.70	0.244	6.20	PS	PS	PS	-	-	-	-	-
	15.50	5.500	139.70	0.275	6.98	-	PSLB	PSLB	-	-	-	-	-
	17.00	5.500	139.70	0.304	7.72	-	PSLB	PLB	PLB	PLB	PLB	PLB	-
	20.00	5.500	139.70	0.361	9.17	-	-	PLB	PLB	PLB	PLB	PLB	-
	23.00	5.500	139.70	0.415	10.54	-	-	PLB	PLB	PLB	PLB	PLB	PLB
	26.80	5.500	139.70	0.500	12.70	-	-	-	-	-	P	-	-
	29.70	5.500	139.70	0.562	14.27	-	-	-	-	-	P	-	-
	32.60	5.500	139.70	0.625	15.87	-	-	-	-	-	p	-	-
	35.30	5.500	139.70	0.687	17.45	-	-	-	-	-	p	-	-
	38.00	5.500	139.70	0.750	19.05	-	-	-	-	-	p	-	-
	40.50	5.500	139.70	0.812	20.62	-	-	-	-	-	p	-	-
	43.10	5.500	139.70	0.875	22.23	-	-	-	-	-	p	-	-

P-Plain end S-short round thread L-Long round thread B-Buttress thread

Size Of Casing API Casing product is used for the wall of oil well.

Size	linear mass lb/ft	Outside diameter		Wall thickness		Type of end-finish							
						Grade							
		in.	mm	in.	mm	H-40	J-55 K-55	M-65	L-80 C-95	N-80 1类、Q类	C-90 T-95	P-110	Q-125
6 5/8"	20.00	6.625	168.28	0.288	7.32	PS	PSLB	PSLB	-	-	-	-	-
	24.00	6.625	168.28	0.352	8.94	-	PSLB	PLB	PLB	PLB	PLB	PLB	-
	28.00	6.625	168.28	0.417	10.59	-	-	PLB	PLB	PLB	PLB	PLB	-
	32.00	6.625	168.28	0.475	12.06	-	-	-	PLB	PLB	PLB	PLB	PLB
7"	17.00	7.000	177.80	0.231	5.87	PS	-	-	-	-	-	-	-
	20.00	7.000	177.80	0.272	6.91	PS	PS	PS	-	-	-	-	-
	23.00	7.000	177.80	0.317	8.05	-	PSLB	PLB	PLB	PLB	PLB	-	-
	26.00	7.000	177.80	0.362	9.19	-	PSLB	PLB	PLB	PLB	PLB	PLB	-
	29.00	7.000	177.80	0.408	10.36	-	-	PLB	PLB	PLB	PLB	PLB	-
	32.00	7.000	177.80	0.453	11.51	-	-	PLB	PLB	PLB	PLB	PLB	-
	35.00	7.000	177.80	0.498	12.65	-	-	-	PLB	PLB	PLB	PLB	PLB
	38.00	7.000	177.80	0.540	13.72	-	-	-	PLB	PLB	PLB	PLB	PLB
	42.70	7.000	177.80	0.625	15.87	-	-	-	-	-	p	-	-
	46.40	7.000	177.80	0.687	17.45	-	-	-	-	-	p	-	-
	50.10	7.000	177.80	0.750	19.05	-	-	-	-	-	p	-	-
	53.60	7.000	177.80	0.812	20.62	-	-	-	-	-	p	-	-
	57.10	7.000	177.80	0.875	22.23	-	-	-	-	-	p	-	-

P-Plain end S-short round thread L-Long round thread B-Buttress thread

Size Of Casing API Casing product is used for the wall of oil well.

Size	linear mass lb/ft	Outside diameter		Wall thickness		Type of end-finish							
						Grade							
		in.	mm	in.	mm	H-40	J-55 K-55	M-65	L-80 C-95	N-80	C-90 T-95	P-110	Q-125
7 5/8"	24.00	7.625	193.68	0.300	7.62	PS	-	-	-	-	-	-	-
	26.40	7.625	193.68	0.328	8.33	-	PSLB	PSLB	PLB	PLB	PLB	PLB	-
	29.70	7.625	193.68	0.375	9.53	-	-	PLB	PLB	PLB	PLB	PLB	-
	33.70	7.625	193.68	0.430	10.92	-	-	PLB	PLB	PLB	PLB	PLB	-
	39.00	7.625	193.68	0.500	12.70	-	-	-	PLB	PLB	PLB	PLB	PLB
	42.80	7.625	193.68	0.562	14.27	-	-	-	PLB	PLB	PLB	PLB	PLB
	45.30	7.625	193.68	0.595	15.11	-	-	-	PLB	PLB	PLB	PLB	PLB
	47.10	7.625	193.68	0.625	15.88	-	-	-	PLB	PLB	PLB	PLB	PLB
	51.20	7.625	193.68	0.687	17.45	-	-	-	-	-	P	-	-
	55.30	7.625	193.68	0.750	19.05	-	-	-		-	P	-	-
7 3/4"	46.10	8.625	219.08	0.595	15.11	-	-	-	P	P	P	P	P
8 5/8"	24.00	8.625	219.08	0.264	6.71	-	PS	PS	-	-	-	-	-
	28.00	8.625	219.08	0.304	7.72	PS	-	PS	-	-	-	-	
	32.00	8.625	219.08	0.352	8.94	PS	PSLB	PSLB	-	-	-	-	-
	36.00	8.625	219.08	0.400	10.16	-	PSLB	PSLB	PLB	PLB	PLB	PSLB	-
	40.0	8.625	219.08	0.450	11.43	-	-	PLB	PLB	PLB	PLB	PLB	-
	44.00	8.625	219.08	0.500	12.70	-	-	-	PLB	PLB	PLB	PLB	-
	49.00	9.625	244.48	0.557	14.15	-	-	-	PLB	PLB	PLB	-	PLB
9 5/8"	32.30	9.625	244.48	0.312	7.92	PS	-	-	-	-	-	-	-
	36.00	9.625	244.48	0.352	8.94	PS	PSLB	PSLB	-	-	-	-	-
	40.00	9.625	244.48	0.395	10.03	-	PSLB	PSLB	PLB	PLB	PLB	PLB	-
	43.50	9.625	244.48	0.435	11.05	-	-	PLB	PLB	PLB	PLB	PLB	-
	47.00	9.625	244.48	0.472	11.99	-	-	PLB	PLB	PLB	PLB	PLB	PLB
	53.50	9.625	244.48	0.545	13.84	-	-	-	PLB	PLB	PLB	PLB	PLB
	58.40	9.625	244.48	0.595	15.11	-	-	-	PLB	PLB	PLB	-	PLB
	59.40	9.625	244.48	0.609	15.47	-	-	-	-	-	P	-	-
	64.90	9.625	244.48	0.672	17.07	-	-	-	-	-	P	-	-
	70.30	9.625	244.48	0.734	18.64	-	-	-	-	-	P	-	-
	75.60	9.625	244.48	0.797	20.24	-	-	-	-	-	P	-	-

P-Plain end S-short round thread L-Long round thread B-Buttress thread

Size Of Casing API Casing product is used for the wall of oil well.

Size	linear mass lb/ft	Outside diameter		Wall thickness		Type of end-finish							
						Grade							
		in.	mm	in.	mm	H-40	J-55 K-55	M-65	L-80 C-95	N-80	C-90	P-110	Q-125
9 5/8"	32.30	9.625	244.48	0.312	7.92	PS	-	-	-	-	-	-	-
	36.00	9.625	244.48	0.352	8.94	PS	PSLB	PSLB	-	-	-	-	-
	40.00	9.625	244.48	0.395	10.03	-	PSLB	PSLB	PLB	PLB	PLB	PLB	-
	43.50	9.625	244.48	0.435	11.05	-	-	PLB	PLB	PLB	PLB	PLB	-
	47.00	9.625	244.48	0.472	11.99	-	-	PLB	PLB	PLB	PLB	PLB	PLB
	53.50	9.625	244.48	0.545	13.84	-	-	-	PLB	PLB	PLB	PLB	PLB
	58.40	9.625	244.48	0.595	15.11	-	-	-	PLB	PLB	PLB	-	PLB
	59.40	9.625	244.48	0.609	15.47	-	-	-	-	-	P	-	-
	64.90	9.625	244.48	0.672	17.07	-	-	-	-	-	P	-	-
	70.30	9.625	244.48	0.734	18.64	-	-	-	-	-	P	-	-
	75.60	9.625	244.48	0.797	20.24	-	-	-	-	-	P	-	-
10 3/4"	32.75	10.75	273.05	0.279	7.09	PS	-	-	-	-	-	-	-
	40.50	10.75	273.05	0.350	8.89	PS	PSB	PSB	-	-	-	-	-
	45.50	10.75	273.05	0.400	10.16	-	PSB	PSB	-	-	-	-	-
	51.00	10.75	273.05	0.450	11.43	-	PSB	PSB	PSB	PSB	PSB	PSB	-
	55.50	10.75	273.05	0.495	12.57	-	-	PSB	PSB	PSB	PSB	PSB	-
	60.70	10.75	273.05	0.545	13.84	-	-	-	-	-	PSB	PSB	PSB
	65.70	10.75	273.05	0.595	15.11	-	-	-	-	-	PSB	PSB	PSB
	73.20	10.75	273.05	0.672	17.07	-	-	-	-	-	P	-	-
	79.20	10.75	273.05	0.734	18.64	-	-	-	-	-	P	-	-
11 3/4"	85.30	10.75	273.05	0.797	20.24	-	-	-	-	-	P	-	-
	42.00	11.75	298.45	0.333	8.46	PS	-	-	-	-	-	-	-
	47.00	11.75	298.45	0.375	9.53	-	PSB	PSB	-	-	-	-	-
	54.00	11.75	298.45	0.435	11.05	-	PSB	PSB	-	-	-	-	-
	60.00	11.75	298.45	0.489	12.42	-	PSB	PSB	PSB	PSB	PSB	PSB	PSB
	65.00	11.75	298.45	0.534	13.56	-	-	-	P	P	P	P	P
	71.00	11.75	298.45	0.582	14.78	-	-	-	P	P	P	P	P
13 3/8"	48.00	13.375	339.73	0.330	8.38	PS	-	-	-	-	-	-	-
	54.50	13.375	339.73	0.380	9.65	-	PSB	PSB	-	-	-	-	-
	61.00	13.375	339.73	0.430	10.92	-	PSB	PSB	-	-	-	-	-
	68.00	13.375	339.73	0.480	12.19	-	PSB	PSB	PSB	PSB	PSB	PSB	-
	72.00	13.375	339.73	0.514	13.06	-	-	-	PSB	PSB	PSB	PSB	PSB

P-Plain end S-short round thread L-Long round thread B-Buttress thread

Coupling Materials Specifications

	Size	Type	Outside diameter	Internal diameter	Wall thickness	Cutting length	Weight per meter	Single collar blank weight
			mm	mm	mm	mm	kg/m	kg
Tubing	2 3/8"	NU	73.00	49	12	113	18.05	2.04
	2 3/8"	EU	77.80	54	12	129	19.47	2.51
	2 7/8"	NU	88.90	63	13	135	24.33	3.29
	2 7/8"	EU	93.20	65	14	138	27.34	3.77
	3 1/2"	NU	108.00	80	14	148	32.45	4.80
	3 1/2"	EU	114.30	84	15	151	36.73	5.55
	4"	NU	120.70	91	15	151	39.10	5.90
	4"	EU	127.00	97	15	157	41.43	6.50
	4 1/2"	NU	132.10	102	15	161	43.32	6.97
	4 1/2"	EU	141.30	109	16	164	49.44	8.11
Casing	4 1/2"	STC	127.00	103	12	164	34.03	5.58
	4 1/2"	LC	127.00	103	12	183	34.03	6.23
	4 1/2"	BC	127.00	103	12	230	34.03	7.83
	5"	STC	141.30	115	13	170	41.13	6.99
	5"	LC	141.30	113	14	202	43.95	8.88
	5"	BC	141.30	115	13	237	41.13	9.75
	5 1/2"	STC	153.70	128	13	176	45.11	7.94
	5 1/2"	LC	153.70	126	14	208	48.23	10.03
	5 1/2"	BC	153.70	128	13	240	45.11	10.83
	6 5/8"	STC	187.70	154	17	189	71.57	13.53
	6 5/8"	LC	187.70	154	17	227	71.57	16.25
	6 5/8"	BC	187.70	156	16	249	67.75	16.87
	7"	STC	194.50	164	15	190	66.40	12.62
	7"	LC	194.50	162	16	235	70.43	16.55
	7"	BC	194.50	164	15	260	66.40	17.26
	7 5/8"	STC	215.90	180	18	197	87.85	17.31
	7 5/8"	LC	215.90	178	19	241	92.26	22.23
	7 5/8"	BC	215.90	180	18	270	87.85	23.72
	8 5/8"	STC	244.50	204	20	203	110.73	22.48
	8 5/8"	LC	244.50	202	21	260	115.75	30.09
	8 5/8"	BC	244.50	204	20	276	110.73	30.56
	9 5/8"	STC	269.90	228	21	203	128.90	26.17
	9 5/8"	LC	269.90	226	22	273	134.50	36.72
	9 5/8"	BC	269.90	230	20	276	123.26	34.02
	10 3/4"	STC	298.50	256	21	209	143.71	30.04
	10 3/4"	BC	298.50	258	20	276	137.36	37.91
	11 3/4"	STC	323.90	282	21	209	156.87	32.79
	11 3/4"	BC	323.90	282	21	276	156.87	43.30
	13 3/8"	STC	365.10	321	22	209	186.15	38.91
	13 3/8"	BC	365.10	323	21	276	178.21	49.18
Special thread tubing	2 7/8"		92.00	56	18	151	32.85	4.96
	3 1/2"		112.00	64	24	175	52.09	9.11
	4 1/2"		135.00	93	21	183	59.04	10.80
Special thread casing	5"		144.00	105	19.5	257	59.87	15.39
	5 1/2"		158.00	118	20	263	68.07	17.90
	6 5/8"		190.00	144	23	273	94.72	25.86
	7"		200.00	152	24	283	104.17	29.48
	7"		200.00	152	24	303	104.17	31.56
	7 5/8"		219.00	163	28	293	131.89	38.64
	9 5/8"		274.00	216	29	316	175.22	55.37
	10 3/4"		302.00	242	30	316	201.24	63.59
	13 3/8"		368.00	312	28	316	234.78	74.19


Line Pipe

Standard: API SPEC 5L Usage:For conveyance of gas,water and oil in petroleum and natural gas industries

NP mm/inch	OD MM	10	20	30	STD	40	60	XS	80	100	120	140	160	XXS	5S	10S	Vol/m ³
δ 1/8	10. 30			W-Thick Weight→	1. 73 0. 37	1. 73 0. 37		2. 41 0. 47	2. 41 0. 47							1. 24 0. 28	0. 0001
8 1/4	13. 70				2. 24 0. 63	2. 24 0. 63		3. 02 0. 80	3. 02 0. 80							1. 65 0. 51	0. 0001
10 3/8	17. 10				2. 31 0. 84	2. 31 0. 84		3. 20 1. 10	3. 20 1. 10							1. 65 0. 64	0. 0003
15 1/2	21. 30				2. 77 1. 27	2. 77 1. 27		3. 73 1. 62	3. 73 1. 62				4. 78 1. 95	7. 47 2. 65	1. 65 0. 82	2. 11 1. 01	0. 0004
20 3/4	26. 70				2. 87 1. 69	2. 87 1. 69		3. 91 2. 20	3. 91 2. 20				5. 56 2. 90	7. 82 3. 64	1. 65 1. 04	2. 11 1. 31	0. 0007
25 1	33. 40				3. 38 2. 50	3. 38 2. 50		4. 55 3. 24	4. 55 3. 24				6. 35 4. 24	9. 09 5. 45	1. 65 1. 33	2. 77 2. 13	0. 0011
32 1 1/4	42. 20				3. 56 3. 39	3. 56 3. 39		4. 85 4. 47	4. 85 4. 47				6. 35 5. 61	9. 70 7. 77	1. 65 1. 68	2. 77 2. 76	0. 0018
40 1 1/2	48. 30				3. 68 4. 05	3. 68 4. 05		5. 08 5. 41	5. 08 5. 41				7. 14 7. 25	10. 15 9. 56	1. 65 1. 95	2. 77 3. 17	0. 0023
50 2	60. 30				3. 91 5. 44	3. 91 5. 44		5. 54 7. 48	5. 54 7. 48				8. 74 11. 11	11. 07 12. 44	1. 65 2. 44	2. 77 4. 01	0. 0036
65 2 1/2	73. 00				5. 16 8. 63	5. 16 8. 63		7. 01 11. 41	7. 01 11. 41				9. 53 14. 92	14. 02 20. 39	2. 11 3. 77	3. 05 5. 36	0. 0052
80 3	88. 90				5. 49 11. 29	5. 49 11. 29		7. 62 15. 27	7. 62 15. 27				11. 13 21. 35	15. 24 27. 68	2. 11 4. 60	3. 05 6. 99	0. 0079
90 3 1/2	101. 60				5. 74 13. 57	5. 74 13. 57		8. 08 18. 63	8. 08 18. 63						2. 11 5. 29	3. 05 7. 55	0. 0103
100 4	114. 30				6. 02 16. 07	6. 02 16. 07		8. 56 22. 32	8. 56 22. 32		11. 13 28. 32		13. 49 33. 54	17. 12 41. 03	2. 11 5. 96	3. 05 8. 52	0. 0130
125 5	141. 30				6. 65 21. 77	6. 65 21. 77		9. 53 30. 97	9. 53 30. 97		12. 70 40. 28		15. 88 49. 11	19. 05 57. 43	2. 77 9. 67	3. 40 11. 82	0. 0199
150 6	168. 30				7. 11 28. 26	7. 11 28. 26		10. 97 42. 56	10. 97 42. 56		14. 27 54. 20		18. 26 67. 56	21. 95 79. 22	2. 77 11. 55	3. 40 14. 13	0. 0280
200 8	219. 10	6. 35 33. 31	7. 04 36. 81		8. 18 42. 55	8. 18 42. 55	10. 31 53. 08	12. 70 64. 64	12. 70 64. 64	15. 09 75. 92	18. 26 90. 44	20. 62 100. 92	23. 01 111. 27	22. 73 107. 92	2. 77 15. 09	3. 76 20. 37	0. 0480
250 10	273. 00	6. 35 41. 77	7. 80 51. 03		9. 27 60. 31	9. 27 60. 31	12. 70 81. 55	12. 70 81. 55	15. 09 96. 01	18. 26 114. 75	21. 44 133. 06	25. 40 155. 15	28. 58 172. 33	31. 75 155. 15	3. 40 23. 08	4. 19 28. 34	0. 0740
300 12	323. 80	6. 35 49. 73	8. 38 65. 20		9. 53 73. 88	9. 53 73. 88	12. 70 79. 73	12. 70 108. 96	14. 27 97. 46	17. 48 132. 08	21. 44 159. 91	25. 40 186. 97	28. 58 208. 14	33. 32 238. 76	35. 40 186. 97	4. 57 31. 89	0. 1040
350 14	355. 60	6. 35 54. 69	7. 92 67. 90	9. 53 81. 33	9. 53 81. 33	11. 13 94. 55	15. 09 126. 71	12. 70 107. 39	12. 70 107. 39	15. 09 158. 10	18. 26 194. 96	21. 44 224. 65	25. 40 253. 56	31. 75 281. 70	3. 40 35. 06	4. 78 42. 14	0. 1260
400 16	406. 40	6. 35 62. 64	7. 92 77. 83	9. 53 93. 27	9. 53 93. 27	12. 70 123. 30	15. 09 160. 12	12. 70 123. 30	12. 70 123. 30	15. 09 203. 53	18. 26 245. 56	21. 44 286. 64	25. 40 333. 19	31. 75 365. 35	3. 40 42. 41	4. 78 48. 26	0. 1650
450 18	457. 00	6. 35 70. 67	7. 92 87. 71	11. 13 122. 38	9. 53 106. 16	14. 27 156. 80	15. 09 206. 74	12. 70 139. 15	12. 70 139. 15	15. 09 254. 65	18. 26 309. 62	21. 44 363. 66	25. 40 408. 26	31. 75 469. 37	3. 40 47. 77	4. 78 60. 46	0. 2080
500 20	508. 00	6. 35 78. 55	7. 92 117. 15	12. 70 155. 12	9. 53 117. 15	15. 09 183. 42	15. 09 247. 83	12. 70 155. 12	12. 70 155. 12	15. 09 311. 17	18. 26 381. 53	21. 44 441. 49	25. 40 508. 11	31. 75 564. 81	3. 40 60. 46	4. 78 70. 00	0. 2580
550 22	559. 00	6. 35 86. 54	7. 92 129. 13	12. 70 171. 09	9. 53 129. 13	15. 09 199. 13	22. 23 294. 25	12. 70 171. 09	12. 70 171. 09	15. 09 373. 83	18. 26 451. 42	21. 44 527. 02	25. 40 600. 63	31. 75 672. 26	3. 40 66. 57	4. 78 77. 06	0. 3120
600 24	610. 00	6. 35 94. 63	7. 92 141. 12	14. 27 209. 64	9. 53 141. 12	17. 48 255. 41	24. 61 355. 26	12. 70 187. 06	12. 70 187. 06	15. 09 422. 08	18. 26 547. 71	21. 44 640. 03	25. 40 720. 15	31. 75 808. 22	3. 40 84. 16	4. 78 96. 37	0. 3720
650 26	660. 00	7. 92 127. 36	12. 70 202. 72		9. 53 152. 67			12. 70 202. 72									0. 4350
700 28	711. 00	7. 92 137. 32	12. 70 218. 69	15. 88 271. 21	9. 53 164. 85			12. 70 218. 69									0. 5050
750 30	762. 00	7. 92 147. 28	12. 70 234. 67	15. 88 292. 18	9. 53 176. 84			12. 70 234. 67							6. 35 120. 72	7. 92 150. 36	0. 5800
800 32	813. 00	7. 92 157. 24	12. 70 250. 64	15. 88 312. 15	9. 53 188. 82	17. 48 342. 91		12. 70 250. 64									0. 6600
850 34	864. 00	7. 92 167. 20	12. 70 266. 61	15. 88 332. 12	9. 53 200. 31	17. 48 364. 90		12. 70 266. 61									0. 7460
900 36	914. 00	7. 92 176. 96	12. 70 282. 27	15. 88 351. 70	9. 53 212. 56	19. 05 420. 42		12. 70 282. 27									0. 8350
950 38	965. 00				9. 53 224. 54			12. 70 298. 24									0. 9310
1000 40	1016. 00				9. 53 236. 53			12. 70 314. 22									1. 0320
1050 42	1067. 00				9. 53 248. 52			12. 70 330. 19									1. 1380
1100 44	1118. 00				9. 53 260. 50			12. 70 346. 16									1. 2490
1150 46	1168. 00				9. 53 272. 25			12. 70 361. 82									1. 3640
1200 48	1219. 00				9. 53 284. 24			12. 70 377. 79									1. 4850

FLOW CHART

Advanced production equipments and rigorous testing processes ensure each steel pipe reaches the highest standards.



PRODUCTION EQUIPMENT

Professional and advanced production equipment ensure our products meet the advanced international standards.



★ Quenching And Tempering Furnace




★ Quenching And Tempering Mechanism



★ Φ273 Rolling mill



★ Thread Machine



★ Hydraulic pressure machine



★ Straightening Machine



★ In-line heating furnace and guide plate



★ Ring heating furnace



★ Measure length and weigh



★ 3D table inspection

{ TESTING EQUIPMENT

Advanced testing equipment and rigorous testing processes guarantee the quality of each steel pipe produced to meet the highest quality.



★ Magnetic flux leakage detection



★ Flaw Detector



★ Magnetic flux leakage detector



★ Tensile testing Machine



★ Chemical Analysis Instruments



★ Metallographic microscope



★ Spectrometer



★ Metallogical Examination Equipment



★ Brinell hardness test



★ Tensile test



★ Inspection Room



★ CNAS laboratory



★ Impact test



★ High temperature testing machine

WAREHOUSE & LOGISTICS



As a large-scale seamless steel pipe production, warehousing, logistics and sales modern enterprise in East China, JST provides one-stop steel pipe supply, demand and transportation solutions for customers at domestic and abroad.



100000T INVENTORY



With an extensive inventory encompassing over 5000 specifications, including petroleum drill pipe, casings, oil cracking pipes, electric power pipe, fertilizer pipe, high pressure boiler pipe, low/ medium pressure boiler pipe, fluid pipe, structural pipe, and various alloy steel pipes imported from Germany, Spain, Italy, and Japan, we maintain a total stock of over 100,000 tons.



WAREHOUSING & PROCESSING



Presently, our company boasts a spacious indoor steel pipe warehouse spanning 200,000m², stocking over 100,000t of seamless steel pipes in more than 5000 specifications annually. Leveraging our ERP system since 2000, we provide real-time inventory tracking, improving cargo turnover efficiency and the level of warehouse management. Our sawing equipment enable us to customize products to specified lengths, aligning with customers actual requirements.



LOGISTICS & DISTRIBUTION

Located at the estuary of Yangtze River in Jiangyin, we are a mere 100km from Shanghai Port. Our two inland terminals have direct access to Yangtze River, where can berth four 600t freighters simultaneously. With a distance of only 30km to Wuxi, Changzhou, we offer railway transportation services for customers. Adjacent to Changjiang Highway and Shanghai-Nanjing Highway, facilitating land transportation. Our fleet of 40 distribution vehicles provides delivery services, boasting a total transportation capacity of 800t.



★ In May 2015, Present Xi Jinping visited our group company-Changhong International.



★ In June 2011, Luo Zhijun, Party Secretary of Jiangsu Province, visited our company accompanied by the founder Li Liangbao.

LEADER'S CARE

With the acceptance and encouragement of the leadership all JST members shall unite and work hard to advance for a better prospect.



★ Leaderships from the Standing Committee of Jiangyin Municipal People's Congress.



★ Special Steel Enterprise Association of China

COMMUNICATION & COOPERATION



★ Went to Shanghai and Suzhou for study and research



★ Went to HuaXi Steel Co.,Ltd for study and research



★ Kuwait Clients negotiating business with us in our company



★ CNPC expert team visited our company accompanied by the General Manager



★ Negotiate business with customers at the steel pipe exhibition



★ Clients abroad negotiating business with us in our company

PROJECT

PERFORMANCE



Client Name	Project Name	Size	Material	Standard	Supply Quantity(T)
YHHI	Gross Steam Boiler Package Project Cold Storage Project	273×32 355.6×40 377×30	10CrMo910 P22、20G	DIN17175 ASTM A335 GB5310-2008	1500T
Jinluo Group	Cold Storage Project	38×2.5 38×3	20	GB/T8163-2008	2000T
Kellin Chemicals	Chemical Piping Project	219×6 325×8	20	GB/T8163-2008	2000T
Changyuan Cogeneration	Boiler Tube Project	530×10 630×10	20	GB/T8163-2008	1000T

Client Name	Project Name	Size	Material	Standard	Supply Quantity(T)
Liaoning Fuxin Pressure Vessel	200,000 kW unit package	406×30 406×45 406×40	12Cr1MoV 10CrMo910	DIN17175 GB5310-2008 CNB-9	730T
Wuxi Xinfeng Pipe-fittings	200,000 kW unit package	457×23.5 406×25	10CrMo910 P11	DIN17175 ASTM A335	690T
Hebei Canghai Pipeline	Pipe Fitting Pipeline Manufacturing Package	406×40 406×45 406×50 377×40	10CrMo910 12Cr1MoV	DIN17175 CNB-9 GB5310-2008	2180T
Hebei Fengfan Pipeline Manufacturing	Pipe Fittings Pipe Manufacturing Support	273×25 325×32 373×30	12Cr1MoV 20G	CNB-9 GB5310-2008	1500T
Liaoning Fuxin Electric Power Manufacturing	Pipe Manufacturing & Bending	273×28 426×14 426×18	12Cr1MoV	CNB-9 GB5310-2008	1250T
China Power Xi'an	300,000 kW unit package	323.9×34	12Cr1MoV	CNB-9	900T
Sinochem Sanjian Shuangliang Project Department	Styrene Phase II Project	89×5.5 114×6 168×7 219×8	20	GB/T8163-2008	11050T
Deyuan High-Tech	Hot projects	76×4 108×4 219×6 273×8	20	GB/T8163-2008	2860T
NANHUA Group Construction	Dafeng Engineering Project	325×12 273×8 377×11 480×9	20	GB/T8163-2008	4350T
China Tianchen Chemical	Shenhua Coal Products Project	168×6.5 219×6.5 406×9.5	20	GB/T8163-2008	8000T
Jiangsu Desai Chemical Fiber	Polyurethane project	168×6 219×6 219×9 820×10 720×8 630×8	Q235B 20	SY/T5037-2000 GB/T8163-2008	2200T
Coors Plumbing, Inc.	Dow Corning Program	88.9×5.5 114×6 168.3×7 219.1×8	Gr.B	ASTM-A106 ASTM-A53	6500T
Jiangsu Ribeiro Engineering Co.	Chemical Pipeline Distribution Project	219×8 89×5.5 426×11 325×5	20	GB3087-2008	3650T
Jiangsu Huayang Engineering Materials	Pipe Fitting Pipe Manufacturing	89×6 73×5 219×8 114×6	20 Gr.B	GB/T8163-2008 ASTM-A106	4600T

Client Name	Project Name	Size	Material	Standard	Supply Quantity(T)
Sinopec Zhenhai Refining	1 million tons ethylene project	273×7 325×10 406×10	Gr.B 20	ASTM-A106 GB/T8163-2008	15700
Yangzi Petrochemical BASF	Ethylene Project	273×9 406×10	20 Gr.B	GB/T8163-2008 ASTM-A106	18300
BASF Shanghai	Polyurethane project	168×7 219×8 273×9	Gr.B	ASTM-A106	17500
Shanghai SECCO Petrochemical	Ethylene Project	219×8 237×7	20	GB/T8163-2008	17600
Dushanzi Petrochemical	Refining and Ethylene Technology Reform	168×6.5 219×7 325×8	20	GB/T8163-2008	12500
PetroChina Lanzhou Branch	Ethylene conversion project	57×4 108×5 273×7 325×10	20	GB/T8163-2008	10300
Sinopec	Hainan Oil Refinery Project	114×6 273×9.5 325×8.5 508×13	20	GB/T8163-2008	12700
Fujian United Petrochemical	Integration projects	89×8 108×6 168×7 273×6.5 356×8 325×10	20 20G	GB/T8163-2008 GB9948-2006 GB5310-2008	13500
CNPC	Guangxi Qinzhou Project	114×6 168×6 219×6.5 356×8	20	GB/T8163-2008	18100
CNOOC	Huizhou Refinery Project	273×6.5 273×13 325×10 356×9.5 406×9 457×9.5	20 15CrMoG Cr5Mo	GB/T8163-2008 GB3087-2008	14800
Sinopec	Maoming Ethylene Project	60×4 89×5.5 168×7 219×8 219×12 273×9 273×12 325×12	Gr.B 20G 20	ASTM-A106 GB5310-2008 GB/T8163-2008 GB3087-2008	12200
Sinopec	Qingdao Oil Refinery Project	89×5.5 168×7 219×8 273×10 325×10 356×8	20 15CrMoG 16Mn	GB/T8163-2008 GB9948-2006 GB5310-2008	21300
Sinopec	Tianjin Ethylene Project	168×7 219×10 273×8 273×14	15CrMoG 20	GB/T8163-2008 GB5310-2008	18700
Dalian Hengli Petrochemical	Chemical fiber project	60×4 89×5.5 114×6 168×7 219×7 273×8	Gr.B	ASTM-A106	50000
Odfjell, Jiangyin	Chemical Storage Tank Project	219×6.5 273×8	20	GB/T8163-2008	3600
Jiangsu Senda Group	Senta Hot Projects	219×10	20	GB/T8163-2008	2800
Huaneng Suzhou Thermal Power Plant	100,000 kilowatts 2 generator sets	219×20 277×22 377×30	12Cr1MoV 20G	CNB-9 GB5310-2008 GB/T8163-2008	2400
Hebei Hongrun Pipeline	60,000 kilowatts for 2 generator sets	273×28 323×20 377×20	12Cr1MoV 20G	CNB-9 GB5310-2008	1500
Changzhou Huaneng Power	2 units of 50,000 kilowatts	273×28 273×30	10CrMo910 20G	DIN17175 GB5310-2008	970
Shandong Jinan Hifit	135,000 kW 1 unit	273×28 377×28	12Cr1MoV	GB5310-2008 CNB-9	850

Client Name	Project Name	Year
Shandong Yulong Petrochemical Co.	Yulong Petrochemical Project 40 million tons/year	2022-present
China Petroleum & Chemical Corporation Tianjin Branch	Tianjin Petrochemical -1.2 million tons/year Nangang Ethylene Project	2022-present
Sinopec Zhenhai Refining Company /SEI/ Luoyang Petrochemical Company	Zhenhai Base Phase II Project	2022-present
Jiangyin Sulong Thermal Power Co.	Procurement of Steel Pipes Supporting the North Line Project of Sulong Thermal Power Heat and Power Network Project	2022-present
Hengli Petrochemical (Huizhou) Co.	Hengli 2 sets of 2.5 million tons/year PTA project	2021-present
CNOOC Huizhou Petrochemical Co.	Huilian Phase 2.5 Project	2021-present
Sinopec Shanghai Engineering Co.	Base project	2021-present
Sinopec Shanghai Engineering Co.	Hainan Refining and Chemical 1 million tons / year ethylene and refining expansion project	2020-present
China National Petroleum Corporation	PetroChina Guangdong Petrochemical 20 million tons/year refining and chemical integration project	2020-present
Lianyungang Petrochemical Co.	Satellite Group Lianyungang Petrochemical 3.2 million tons / young hydrocarbon comprehensive utilization project	2020-present
Shenghong Refining & Chemical (Lianyungang) Co.	Sheng Hong Refining and Chemical Integration Project	2020-present
China National Petroleum Corporation	PetroChina Guangdong Petrochemical 20 million tons/year refining and chemical integration project	2020-present
Sinopec Engineering Construction Co.	Zhongsha (Tianjin) 260,000 tons/year polycarbonate project	2020-present
Sinopec Shanghai Engineering Co.	Sinochem Quanzhou Petrochemical 1 Million Tons/Year Ethylene and Refining Expansion Project	2018-present
Sinopec Engineering Construction Co.	China Science and Technology Joint Venture Guangdong Refining and Chemical Integration Project	2018-present
Heilongjiang Long Oil Petrochemical Co.	5.5 million tons/year of heavy oil catalytic thermal cracking project and 950,000 tons/year of polyolefin project.	2018-present
Sinopec Engineering Construction	China-Afghanistan Joint Program	2018-present
Zhejiang Petrochemical Co.	Zhejiang Petrochemical 40 million tons/year refining and chemical integration project	2018-present
Dongguan Juzhengyuan Technology Co.	Dongguan Juzhengyuan 1.2 million tons of propane dehydrogenation project	2018-present
Hengli Petrochemical (Dalian) Refining & Chemical Co.	Hengli 1.5 million tons/year ethylene project	2018-2020
Hengli Petrochemical (Dalian) Chemical Co.	Hengli 5 sets of 2.5 million tons/year PTA project	2010-2020
China National Petroleum Corporation	PetroChina North China Petrochemical Refining and Expansion Project	2018-2019
Hengli Petrochemical (Dalian) Co.	Hengli 20 million tons/year refining and chemical integration project	2017-2019

{ FUTURE VISION

The tide of market is also surging forward with great momentum; look back into the past, relied on outstanding courage and insight JST is surfing in the sea of trading, members of JST meet the turbulent waves with their broad heart; recollection of the hard days shall be the ultimate honor for the heroes bravely facing the ferocious tide. Only torments and wind and snow may come a drop of success. However, that shall be the new starting line of JST to march forward. Depend on the staunch perseverance, they faced severe conditions; with the ebb and flow of waves, The sea admits hundreds of rivers for its capacity to hold, if the drop of success composed only a little nodule in the development, People of JST have gathered at that starting line, willing to endeavor for achieving a next glory for evermore.

